



AUTHORIZED FEDERAL SUPPLY SERVICE PRICE LIST

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA *Advantage!*[™], a menu-driven database system. The INTERNET address GSA *Advantage!*[™] is: <http://www.GSAAdvantage.gov>.

WORLDWIDE FEDERAL SUPPLY SCHEDULE CONTRACT FOR MAS

FSC: 5810, 6350

NAICS Codes: 561621

SIN 334512: Facility Management Systems

SIN 334290: Security and Detection Systems

SIN 334290L: Physical Access Control Systems (PACS) - Legacy SIN;

SIN 541330L: Security System Integration, Design, Management, and Life Cycle Support

SIN 541330SEC: Security System Integration, Design, Management, and Life Cycle Support

SIN OLM Order-Level Materials (OLM)

GSA Schedule Contract Number: GS-07F-0541M

Contract Effective: September 25, 2017 through September 24, 2022

Price List current as of: Contract Modification #PO48 dated July 28, 2018

SYSTEMS APPLICATIONS & SOLUTIONS LLC

1019 Bankton Circle

Charleston, SC 29410-2926

Phone: (843) 554-9481

Fax: (843) 554-4479

E-Mail: cburgess@sas-llc.com

Website Address: www.sas-llc.com

Business Size: Small, Veteran-Owned Business

Contract Administration: Christine Burgess

CUSTOMER INFORMATION

1a. SPECIAL ITEM NUMBERS (SINs)

SIN : 334512 Facility Management Systems Total Solution Support Products for Facilities Management Systems. Includes products to support facilities management systems, such as repair parts, surveillance systems, security functions, energy functions, building comfort systems, etc.

NOTE: Subject to Cooperative Purchasing

SIN 334290L Physical Access Control Systems (PACS) - Physical Access Control Systems (PACS) - Legacy SIN. Includes physical access control systems (PACS), such as card-controlled access, biometrics, security barriers, etc.

NOTE: Subject to Cooperative Purchasing

Note: This SIN does not cover products and systems that are compliant with the GSA FIPS 201 Evaluation Program or that implement the mandates in OMB Memorandums M-05-24 and M-06-18. Compliant products and systems can be found under SIN 334290L

SIN 334290; Miscellaneous Alarm and Signal Systems, Audible/Visual Warning/Signaling Devices – SUBJECT TO COOPERATIVE PURCHASING - Security and Detection Systems; Includes security and detection systems and devices, such as gas detectors, pressure level monitoring, patient/detainee monitoring systems, etc.

NOTE: Excludes vehicular alarms.

NOTE: Subject to Cooperative Purchasing

SIN 541330L: Security System Integration, Design, Management, and Life Cycle Support – SUBJECT TO COOPERATIVE; Security System Integration, Design, Management, and Life Cycle Support; Includes services involving the security integration/management discipline, which supports security products and systems throughout their lifecycle. Services may include, but are not limited to: testing, production, fielding, process improvement, disposal, etc.

NOTE: Subject to Cooperative Purchasing

Services providing for the design, coding, integration, testing, deploying, repair and maintenance of integrated security systems. Includes training across all platforms, enterprise wide, for the complete life cycle of the system.

Note: This SIN does not include services related to physical access control that meet the requirements of the GSA FIPS 201 Evaluation Program. Services meeting those requirements can be found under SIN 541330SEC

SIN 541330SEC: Security System Integration, Design, Management, and Life Cycle Support; Includes services related to PACS design, integration, and implementation, and installation/testing. Offerors under this SIN have at least one employee who is CSEIP (Certified System Engineer ICAM PACS) certified and such certification can be verified at IDmanagement.gov.

NOTE: Subject to Cooperative Purchasing

SIN OLM Order-Level Materials (OLM) OLMs are supplies and/or services acquired in direct support of an individual task or delivery order placed against a Schedule contract or BPA. OLM pricing is not established at the Schedule contract or BPA level, but at the order level. Since OLMs are identified and acquired at the order level, the ordering contracting officer (OCO) is responsible for making a fair and reasonable price determination for all OLMs.

OLMs are procured under a special ordering procedure that simplifies the process for acquiring supplies and services necessary to support individual task or delivery orders placed against a Schedule contract or BPA. Using this new procedure, ancillary supplies and services not known at the time of the Schedule award may be included and priced at the order level.

OLM SIN-Level Requirements/Ordering Instructions:

OLMs are:

- Purchased under the authority of the FSS Program
- Unknown until an order is placed
- Defined and priced at the ordering activity level in accordance with GSAR clause 552.238-115 Special Ordering Procedures for the Acquisition of Order-Level Materials. (Price analysis for OLMs is not conducted when awarding the FSS contract or FSS BPA; therefore, GSAR 538.270 and 538.271 do not apply to OLMs)
- Only authorized for use in direct support of another awarded SIN.
- Only authorized for inclusion at the order level under a Time-and-Materials (T&M) or Labor-Hour (LH) Contract Line Item Number (CLIN)
- Subject to a Not To Exceed (NTE) ceiling price

OLMs are not:

- Open Market Items.
- Items awarded under ancillary supplies/services or other direct cost (ODC) SINs (these items are defined, priced, and awarded at the FSS contract level)

OLM Pricing:

- Prices for items provided under the Order-Level Materials SIN must be inclusive of the Industrial Funding Fee (IFF).
- The value of OLMs in a task or delivery order, or the cumulative value of OLMs in orders against an FSS BPA awarded under an FSS contract, cannot exceed 33.33%.

NOTE: When used in conjunction with a Cooperative Purchasing eligible SIN, this SIN is Cooperative Purchasing Eligible.

1b. LOWEST PRICED ITEMS.

SIN 334512	LNL-CTX	\$80.91
SIN 334290	1386-LGGMN	\$ 3.25
SIN 334290L	LNL-1300	\$247.56

1c. The hourly rates are attached.

2. Maximum order:

SIN 334512 \$250,000
SIN 334290 \$250,000
SIN 334290L \$250,000
SIN 554330L \$250,000

3. Minimum order: \$100

4. Geographic Coverage (delivery area): 48 United States, Washington DC and Puerto Rico.

5. Point(s) of Production: 1212 Pittsford-Victor Road, Monroe County, Pittsford, NY 14534.

6. Prices herein are net: Discount has been taken.

7. Quantity discount: None. Additional discounts may be negotiated with the ordering activity for orders exceeding the maximum order established.

8. Prompt Payment Terms: Net 30 days.

9a. Government Purchase Cards are accepted up to the micro-purchase threshold.

- 9b. Government Purchase Cards are accepted above the micro-purchase threshold.
10. Foreign items: None.
- 11a. Time of delivery: 60 Days ARO.
- 11b. Expedited Delivery: 7 Days ARO. If item is available in stock, contact SAS.
- 11c. Overnight and 2-day delivery: Overnight and 2-day delivery are available at standard commercial shipping rates, if item is available in stock. Contact SAS.
- 11d. Urgent Requirements: Contact Stephen Kershaw for faster delivery and express shipping pricing.
12. FOB Point(s): FOB Destination to 48 Contiguous United States. FOB Origin to Alaska, Hawaii and Puerto Rico.
- 13a. Ordering address:
Systems Applications & Solutions LLC
1019 Bankton Circle
Charleston, SC 29410-2926
Attn: Christine Burgess
- 13b. Ordering Procedures: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPAs) are found in Federal Acquisition Regulations (FAR) 8.405-3.
14. Payment Address(es): Same as ordering addresses.
15. Warranty Provisions: One Year.
16. Export Packing Charges: Open Market. Contact SAS.
17. Terms and Conditions of Government Purchase Card Acceptance: Accepted.

Terms and Conditions of Rental, Maintenance and Repair: Provided under SIN 334290;

18. Rental is Not Applicable.
19. Terms and Conditions of Installation: Provided under SIN 334290
20. Terms and Conditions of Repair Parts: Openmarket.
- 20a. Terms and Conditions for any other services: Not Applicable.
21. List of Service and Distribution Points: Contact SAS.
22. List of Participating Dealers: Not Applicable.
23. Preventive Maintenance: Provided under SIN 334290
- 24a. Environmental Attributes, e.g., recycled content, energy efficiency, and/or reduced pollutants: Not Applicable.
- 24b. Section 508 Compliance for EIT: Not Applicable.

25. Data Universal Number System (DUNS) Number: 050016869.
26. System for Award Management (SAM) Database: SAM is active Cage Code 1HZS9

Systems Applications & Solutions, LLC

GSA Price SCA Labor Categories



SCA Categories						
SIN	SERVICE (e.g. Job Title/Task)	Labor Descriptions	MINIMUM EDUCATION/ CERTIFICATION LEVEL	MINIMUM YEARS OF EXPERIENCE	UNIT OF ISSUE (e.g. Hour, Task, Sq ft)	GSA Net
334290 541330L 334512	Drafter/CAD Operator IV (SCA - 30064)	Responsible for drafting complete and accurate detailed drawings as required. The CAD Drafter Operator fills in technical details using drawings, rough sketches, specifications, and calculations. Creates and modifies detailed drawings using standard computer aided design (CAD) digitizing techniques and skills from sketches, layouts or notes provided by engineering. Digitizes, edits, and revises engineering drawings of components, parts, circuits, structures and/or assemblies.	<i>AA Degree from a school in drafting or illustration OR High School and 5 yr total experience.</i>	<i>2 yr practical experience</i>	Hour	\$ 49.54
541330L 334512	Electronic Technician I (SCA - 23181)	Entry level Electronic Technician capable of and responsible for camera installation, monitor installation cable pulling, terminations and other basic surveillance systems applications. An Installation Tech I is fully capable of meeting internal and external quality standards while completing each of these objectives.	<i>High School Diploma or equivalent. Must have a minimum of a Secret Clearance.</i>	<i>2 yr practical experience</i>	Hour	\$ 49.24
334290 541330L 334512	Electronic Technician II (SCA - 23182)	Experienced level Electronic Technician that is capable of and responsible for all areas of a Tech I position as well as trouble shooting faulty equipment and serving in some training aspects for other techs	<i>High School Diploma or equivalent. Must have a minimum of a Secret Clearance.</i>	<i>4 yr practical experience with min 1 yr direct experience</i>	Hour	\$ 52.08
334290 541330L 334512	Electronic Technician III (SCA - 23183)	Advanced level Electronic Technician capable of and responsible for all areas of a Tech I and II as well as possessing an advanced level of subject matter expertise in both analog and IP systems. An Electronic Technician III is capable of leading small – mid sized projects as well as functioning as an internal and external trainer. Tasks may include but are not limited to: installation, wiring, testing, and troubleshooting of electronic security systems. Additional areas of responsibility include product training and orientation to the end user.	<i>High School Diploma or equivalent, formal training from tech or military school or apprenticeship and Manufacturer Certifications. Must have a minimum of a Secret Clearance.</i>	<i>8 yr practical experience with min 2 yr in supervisor role</i>	Hour	\$ 54.87

*Rates are based on Charleston, South Carolina SCA Wage Determinations. Prevailing wage rates will vary from locality to locality. Please contact Systems Applications & Solutions.

Systems Applications & Solutions, LLC

GSA Price SCA Labor Categories



SCA Categories						
SIN	SERVICE (e.g. Job Title/Task)	Labor Descriptions	MINIMUM EDUCATION/ CERTIFICATION LEVEL	MINIMUM YEARS OF EXPERIENCE	UNIT OF ISSUE (e.g. Hour, Task, Sq ft)	GSA Net
334290 541330L 334512	Engineering Technician IV (SCA - 30086)	Advanced capabilities of troubleshooting and diagnostics. Capable of making effective recommendations for improved functionality and quality on systems. Responsible for planning, organizing, and directing engineering programs relating to physical security services and solutions. Defines and interprets strategic requirements and analyzes and provides guidance on strategic issues and complex problems. Develops and leads large projects including defining scope, objectives, and methods. Applies and/or develops highly advanced technologies, scientific principles, theories, and concepts. Resolve issues associated with the development and implementation of operational programs. Individual recognized as an expert in field, providing a major impact on program success and productivity.	<i>AS degree in Engineering, Physical Sciences, Mathematics, Management Information Systems OR graduate of 4-year apprenticeship OR Military A & C school in electronics or communications.</i>	16 yr practical experience with min 6 yr in prep engineering documents or designs	Hour	\$ 48.39
334290 541330L 334512	Laborer (SCA - 23470)	Entry level position to perform tasks that require mainly physical abilities and effort involving little or no specialized skill. Digs, fills, and tamps earth excavations; levels ground using pick, shovel, tamper and rake; shovels concrete and snow; cleans culverts and ditches; cuts trees and brush; move and arrange heavy pieces of electronic equipment, office furniture, and appliances; pull outdoor cable; climb structures; use heavy-duty tools; and if properly trained, operate light machinery and equipment.	<i>High School Diploma or equivalent. Must have a minimum of a Secret Clearance.</i>	N/A	Hour	\$ 26.49
541330L 334512	Supply Technician (SCA - 01410)	Acts as supervisory or warehouse lead; responsible for financial management; logistics support for projects involving electronic/electrical repair and installation, ordering, acquisition, distribution of material, equipment and resources.	<i>High School Diploma or GED</i>	5 yr	Hour	\$ 52.48
334290 541330L 334512	Word Processor II (SCA - 01612)	In direct support of professional positions, conducts a variety of clerical and administrative activities. Maintains office files. Provides word processing, spread sheets and graphics as desired; other duties as assigned.	<i>High School Diploma or GED</i>	2 yr	Hour	\$ 34.02

*Rates are based on Charleston, South Carolina SCA Wage Determinations. Prevailing wage rates will vary from locality to locality. Please contact Systems Applications & Solutions.

Systems Applications & Solutions, LLC

GSA Net Professional Labor Categories



SIN	SERVICE (e.g. Job Title/Task)	Labor Descriptions	MINIMUM EDUCATION/ CERTIFICATION LEVEL	MINIMUM YEARS OF EXPERIENCE	UNIT OF ISSUE (e.g. Hour, Task, Sq ft)	GSA Net
334290 541330L 334512	Program Manager	<p>The Program Manager is responsible for ensuring that all tasking associated with a Government funded program or project is completed effectively and efficiently, on time</p> <p>and within budget. Coordinates manpower and resources for projects while managing time, financial resources and ensuring that quality standards are met. Assures quality control programs are in place and consistent on all projects assigned. Program Manager is responsible for program oversight and coordination as well as assuring that all aspects of the project are completed within the established critical path while adhering to the triple constraints of time management, financial resource management and quality controls.</p>	<p><i>BS degree in Engineering, Physical Sciences, Mathematics, Management Information Systems, or Business. Must have a minimum of a Secret Clearance.</i></p>	<p><i>15 yr technical experience with min 5 yr in a management role.</i></p>	Hour	\$ 102.10
334290 541330L 334512	Project Manager	<p>Serves as the client single point of contact. Unique knowledge in specialized technical, functional and/or process areas within the engineering disciplines. Manages multiple projects. Serves as the overall lead or director on complex projects and multiple agency contracts and serves as the principal liaison between the contractor and multiple government agencies. The Project Manager is responsible for ensuring that all tasking associated with a Government-funded program or project is completed effectively and efficiently, on time. Manages associated technical project issues. Assures quality control programs are in place and consistent on all programs assigned. Responsible for project oversight and coordination of all 3rd party vendors as well as assuring that all aspects of the project are completed within the established critical path while adhering to the triple constraints of time management, financial resource management and quality controls. Minimum of a security clearance</p>	<p><i>Bachelor's degree in Engineering, Physical Sciences, Mathematics, Management Information Systems, or Business OR AS degree plus 15 yr total experience. Must have a minimum of a Secret Clearance.</i></p>	<p><i>10 yr direct work experience with min 4 yr in a management role</i></p>	Hour	\$ 91.38

*Rates are based on Charleston, South Carolina SCA Wage Determinations. Prevailing wage rates will vary from locality to locality. Please contact Systems Applications & Solution

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
AL300ULPD8CB	ALTRONIX	8 Output Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, PTC Class 2 power limited outputs, AC & battery monitoring, encl. 13.5H x 13W x 3.25D, 115VAC input, UL Listed (UL294/UL603/UL1069/UL1481). Additional Description Power Supply/Charger, 12/2	334512	US	\$168.39
AL300ULX	ALTRONIX	Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, AC & battery monitoring, Class 2 power limited output, encl. 13.5H x 13W x 3.25D, 115VAC input, UL Listed (U L294/UL603/UL1069/UL1481), CSFM & MEA Approved. Additional Description Power Supply/Charge	334512	US	\$138.56
AL300ULXB2	ALTRONIX	Power Supply/Charger, 115VAC 60Hz In, 12VDC - 24VDC Out Altronix AL300ULXB2. Output voltage: 12 V. Power supply type: indoor, Power current type: AC-to-DC, Purpose: Universal. Colour of product: Blue. Width: 11.4 cm, Depth: 18 cm, Height: 3.7 cm	334512	US	\$110.62
AL400ULX	ALTRONIX	Power Supply/Charger - 12VDC @ 4 amp or 24VDC @ 3 amp, AC & battery monitoring, Class 2 power limited output, encl. 13.5H x 13W x 3.25D, 115VAC input, UL Lis ted (UL294/UL603/UL1069/UL1481), CSFM, MEA & FM Approved. Additional Description Single Ou	334512	US	\$161.02
AL400ULXB2	ALTRONIX	Altronix AL400ULXB2 UL Recognized Power SupplyCharger - 120 V AC Input Voltage - 12 V DC, 24 V DC Output	334512	US	\$117.28
AL600ULM	ALTRONIX	5 Output Power Supply/Charger w/Fire Alarm Disconnect - 12VDC or 24VDC @ 6 amp, PTC Class 2 power limited outputs, encl. 13.5"H x 13"W x 3.25"D, 115VAC input, UL Listed (UL294/UL1481), MEA & CSFM Approved. Additional Description Power Supply w/Fire	334512	US	\$297.08
AL600ULX	ALTRONIX	Power Supply/Charger - 12VDC or 24VDC @ 6 amp, AC & battery monitoring, non-power limited output, encl. 13.5H x 13W x 3.25D, 115VAC input, UL Listed (UL294/U L1481), CSFM, MEA & FM Approved. Additional Description 115VAC (60Hz, 3.0Amp) In, 12VDC/24	334512	US	\$215.10
AL600ULXB	ALTRONIX	Power supply/charger converts 115VAC 60Hz input, to a 6 amp of continuous supply current @ 12VDC or 24VDC non-power limited output. Board only	334512	US	\$143.82
OLS120	ALTRONIX	Off-line Switching Power Supply/Charger - 12VDC or 24VDC @ 4 amp, AC & battery monitoring, 115/230VAC input. Additional Description Offline Switching Supervised Power Supply/Charger, 115 - 230V In, 12 - 24V Out Altronix OLS120. AC input volta	334512	US	\$98.33
OLS20	ALTRONIX	Off-line Switching Power Supply/Charger - 12VDC @ 1 amp or 24VDC @ 500mA, 115VAC input. Additional Description Offline Switching Power Supply Board, 12VDC @ 1.2A / 24VDC @ 0.5A Altronix OLS20. AC input frequency: 50 - 60 Hz, Power protection	334512	US	\$35.64

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
OLS75	ALTRONIX	Off-line Switching Power Supply/Charger - 12VDC or 24VDC @ 2.5 amp, AC & battery monitoring, 115/230VAC input. Additional Description Offline Switching Power Supply Board, 12/24VDC @ 2.5A Altronix OLS75. AC input voltage: 115 - 230 V, AC input	334512	US	\$77.43
PD8CB	ALTRONIX	8 Output Power Distribution Module - Converts AC or DC power input (28 volts @ 14 amp max.) into eight (8) PTC power outputs. Additional Description 8 PTC Outputs Power Distribution Module, 28VAC/28VDC Altronix PD8CB. PDU types: Basic, Colour of p	334512	US	\$23.34
PM212	ALTRONIX	Linear Power Supply/Charger - 12VDC @ 1 amp, AC & battery monitoring. Additional Description Supervised Linear Power Supply Board, 12VDC @ 1A Altronix PM212. Maximum input current (@110V): +12V. Colour of product: Blue Model PM212 power supply/cha	334512	US	\$26.43
R2416300UL	ALTRONIX	16 Output Rack Mount CCTV Power Supply - 24VAC @ 12.5 amp or 28VAC @ 10 amp, fused outputs, 2U EIA 19" Rack Mount Chassis, 115VAC input, UL Listed (UL2044), cUL Listed & CE Approved. Additional Description 115VAC (50/60Hz, 3Amp) In, 24/28VAC Out, 1	334512	US	\$265.50
RB7	ALTRONIX	Ultra Sensitive Relay Cluster - 12VDC or 24VDC operation, 3VDC to 24VDC positive trigger inputs, Seven independent isolated SPDT contacts rated @ 1 amp/120VAC or 28VDC. Additional Description Ultra Sensitive Multiple Relay Module, 7 x "C" Out, 12/	334512	US	\$65.14
RBR1224	ALTRONIX	12VDC to 24VDC operation.Positive (+) or negative (-) ultra sensitive trigger (3VDC to 24VDC @ 20mA minimum).2 amp/120VAC/28VDC DPDT contacts.Relay status LED.Remote LED status output.Snap track mountable	334290	US	\$20.29
SMP10	ALTRONIX	Power Supply/Charger - 12VDC or 24VDC @ 10 amp. Additional Description Switching Power Supply Board, 12/24VDC @ 10A Out, LEDs Altronix SMP10. Power supply type: Indoor, Power current type: AC-to-DC, Power protection features: Overload, Short circu	334512	US	\$124.14
SMP10PM	ALTRONIX	Power Supply/Charger - 12VDC or 24VDC @ 10 amp, AC & battery monitoring. Additional Description Switching Supervised Power Supply Board, 12/24VDC @ 10A Out, LEDs Altronix SMP10PM. Power supply type: Indoor, Power protection features: Overload, Sho	334512	US	\$149.50
SMP3	ALTRONIX	Altronix SMP3 Power Supply ----- Additional Description Single Output Power Supply Board, 6/12/24VDC @ 2.5A Out Altronix SMP3. Power supply type: Indoor, Power current type: AC-to-DC, Power protection features: Overload, Short circuit. Colour of	334512	US	\$30.10
SMP5	ALTRONIX	Power Supply/Charger - 6VDC, 12VDC or 24VDC @ 4 amp. Additional Description Switching Power Supply Board, 12/24VDC @ 4A, LEDs Altronix SMP5. Power supply type: Indoor, Power current type: AC-to-DC, Power protection features: Overload, Short circu	334512	US	\$44.87

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SMP5PM	ALTRONIX	PWR SPL/CHG BOARD 4A SUPV Additional Description Switching Power Supply Board, 12/24VDC @ 4A Out, 24VAC - 28VAC In Altronix SMP5PM. Input voltage: -, 24 - 28. Power supply type: Indoor, Power current type: AC-to-DC, Power protection features: Over	334512	US	\$66.37
SMP7	ALTRONIX	Power Supply/Charger - 12VDC or 24VDC @ 6 amp. Additional Description Switching Power Supply Board, 12/24VDC @ 6A Out, LED Altronix SMP7. Input voltage: -, 28. Power supply type: Indoor, Power current type: AC-to-DC, Power protection features: Ove	334512	US	\$84.80
SMP7PM	ALTRONIX	Power Supply/Charger - 12VDC or 24VDC @ 6 amp, AC & battery monitoring. Additional Description Switching Supervised Power Supply Board, 12/24VDC @ 6A Altronix SMP7PM. Input voltage: -, 28. Power supply type: Indoor, Power protection features: Over	334512	US	\$100.78
843-AG	AMAG	Symmetry 843 Smartcard Wallswitch Reader - (Ash Gray) Reads Embedded #, smartMAX MIFARE/DESFire	334290L	GB	\$416.71
843-BK	AMAG	Symmetry 843 Smartcard Wallswitch Reader - (Black) Reads Embedded #, smartMAX MIFARE/DESFire	334290L	GB	\$416.71
843-CG	AMAG	Symmetry 843 Smartcard Wallswitch Reader - (Gray) Reads Embedded #, smartMAX MIFARE/DESFire	334290L	GB	\$416.71
844-AG	AMAG	Symmetry 844 Smartcard Wallswitch Reader - (Ash Gray) 1-line LCD, Reads PIV, MIFARE/DESFire	334290L	GB	\$416.71
844-COMBI-631-N	AMAG	Symmetry 844 Smartcard + Magstripe Wallmount KeyPad Indoor Reader - (Ash Gray) 1-line LCD, Backplate w/ 631 Magstripe (only needs one reader port), Reads CAC-EP, PIV, MIFARE/DESFire, GSA APL listed	334290L	GB	\$692.05
849-KP-AG	AMAG	Symmetry 849 Smartcard KeyPad Wallswitch Reader - (Ash Gray) Reads PIV, MIFARE/DESFire	334290L	GB	\$362.62
853-COMBI-631	AMAG	Symmetry 853 Smartcard + Magstripe Wallmount KeyPad Indoor Reader - (Ash Gray) Reads Contact CAC, DESFire, 1" range	334290L	GB	\$1,184.11

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
AUTH-1-ENX-HSE	AMAG	Symmetry microMAX/smartMAX Customer System Code Authorization - Encoding for a single Customer Code. (NOTE: Facility Code required for existing system or request new code for new systems)	334290L	GB	\$81.13
AUTH-1-MAG/SMART	AMAG	Symmetry microMAX/smartMAX Customer System Code Authorization - Encoding for a single Customer Code. (NOTE: Facility Code required for existing system or request new code for new systems)	334290L	GB	\$81.13
AUTH-DES-001	AMAG	Symmetry DESFire Authorization USB Sentinel - Authorizes encoding DESFire Contactless Smartcards	334290L	GB	\$2,426.48
AUTH-DES-099	AMAG	Symmetry DESFire Authorization USB Sentinel - Authorizes encoding DESFire Contactless Smartcards	334290L	GB	\$1,086.63
CARD-ENCODING-V8	AMAG	Symmetry Magstripe / Smartcard Encoding Module - Includes License. (NOTE: SOFTWARE ONLY. Requires System Code Authorization to encode cards)	334290L	GB	\$1,331.92
CENTRAL-STATION-CA-V8.1	AMAG	Symmetry Enterprise Cluster-Aware Central Station Platform Software - Includes License & 1 Year Gold SSA	334290L	GB	\$15,789.32
CENTRAL-STATION-CA-V8.1-HSE	AMAG	Symmetry Enterprise Cluster-Aware Homeland Security Central Station Platform Software - Includes License & 1 Year Gold SSA	334290L	GB	\$17,368.87
CENTRAL-STATION-V8.1	AMAG	Symmetry Enterprise Central Station Platform Software - Includes License & 1 Year Gold SSA	334290L	GB	\$8,264.04
CENTRAL-STATION-V8.1-HSE	AMAG	Symmetry Enterprise Central Station Homeland Security Platform Software - Includes License & 1 Year Gold SSA	334290L	GB	\$9,090.08
DATA-CONNECT-V8	AMAG	Symmetry Data Connect Module	334290L	GB	\$919.46

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
DIRECTORY-AUTH-V8	AMAG	Symmetry Single Sign-On Module - Integration with Active Directory	334290L	GB	\$1,258.72
EN-1DBC-PLUS	AMAG	Symmetry Edge Network 1 Door PoE+ Controller - Power over Ethernet+ capable one door controller with 2 aux inputs and 1 aux outputs. Upgradable to 2 doors with reader module. Provides 1.5A power for reader using PoE+ (750mA using PoE), lock & devices	334290L	GB	\$415.48
EN-1DBC-PLUS-IO-MOD	AMAG	Additional Input / Output Module for EN-1DBC+ Door Controller. Provides an additional 8 inputs and 2 auxiliary outputs. Fits inside plastic enclosure as an alternative to the additional reader module. Works with all versions of Symmetry v8.0.1 or lat	334290L	GB	\$168.40
EN-1DBC-PLUS-RDR-MOD	AMAG	Additional Reader Module for EN-1DBC+ Door Controller. Increases capacity to 2 doors. Fits inside plastic enclosure and brings EN-1DBC+ up to an EN-2DBC capability including addition of 2 aux inputs and 1 aux output. Works with all versions of Symmet	334290L	GB	\$195.45
EN-2DBC	AMAG	Symmetry EdgeNetwork 2 Door PoE Plus Controller - Power over Ethernet+ capable two door controller with 4 aux inputs and 2 aux outputs. Provides 1.5A power for reader using PoE+ (750mA using PoE), lock & devices. 90K card capacity & 15K transactions,	334290L	GB	\$575.27
EN-DBU-100K-MK2-HSE	AMAG	Symmetry EdgeNetwork 100K Mk-2 DBU Board Only - Onboard NIC, Supports 128-bit card number for FICAM when used with M2150-4DC-F-HSE.	334290L	GB	\$1,599.21
EN-DBU-20K-MK2-HSE	AMAG	Symmetry EdgeNetwork 20K Mk-2 DBU Board Only - Onboard NIC, Supports 128-bit card number for FICAM when used with M2150-4DC-F-HSE.	334290L	GB	\$1,012.88
EN-DBU-250K-MK2-HSE	AMAG	Symmetry EdgeNetwork 250K Mk-2 DBU Board Only - Onboard NIC, Supports 128-bit card number for FICAM when used with M2150-4DC-F-HSE.	334290L	GB	\$1,793.43
EN-DBU-50K-MK2-HSE	AMAG	Symmetry EdgeNetwork 50K Mk-2 DBU Board Only - Onboard NIC, Supports 128-bit card number for FICAM when used with M2150-4DC-F-HSE.	334290L	GB	\$1,389.02
EN-DBU-999K-MK2-HSE	AMAG	Symmetry EdgeNetwork 999K Mk-2 DBU Board Only - Onboard NIC, Supports 128-bit card number for FICAM when used with M2150-4DC-F-HSE.	334290L	GB	\$2,448.60

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
EN-LDBU-20K-HSE	AMAG	Symmetry Lock controller for Symmetry 7.0.1 Homeland Security Edition and higher systems. Supports Assa Abloy Aperio locks and serial hubs. Requires LOC-LIC for each connected Aperio lock. Board-only. Requires MN-CAB-FIX if adding to MN-CAB enclosure	334290L	GB	\$1,023.94
ENT-CLIENT-V8.1	AMAG	Symmetry Enterprise Client Software - Includes License.	334290L	GB	\$882.58
ENT-LIC-008-V8	AMAG	Symmetry Enterprise 8 Reader License Add-on	334290L	GB	\$275.35
ENT-LIC-016-V8	AMAG	Symmetry Enterprise 16 Reader License Add-on	334290L	GB	\$550.69
ENT-LIC-032-V8	AMAG	Symmetry Enterprise 32 Reader License Add-on	334290L	GB	\$1,100.15
ENT-LIC-064-V8	AMAG	Symmetry Enterprise 64 Reader License Add-on	334290L	GB	\$2,200.30
ENT-LIC-1024-V8	AMAG	Symmetry Enterprise 1024 Reader License Add-on	334290L	GB	\$35,208.52
ENT-LIC-128-V8	AMAG	Symmetry Enterprise 128 Reader License Add-on	334290L	GB	\$4,400.60
ENT-LIC-2048-V8	AMAG	Symmetry Enterprise 2048 Reader License Add-on	334290L	GB	\$70,415.82
ENT-LIC-256-V8	AMAG	Symmetry Enterprise 256 Reader License Add-on	334290L	GB	\$8,802.44

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
ENT-LIC-512-V8	AMAG	Symmetry Enterprise 512 Reader License Add-on	334290L	GB	\$17,603.65
ENT-PLAT-CA-V8.1	AMAG	Symmetry Enterprise Cluster-Aware Platform Software - Includes License & 1 Year Gold SSA	334290L	GB	\$10,025.51
ENT-PLAT-CA-V8.1-HSE	AMAG	Symmetry Enterprise Cluster-Aware Homeland Security Platform Software - Includes License & 1 Year Gold SSA	334290L	GB	\$11,027.32
ENT-PLAT-V8.1	AMAG	Symmetry Enterprise Platform Software - Includes License & 1 Year Gold SSA	334290L	GB	\$2,499.00
ENT-PLAT-V8.1-HSE	AMAG	Symmetry Enterprise Homeland Security Platform Software - Includes License & 1 Year Gold SSA	334290L	GB	\$2,749.76
G4T-M2150-001-HSE	AMAG	Symmetry M2150 8DBC 8 Reader HSE Kit - Includes 8DBC DL Panel, 20K, MN-PSU-6 Power, CAB3A Enclosure*	334290L	GB	\$2,443.69
G4T-M2150-002-HSE	AMAG	Symmetry M2150 8DC 8 Reader HSE Kit - Includes 8DC DL Panel, MN-PSU-6 Power, CAB3A Enclosure*	334290L	GB	\$1,990.11
G4T-M2150-003-HSE	AMAG	Symmetry M2150 24 Input/4 Output HSE Kit - M2150-AC24/4, PSU-KIT Power, CAB3A Enclosure*	334290L	GB	\$701.88
G4T-M2150-015-HSE	AMAG	Symmetry M2150 8DBC 8 Reader HSE Cab5 Kit - Includes 8DBC DL Panel, 20K, MN-PSU-6 Power, CAB5 Enclosure*	334290L	GB	\$2,512.52
G4T-M2150-021-HSE	AMAG	Symmetry M2150 4 Input/24 Output HSE Kit - M2150-OC4/24, PSU-KIT Power, CAB3A Enclosure*	334290L	GB	\$790.39

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
G4T-M2150-040-HSE	AMAG	Symmetry M2150 8DBC 8 Reader RackMount HSE Kit - Includes 8DBC, 20K, Power Supply, 2U 19" Rak3 Enclosure (NOTE: 8DBC Panel included but not installed)	334290L	GB	\$2,535.88
G4T-M2150-041-HSE	AMAG	Symmetry M2150 4DBC 4 Reader HSE Kit - Includes 4DBC DL Panel, 20K, PSU-KIT Power, CAB3A Enclosure*	334290L	GB	\$1,631.17
G4T-M2150-043-HSE	AMAG	Symmetry M2150 2DBC 2 Reader HSE Kit - Includes 2DBC DL Panel, 20K, PSU-KIT Power, CAB3A Enclosure*	334290L	GB	\$1,387.79
GLOBAL-HEAD-CLIENT-V8.1	AMAG	Symmetry Global Head Office Client Software - Includes License. (NOTE 1: For installation with Global Head Office, same Symmetry version only)	334290L	GB	\$2,205.22
GLOBAL-HEAD-CLIENT-V8.1-HSE	AMAG	Symmetry Global Head Office Client Software - Includes License. (NOTE 1: For installation with Global Head Office, same Symmetry version only)	334290L	GB	\$2,425.25
GLOBAL-PLAT-CA-V8.1	AMAG	Symmetry Global Cluster Aware Platform software - Includes License. 1 year Gold SSA. (NOTE 1: Requires reader licenses, SQL Server & CALs) (NOTE 2: This is a full new installation only (not an upgrade from any other Symmetry version or Edition), requ	334290L	GB	\$66,172.55
GLOBAL-PLAT-CA-V8.1-HSE	AMAG	Symmetry Global Cluster-Aware Homeland Security Platform Software - Includes License & 1 year Gold SSA (NOTE 1: Requires reader licenses, SQL Server & CALs) (NOTE 2: This is a full new installation only (not an upgrade from any other Symmetry versio	334290L	GB	\$72,789.44
GLOBAL-PLAT-V8.1	AMAG	Symmetry Global Platform Software - Includes License. 1 year Gold SSA. (NOTE 1: Requires reader licenses, SQL Server & CALs) (NOTE 2: This is a full new installation only (not an upgrade from any other Symmetry version or Edition), requires approva	334290L	GB	\$58,820.59
GLOBAL-PLAT-V8.1-HSE	AMAG	Symmetry Global Homeland Security Platform Software - Includes License & 1 year Gold SSA (NOTE 1: Requires reader licenses, SQL Server & CALs) (NOTE 2: This is a full new installation only (not an upgrade from any other Symmetry version or Edition),	334290L	GB	\$64,701.18
GLOBAL-REGION-CA-V8.1	AMAG	Symmetry Global Cluster-Aware Region Software - Provides Enterprise Region Platform Software License (NOTE 1: Requires Reader Licenses, SQL Server & CALs) (NOTE 2: System upgrades require design approval from an Application Engineer)	334290L	GB	\$11,494.43

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
GLOBAL-REGION-CA-V8.1-HSE	AMAG	Symmetry Global region Cluster aware Homeland Security Software - Provides Enterprise Region Platform Software License (NOTE 1: Requires reader licenses, SQL Express or SQL Server & CALs) (NOTE 2: This is a full new installation only (not an upgrade	334290L	GB	\$12,643.75
GLOBAL-REGION-CLIENT-V8.1	AMAG	Symmetry Global Region Client Software - Includes License. (NOTE 1: For installation with Global Region, same Symmetry version only)	334290L	GB	\$882.58
GLOBAL-REGION-CLIENT-V8.1-HSE	AMAG	Symmetry Global Region Client Software - Includes License. (NOTE 1: For installation with Global Region, same Symmetry version only)	334290L	GB	\$971.08
GLOBAL-REGION-V8.1	AMAG	Symmetry Global Region Software - Provides Enterprise Region Platform Software License (NOTE 1: Requires Reader Licenses, SQL Server & CALs) (NOTE 2: System upgrades require design approval from an Application Engineer)	334290L	GB	\$3,967.92
GLOBAL-REGION-V8.1-HSE	AMAG	Symmetry Global region Homeland Security Software - Provides Enterprise Region Platform Software License (NOTE 1: Requires reader licenses, SQL Express or SQL Server & CALs) (NOTE 2: This is a full new installation only (not an upgrade from any other	334290L	GB	\$4,364.96
GUARD-TOUR-V8	AMAG	Symmetry Guard Patrol Module	334290L	GB	\$1,471.38
INO-PIV-MARINE	AMAG	Innometriks U.S. Marine Corps integrated solution for harvesting card data, per workstation	334290L	CA	\$854.31
INO-TWIC-CAC	AMAG	Innometriks SDK Software for integrating TWIC/PIV/CAC card harvesting	334290L	CA	\$854.31
INO-TWIC-SDKC	AMAG	Innometriks TWIC SDK Software for integrating TWIC Client (requires INO-TWIC-SDKS)	334290L	CA	\$683.45
INO-TWIC-SDKS	AMAG	Innometriks TWIC SDK Software Suite for integrating TWIC cards, includes one server, one client, and hotlist software	334290L	CA	\$2,219.97

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
INTERCOM-KIT-V8	AMAG	Symmetry Stento Alphacom Intercom Module	334290L	GB	\$991.98
INTRUSION-PNL-01-V8	AMAG	Symmetry Intrusion Management License - 1 Control Panel	334290L	GB	\$963.71
INTRUSION-PNL-04-V8	AMAG	Symmetry Intrusion Management License - 4 Control Panels	334290L	GB	\$3,856.06
INTRUSION-PNL-16-V8	AMAG	Symmetry Intrusion Management License - 16 Control Panels	334290L	GB	\$15,423.01
INTRUSION-RCV-01-V8	AMAG	Symmetry Intrusion Management License - 1 Receiver Account	334290L	GB	\$382.29
M2150-2DBC-DL-HSE	AMAG	Symmetry M2150 2DBC HSE 2 Reader Panel BOARD ONLY - DL, 20K.	334290L	GB	\$1,079.25
M2150-2DC-DL-HSE	AMAG	Symmetry M2150 2DC HSE 2 Reader Panel BOARD ONLY - DL	334290L	GB	\$415.48
M2150-4DBC-DL-HSE	AMAG	Symmetry M2150 4DBC HSE 4 Reader Panel BOARD ONLY - DL, 20K.	334290L	GB	\$1,230.45
M2150-4DC-DL-HSE	AMAG	Symmetry M2150 4DC HSE 4 Reader Panel BOARD ONLY - DL	334290L	GB	\$755.97
M2150-4DC-F-HSE	AMAG	Symmetry M2150 4DC HSE 4 Reader Panel (-F supports 128-bit card number for FICAM when used with EN-DBU-xxxK-MK2-HSE) - BOARD ONLY	334290L	GB	\$755.97

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
M2150-8DBC-DL-HSE	AMAG	Symmetry M2150 8DBC HSE 8 Reader Panel BOARD ONLY - 20K.	334290L	GB	\$2,057.71
M2150-8DC-DL-HSE	AMAG	Symmetry M2150 8DC HSE 8 Reader Panel BOARD ONLY - DL	334290L	GB	\$1,489.81
M2150-AC24/4-HSE	AMAG	Symmetry M2150 24 Input/4 Output HSE Panel BOARD ONLY	334290L	GB	\$357.70
M2150-AC8/4	AMAG	Symmetry M2150 8 Input/4 Output Module - (NOTE: Max combined AC8/4 and OC4/8 modules for M2150 family: 8DC, 8DBC: Max 1; 4DC, 4DBC: max 2; 2DC, 2DBC: max 1; Not applicable for EN-1DBC, EN-2DBC, or any DBU)	334290L	GB	\$177.01
M2150-DBU-DL-HSE	AMAG	Symmetry M2150 20K HSE DBU BOARD ONLY - DL (NOTE: No NIC included)	334290L	GB	\$663.78
M2150-ELEV-EXT-HSE	AMAG	Symmetry M2150 HSE Elevator Extender with Enclosure - Requires M2150-ELEV & 18VAC trans (WHD 20x20x6.8)	334290L	GB	\$1,468.92
M2150-ELEV-HSE	AMAG	Symmetry M2150 HSE Elevator Node with Enclosure - 20K cards. Requires 18VAC transformer (WHD 20x20x6.8)	334290L	GB	\$2,507.61
M2150-MEM-050K	AMAG	Symmetry M2150 50K Memory Module - Increases DBU card capacity to 50,000	334290L	GB	\$322.06
M2150-MEM-100K	AMAG	Symmetry M2150 100K Memory Module - Increases DBU card capacity to 100,000	334290L	GB	\$503.98
M2150-MEM-250K	AMAG	Symmetry M2150 250K Memory Module - Increases DBU card capacity to 250,000	334290L	GB	\$669.92

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
M2150-OC4/24-HSE	AMAG	Symmetry M2150 4 Input/24 Output HSE Panel BOARD ONLY	334290L	GB	\$437.60
M2150-OC4/8	AMAG	Symmetry M2150 4 Input/8 Output Module - (NOTE: Maximum 1 option board per 8DBC controller)	334290L	GB	\$170.86
MAGSTRIPE ENCODER	AMAG	Symmetry Magstripe Encoder - Includes 2 Track HiCo Encoder with Power Supply & Wiring	334290L	GB	\$1,314.04
MN-232-1	AMAG	Symmetry M2150 RS232 Serial Interface Card - 2nd serial port for DBU, 2DBC, 4DBC or 8DBC	334290L	GB	\$88.50
MN-CAB3A	AMAG	Symmetry CAB3A Enclosure - Lock, Tamper, Space for PSU-KIT. Supports: DBU & QTY 1x AC24/4, OC4/24, 4DC, 2DC or QTY 2x 2DC, 4DC, AC24/4, OC4/24 or QTY: 1x 8DBC, 8DC, 4DBC, 2DBC (WHD 16.5x21.7x3.7)*	334290L	GB	\$199.13
MN-CAB3A+PSU-KIT	AMAG	Symmetry CAB3A Enclosure Kit - Lock, Tamper, AC Mon., PSU-KIT. Supports: DBU & QTY 1x AC24/4, OC4/24, 4DC, 2DC or QTY 2x 2DC, 4DC, AC24/4, OC4/24 or QTY: 1x 8DBC, 8DC, 4DBC, 2DBC (WHD 16.5x21.7x3.7)*	334290L	GB	\$308.53
MN-CAB4A	AMAG	Symmetry CAB4A Enclosure - Lock, Tamper, Space for PSU-KIT. Supports: DBU & QTY 1x AC24/4, OC4/24, 4DC, 2DC or QTY 1x 8DBC, 8DC, 4DBC, 2DBC & QTY: 1x AC24/4, OC4/24, 4DC or QTY 1x 4DC, AC24/4, OC4/24 w/ 2x 2DC (WHD 19.7x22x4.1)*	334290L	GB	\$267.97
MN-CAB4A+PSU-KIT	AMAG	Symmetry CAB4A Enclosure Kit - Lock, Tamper, AC Mon., PSU-6. Supports: DBU & QTY 1x AC24/4, OC4/24, 4DC, 2DC or QTY 1x 8DBC, 8DC, 4DBC, 2DBC & QTY: 1x AC24/4, OC4/24, 4DC or QTY 1x 4DC, AC24/4, OC4/24 w/ 2x 2DC (WHD 19.7x22x4.1)*	334290L	GB	\$377.37
MN-CAB5	AMAG	Symmetry CAB5 Enclosure - Lock, Tamper, Space for PSU-6. Supports: QTY 1x 8DBC & 8DC or 2x 8DBC, 8DC (WHD 20.8x26.2x4.1)*	334290L	GB	\$267.97
MN-CAB5+PSU-KIT	AMAG	Symmetry CAB5 Enclosure Kit - Lock, Tamper, PSU-6. Supports: QTY 1x 8DBC & 8DC or QTY 2x 8DBC, 8DC (WHD 20.8x26.2x4.1)*	334290L	GB	\$454.81

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
MN-CAB-FIX	AMAG	Symmetry M2150 Board Fixing Kit - For adding Boards to existing enclosure. Includes standoffs, screws, etc.	334290L	GB	\$36.88
MN-EN-LDBU-ENC1-HSE	AMAG	Symmetry Lock Controller in Includes ENC1 Enclosure for Symmetry 7.0.1 Homeland Security Edition and higher systems. Supports Assa Abloy Aperio locks and serial hubs. Requires LOC-LIC for each connected Aperio lock. Includes 18VAC power supply. Exter	334290L	GB	\$1,166.53
MN-NIC-4	AMAG	Symmetry M2150 NIC Module - 10/100Mbps NIC for Ethernet connection of panel to LAN	334290L	US	\$216.34
MN-NIC-4-ENC	AMAG	Symmetry M2150 AES 256-bit Encrypted NIC Module - 10/100Mbps NIC for Ethernet connection of panel to LAN	334290L	US	\$338.04
MN-PSU-6	AMAG	Symmetry 6 Amp Power Supply - Provides AC power. Requires 18VAC Transformer (NOTE: TAA Compliant items are available on request)	334290L	GB	\$186.84
MN-PSU-KIT	AMAG	Symmetry 3 Amp Power Supply - Provides AC power. Requires 18VAC UL Transformer	334290L	GB	\$115.55
MN-RS485-DUAL	AMAG	Symmetry M2150 DUAL RS485 Reader Interface Module - For 2DBC/2DC: For connection of HKCR-AMAG readers	334290L	GB	\$132.76
MN-RS485-QUAD	AMAG	Symmetry M2150 Quad RS485 Reader Interface Module - For 4DBC/4DC: For connection of HKCR-AMAG readers	334290L	GB	\$265.51
MN-TRANS-150-UL	AMAG	Symmetry 150VA UL Transformer - 110v/18VAC, 150VA. For M2150 controllers utilizing MN-PSU-6. UL294	334290L	GB	\$130.30
MN-TRANS-75-UL	AMAG	Symmetry 75VA UL Transformer - 110v/18VAC, 75VA. For use with MN-PSU-KIT, M2100-4DCR-P. UL294	334290L	GB	\$145.05

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
MUSTER-KIT-V8	AMAG	Safety Roll Call (Muster) Module	334290L	GB	\$2,205.22
PRO-16-V8.1	AMAG	Symmetry Professional 16 Reader Software - Database (SQL Express) & 1 Client. Includes License & 1 Year Gold SSA (NOTE: 512 Reader Max. 1st Client & DB run on same PC. Supports 8 additional clients purchased separately.)	334290L	GB	\$299.93
PRO-32-V8.1	AMAG	Symmetry Professional 32 Reader Software - Database (SQL Express) & 1 Client. Includes License & 1 Year Gold SSA (NOTE: 512 Reader Max. 1st Client & DB run on same PC. Supports 8 additional clients purchased separately.)	334290L	GB	\$601.09
PRO-8-V8.1	AMAG	Symmetry Professional 8 Reader Software - Database (SQL Express) & 1 Client. Includes License & 1 Year Gold SSA (NOTE: 512 Reader Max. 1st Client & DB run on same PC. Supports 8 additional clients purchased separately.)	334290L	GB	\$231.09
PRO-CLIENT-V8.1	AMAG	Symmetry Professional Client Software - Includes License.	334290L	GB	\$661.32
PRO-LIC-008-V8	AMAG	Symmetry Professional 8 Reader License Add-on	334290L	GB	\$236.01
PRO-LIC-016-V8	AMAG	Symmetry Professional 16 Reader License Add-on	334290L	GB	\$473.25
PRO-LIC-032-V8	AMAG	Symmetry Professional 32 Reader License Add-on	334290L	GB	\$946.50
PRO-LIC-064-V8	AMAG	Symmetry Professional 64 Reader License Add-on	334290L	GB	\$1,893.00
PRO-LIC-128-V8	AMAG	Symmetry Professional 128 Reader License Add-on	334290L	GB	\$3,784.77

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
PRO-LIC-256-V8	AMAG	Symmetry Professional 256 Reader License Add-on	334290L	GB	\$7,569.53
PRO-LIC-512-V8	AMAG	Symmetry Professional 512 Reader License Add-on	334290L	GB	\$15,139.06
SERVER-SYNC-V8-HSE	AMAG	Symmetry Multi-Tier Synchronization Services - Cardholder data in one Symmetry server is automatically copied to multiple Symmetry servers on a schedule or immediately. Licensed per server.	334290L	GB	\$12,584.75
THREAT-LEVEL-V8	AMAG	Symmetry Threat Level Manager Module	334290L	GB	\$501.52
TI-ENTRYPOINT	AMAG	Technology Industries EntryPoint Provisioning & Identity Management Software	334290L	US	\$43,022.67
TI-ENTRYPOINT-SDK	AMAG	Technology Industries EntryPoint Provisioning & Identity Management Software Developers Kit	334290L	US	\$43,022.67
WEBACCESS-100-V8.1	AMAG	Symmetry Web Access 100 Concurrent User Software - Includes License. (NOTE: Requires Terminal Services)	334290L	GB	\$36,762.26
WEBACCESS-10-V8.1	AMAG	Symmetry Web Access 10 Concurrent User Software - Includes License. (NOTE: Requires Terminal Services)	334290L	GB	\$4,946.38
WEBACCESS-25-V8.1	AMAG	Symmetry Web Access 25 Concurrent User Software - Includes License. (NOTE: Requires Terminal Services)	334290L	GB	\$11,028.55
WEBACCESS-50-V8.1	AMAG	Symmetry Web Access 50 Concurrent User Software - Includes License. (NOTE: Requires Terminal Services)	334290L	GB	\$20,052.25

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
WEBACCESS-5-V8.1	AMAG	Symmetry Web Access 5 Concurrent User Software - Includes License. (NOTE: Requires Terminal Services)	334290L	GB	\$2,840.73
WIM2	AMAG	Symmetry Wiegand Interface Module (WIM) 2 - Used with 2 door controllers to enable Wiegand reader connection	334290L	GB	\$73.75
WIM4	AMAG	Symmetry Wiegand Interface Module (WIM) 4 - Used with 4 door controllers to enable Wiegand reader connection	334290L	GB	\$147.51
WIM8	AMAG	Symmetry Wiegand Interface Module (WIM) 8 - Used with 8 door controllers to enable Wiegand reader connection	334290L	GB	\$277.80
WORKFLOW-V8	AMAG	Symmetry Workflow Designer Module	334290L	GB	\$3,985.13
XML-DEV-KIT-V8.1	AMAG	Symmetry XML SDK - .Net Web Service SDK to develop integrated solutions	334290L	GB	\$1,997.48
BR1500G	APC	APC by Schneider Electric BR1500G 120V Backup System - 1500 VA/865 W - 120 V AC - 3 Minute - Tower - 3 Minute - 5 x NEMA 5-15R, 5 x NEMA 5-15R	334290	US	\$231.30
SMX48RMBP2U	APC	Smart-UPS X-Series 48V External Battery Pack Rack/Tower APC Smart-UPS. Battery technology: Sealed Lead Acid (VRLA), Battery voltage: 48 V, Battery life: 5 year(s). Weight: 28.6 kg,...	334290	US	\$633.35
P1244	AXIS	AXIS P1244 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and AXIS F1004 Sensor Unit. The camera provides HDTV 720p resolution and 102 horizontal FoV. Supports multiple streams in H.264 and Motion JPEG, Axis Zi	334290L	MX	\$299.00
P5624-E	AXIS	P5624-E PTZ Network Camera	334290L	SE	\$1,599.00

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
P7214	AXIS	Four-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. Power over Ethernet (IEEE	334290L	US	\$399.00
Q3505-VE	AXIS	Day/night fixed dome with support for WDR Forensic Capture and Lightfinder in an IK10+ vandal-resistant outdoor casing. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.26	334290L	SE	\$1,049.00
Q7436	AXIS	Q7436 Video Encoder Blade	334290L	US	\$1,199.00
Q7920	AXIS	Q7920 Video Encoder Chasis	334290L	US	\$2,599.00
T8133 30W MIDSPAN	AXIS	Single port midspan for Power over Ethernet Plus (PoE+) IEEE 802.3at Type 2 Class 4. Replaces AXIS T8123.	334290L	US	\$79.00
T81B22 DC 30W MIDSPAN	AXIS	PoE midspan for PTZ dome- and fixed outdoor cameras. IEEE802.3af compliant (max. 15W) at 12/24V DC input. IEEE802.3at compliant (max. 30W) at 12V DC input. Temp spec: -20 C to 65 C (-4 F to 149 F).	334290L	US	\$99.00
T91E61	AXIS	Wall mount with internal cable canal for dome cameras with 1.5" NPS thread, compatible with Axis pendant kits. IK10 and NEMA 4X rated. Powder coated aluminum for indoor and outdoor installations.	334290L	TW	\$39.00
T91G61	AXIS	The aluminum IP66, NEMA 4X and IK10 rated AXIS T91G61 Wall Mount is designed to accommodate and safely protect accessories e.g. a midspan inside the mount. Quickly and easily connect power and data via the pre-mounted IP66 rated RJ45 connector. Compa	334290L	TW	\$175.00
T91L61	AXIS	Wall-and-Pole Mount for Axis PTZ and multi-sensor cameras. Built-in Ethernet cable with an IP66 RJ45 connector for quick installation with protection against dust and water. Connect PoE via either RJ45 or IDC (insulation-displacement contact) connect	334290L	US	\$99.00
6100UE (6100UE 8771000)	BELDEN	Security & Commercial Audio Cable, Plenum-CL2P 2-14 AWG stranded bare copper conductors with Flamarrest insulation, Flamarrest jacket with ripcord	334290	US	\$0.25

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
ISC-PPR1-W16	BOSCH	PIR Motion Detector	334290	US	\$43.70
323	DMP	56VA TRANSFORMER MOUNTING KIT,350 OR 350A ENCLSR	334290	US	\$50.03
370	DMP	External lightning suppressor for use with any DMP or other manufacturers panel . Provides transient protection and RF isolation on both AC power and telephone lines. Phone, AC, and ground wires connect to on-board terminal strips.	334290	US	\$52.86
431	DMP	6?wire harness that allows connection of devices to the panel s outputs.	334290L	US	\$4.92
461	DMP	Plugs into the expansion connector on the panel and provides five expansion slots for connecting multiple 400 series Interface Cards. With the 461 installed, add a combination of 462N, 462P, 472, and 481 Interface Cards to maximize the capability of	334290	US	\$58.88
481	DMP	Provides an LX?Bus for connecting up to 100 expanded zones and outputs to the panel. Use any combination of single or multiple zone and output expansion modules on the LX?Bus. Includes 4-wire LX-Bus harness (12VDC)	334290	US	\$50.52
710	DMP	Bus splitter / repeater	334290L	US	\$39.21
716	DMP	Four programmable Form C (SPDT) relays and four open collector annunciator outputs on one module. Use the outputs for remotezone and system annunciation or environmental control applications. Harness Included (8.8-15VDC)	334290	US	\$74.49
860	DMP	Can be used for electrical isolation between the alarm panel and other systems or for switching voltage to control various functions. Includes one relay and provides three additional sockets for expansion of up to four relays. (12 VDC)	334290	US	\$24.83
861	DMP	Provides multiple auxiliary power terminals and additional Keypad and/or LX?Bus connectors for a clean installation. Maximum current handling capacity of 8 Amps on terminal J1. (12 VDC or 24VDC)	334290	US	\$23.60

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
1100R-W	DMP	The 1100R Wireless Repeater provides increased communication range and is the perfect solution for hard to reach areas. Up to eight repeaters can be installed on a wireless system.	334290	US	\$180.57
1100XH-W	DMP	The 1100XH High Power Wireless Receiver provides additional transmit and receive amplification for improved performance at greater distance or harsh building environments.	334290	US	\$110.63
1102-W	DMP	This two-input transmitter is typically used in commercial burglary door/window applications. It includes an internal magnetic reed switch, an on-board terminal block for external contact wiring, and an end-of-line resistor.Both an internal case tamp	334290	US	\$36.14
1103-W	DMP	This two-input transmitter is typically used in commercial burglary door/window applications. It includes an internal magnetic reed switch, an on-board terminal block for external contact wiring, and an end-of-line resistor.Both an internal case tamp	334290	US	\$55.44
1121-W	DMP	The 1121 DMP Wireless PIR provides 90 Degree 50 X 50 ASIC based PIR coverage with Pet Immunity. Optional Ceiling or Wall mount bracket included. Includes one 3V lithium battery. (CR123)	334290	US	\$83.10
1126R-W	DMP	The 1126R 360 Ceiling Mount PIR is a compact, low profile ceiling mount detector. Remote configuration from the panel allows selectable sensitivity, pulse count selection and walk test mode.Includes two 3V lithium batteries. (CR123)	334290	US	\$138.90
1131-W	DMP	The 1131 is a wireless recessed contact with a 3/8 to 1 gap. Includes one 3V lithium battery. (CR12600SE)	334290	US	\$41.55
1142BC-B 2-BUTTON DURESS HOLD-UP	DMP	The 1142BC Two?Button Hold Up Transmitter with Belt Clip is specifically designed to be worn on a belt when the belt clip is installed. Programmable LED feedback lets you know when Panic alarm has been sent. (Black) Includes one 3V lithium battery	334290	US	\$51.75
327 TRANSFORMER	DMP	16.5 VAC 50 VA PLUG-IN TRANSFORMER	334290	CA	\$9.71
350C-G	DMP	350C is a Conduit backbox that attaches to the rear of the enclosure to provide additional conduit positions.	334290	US	\$31.84

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
352X-G	DMP	Extra large enclosure with transformer and mounting plate to hold an XR Series panel, power supply, and one zone expander PCB. One battery shelf included. Dimensions: 14.5" x 32" x 4" (lid adds 0.5" on each side)	334290	US	\$270.06
376L	DMP	PROXPRO PROX READER W/ KEYBRD GREY/TERMINAL STRIP/CONFIG 14	334290L	US	\$18.56
695-B	DMP	A 1.5" deep metal backbox for installations requiring conduit or for mounting keypads on masonry walls or other nonpenetrable surfaces. The 695 provides three 1" x 1" knockouts and four mounting holes. Dimensions: 6.75" x 5.0" x 1.5 Black.	334290L	US	\$16.10
695-W	DMP	A 1.5" deep metal backbox for installations requiring conduit or for mounting keypads on masonry walls or other nonpenetrable surfaces. The 695 provides three 1" x 1" knockouts and four mounting holes. Dimensions: 6.75" x 5.0" x 1.5 White	334290L	US	\$16.10
696-B	DMP	A 0.5" deep metal backbox for mounting DMP keypads on masonry walls or other nonpenetrable surfaces. Provides one 0.75" hole for running wires and four mounting holes. Dimensions: 6.75" x 5.0" x 0.5", Black	334290L	US	\$16.10
696-W	DMP	0.5" deep metal backbox for mounting DMP keypads on masonry walls or other nonpenetrable surfaces. Provides one 0.75" hole for running wires and four mounting holes. Dimensions: 6.75" x 5.0" x 0.5", White	334290L	US	\$16.10
7063-W	DMP	32-character LCD keypad in a sleek design with self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes system arming, fast and simple. Built-in proximity c	334290	US	\$133.62
7070A-W	DMP	32-character alphanumeric LCD keypad in a sleek design with backlit keyboard, four Class B zones, self-test diagnostics, three 2-button Panic keys, supervised or unsupervised operation, alert sounder, armed and AC LED. Keys with shortcut text makes s	334290	US	\$123.66
7073A-W	DMP	32-character LCD keypad in a sleek design with blue backlit keyboard, self-test diagnostics, 2-button Panic keys, four Class B zones, Form C door access relay, supervised or unsupervised operation, alert sounder, and AC LED. Keys with shortcut text m	334290	US	\$212.41
714-16	DMP	Terminal block installation with a standard enclosure for sixteen burglary or Class B nonpowered fire devices. 20-gauge enclosure with 1" or 3/4" conduit knockouts. Includes 340 enclosure with lock and key plus EOL resistors. (8.8-15 VDC)	334290	US	\$164.22

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
714-16PCB	DMP	Terminal block installation for sixteen burglary or class B non-powered fire devices. Includes EOL	334290	US	\$148.74
7872-W	DMP	Touchscreen Keypad Graphic with Prox Reader and 4 Zones. A 5" touchscreen interactive display with a resistive screen. Suitable for access, burglary and household fire applications. Interactive shield for quick arming/disarming along with a carousel	334290	US	\$180.57
ACCESSORY PACK	DMP	The technician's accessory pack includes: One Panic Key label for DMP Keypads; Three Model 300 4?Wire Harnesses; Two Model 330 4?Wire Harnesses; One Model 300?7800?5 5?Wire Harness; One Model 300?7800?12 12?Wire Harness; Five Model 302 2?Pin Jumpers	334290	US	\$34.66
ES502	DMP	Low voltage plug?in transformer enclosure. Metal Metal construction with hinged cover. Vented, for use with transformers over 20 VA. Also used for physically protecting plug?in sure protectors.	334290L	US	\$25.69
SCS-104	DMP	The SCS-104 provides four digital dialer (DD) lines and a network connection for communication to DMP panels. Each card includes one shielded eight-pin modular connector (J1) for the digital data network connection. This allows the SCS-1R Receiver to	334512	US	\$1,100.15
SCS-110	DMP	Provides power to a maximum of five line cards through the receiver's backplane connectors. No additional cables are needed	334512	US	\$157.83
SCS-120	DMP	Provides power to the main processor card (SCS?1062) through the receiver's backplane are needed connectors. Monitors the condition of the processor card and the voltage output of the SCS? 110 Modem Power Supply Card as well as its own internal volta	334512	US	\$428.14
SCS-130	DMP	Powers the modem and multibus power supply cards. Terminals are provided for connecting 120 VAC to the system and a power cord is provided for connecting to the multibus rack cooling fan	334512	US	\$329.06
SCS-150 / CONVERT	DMP	Required for the conversion from the SCS-1062 in the SCS-1R Receiver to the SCS-150 Processor Board.	334512	US	\$1,087.74
SCS-1R	DMP	The SCS-1R Security Control Receiver is an advanced, highly reliable central station receiver that can monitor dialer, LAN/WAN or Internet accounts for alarm, trouble, user, and system reports. Full English readout on all alarm messages and optional	334512	US	\$3,011.59

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SCS-CTM	DMP	SCS-CTM Check-in Table Manager is a standalone PC application that ensures continuity when an SCS-104 or SCS-101 line card is replaced. The SCS-CTM stores the network accounts from up to 32 different line cards.Note: SCS-101 requires Version 202 or h	334512	US	\$549.83
SCS-VR 500	DMP	500 ACCOUNTS	334512	US	\$1,223.07
XR550DEL-G	DMP	574 ZONES,DIAL/NET,ENCRYP,350 ENCL,50VA TRNSFR	334290	US	\$722.17
XR550PCB	DMP	574ZONES,DIALER,BOARD ONLY (INC 50 VA TRANSFORMER)	334290	US	\$321.32
DTC4250E (052100)	FARGO	Dual-Sided printer with Ethernet	334290L	US	\$2,145.60
HES 1006 630	HANCHETT ENTRY SYSTEMS	ELECSTK BODY 12/24DC NFS 630;ELECTRIC STRIKE BODY ONLY;12 OR 24VDC FIELD SELECTABLE;NON FAIL SAFE STAINLESS STEEL;	334290	US	\$288.19
HES 1006CDB 630	HANCHETT ENTRY SYSTEMS	1006 STRIKE KIT LATCH, D-BOLT;INCLUDES N, A, H, T OPTIONS;12/24VDC FIELD SELECTABLE;FAIL SECURE;SATIN STAINLESS STEEL	334290	US	\$335.74
HES 1006CLB 630	HANCHETT ENTRY SYSTEMS	1006 STRIKE KIT LATCH ONLY;INCLUDES J, KM, KD OPTIONS;12/24VDC FIELD SELECTABLE;FAIL SECURE;SATIN STAINLESS STEEL	334290	US	\$323.47
HES 1006CS 630	HANCHETT ENTRY SYSTEMS	1006 STRIKE KIT W/SMARTPACK;INCLUDES J K N A H T OPTIONS;12/24VDC FIELD SELECTABLE;FAIL SECURE;SATIN STAINLESS STEEL	334290	US	\$356.17
HES 154-MTK	HANCHETT ENTRY SYSTEMS	METAL TEMPLATE KIT;;;;	334290	US	\$42.04

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
HES 2007M	HANCHETT ENTRY SYSTEMS	2007M:PLG-IN PIGTAIL CONNECTOR - Mfr: HANCHETT ENTRY SYSTEMS (HES) - Mfr Part #2007MPLGINPIGTAILCONNECTOR	334290	US	\$10.51
HES 4500C 630	HANCHETT ENTRY SYSTEMS	HES 4500C 630 FINISH 1224VDC INCLUDES J KM FACEPLATES	334290	US	\$328.73
HES 4500C-LBM-630	HANCHETT ENTRY SYSTEMS	4500C ELECTRIC STRIKE KIT;12VAC/DC 24VAC/DC SELECTABLE;FAIL SECURE/SAFE SELECTABLE;SATIN STAINLESS STEEL;	334290	US	\$448.42
HES 5000 LBM	HANCHETT ENTRY SYSTEMS	HES 5000 series ANSI/BHMA A156.31, Grade 1 electric strike package, accommodates low profile openings & 5/8 latchbolts, Includes 5000 electric strike body, 501 & 501A faceplates (4-7/8 x 1-1/4) and mounting hardware, with latchbolt monitoring, brush	334290	US	\$138.39
HES 5000C	HANCHETT ENTRY SYSTEMS	HES 5000 series ANSI/BHMA A156.31, Grade 1 electric strike package, accommodates low profile openings & 5/8 latchbolts, Includes 5000 electric strike body, 501 & 501A faceplates (4-7/8 x 1-1/4) and mounting hardware,brushed stainless finish (630/US32	334290	US	\$92.93
HES 501 630	HANCHETT ENTRY SYSTEMS	Face Plate Option	334290	US	\$9.96
HES 501A 630	HANCHETT ENTRY SYSTEMS	Electric Strike Faceplate For Use With HES 1006 J Series Electric Strike Accessories Door Hardware Minimum Order Quantity: 1 FSC=Hardware UNSPSC=46171511	334290	US	\$13.44
HES 7000 -24	HANCHETT ENTRY SYSTEMS	ELECSTK BODY ONLY NFS/FS 24VDC 7000 SERIES ELECTRIC STRIKE BODY ONLY NON FAIL SAFE 24VDC FS FIELD SELECTABLE	334290	US	\$136.05
HES 7000-12	HANCHETT ENTRY SYSTEMS	ELECSTK BODY ONLY NFS/FS 12VDC 7000 SERIES ELECTRIC STRIKE BODY ONLY NON FAIL SAFE 12VDC FS FIELD SELECTABLE	334290	US	\$136.05
HES 7000C 12	HANCHETT ENTRY SYSTEMS	ELECSTK BODY ONLY NFS/FS 12VDC;7000 SERIES ELECTRIC STRIKE;BODY ONLY NON FAIL SAFE 12VDC;FS FIELD SELECTABLE;	334290	US	\$136.05

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
HES 786S 626	HANCHETT ENTRY SYSTEMS	7000 SERIES FP 626;FACEPLATE, SECURITY SCREW (S);RIM OR SURFACE VERTICAL ROD;SATIN CHROME;6-1/2" X 1-3/4"X 1/2"	334290	US	\$91.68
HES 791 630	HANCHETT ENTRY SYSTEMS	7000 SERIES ANSI FACEPLATE;4 7/8" X 1-1/4" FACEPLATE;GRADE 1;SATIN STAINLESS STEEL;	334290	US	\$32.70
HES 792 630	HANCHETT ENTRY SYSTEMS	7000 SERIES FACEPLATE;7-15/16" X 1-7/16" FACEPLATE;GRADE 1;SATIN STAINLESS STEEL;	334290	US	\$32.70
HES 9400 630	HANCHETT ENTRY SYSTEMS	GENESIS III RIM EXIT STK 630;1/2" THICK SURFACE STRIKE;12/24VDC NFS/FS;FIELD SELECTABLE;SATIN STAINLESS STEEL	334290	US	\$271.04
HES 9500 630	HANCHETT ENTRY SYSTEMS	GEN RIM PANIC STRIKE FR 12/24V;12/24VDC NON FAIL SAFE;FIRE RATED;STAINLESS STEEL;	334290	US	\$315.85
HES 9600 630	HANCHETT ENTRY SYSTEMS	GENESIS RIM EXIT STK 630;9" SURFACE MT ELECTRIC STK;12/24VDC NFS/FS;FIELD SELECTABLE;STAINLESS STEEL	334290	US	\$271.04
HES 9600 LBM	HANCHETT ENTRY SYSTEMS	GENESIS RIM EXIT STK 630 LBM;9" SURFACE MT ELECTRIC STK;12/24VDC NFS/FS FIELD SELECT;W/ LATCHBOLT MONITOR SWITCH;STAINLESS STEEL	334290	US	\$349.75
HES KD 630	HANCHETT ENTRY SYSTEMS	1006 SER 4 7/8" ANSI FP 630;4 7/8" ANSI FACEPLATE;SCHLAGE/OLD SARGENT/OLD YALE;MORTISE LOCKS;SATIN STAINLESS STEEL	334290	US	\$17.70
923PPRTEK00008	HID	4L X 4W (IN), RPKCL40-P PIVCLASS SE READER,B FFRD 1 KEY,NO PAR,4-BIT MSG	334290	US	\$473.58
A-1614CHNF	HOFFMAN	Steel Enclosure 16x14x4 continuous Hinge	334290	US	\$184.82

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
A-1614CHNFSS	HOFFMAN	Stainless Steel Enclosure 16x14x4 Less Panel	334290	US	\$718.14
A-16P14	HOFFMAN	Back Panel Steel 16 x 14	334290	US	\$16.47
A-24H24ALP	HOFFMAN	JUNC BOX ENCL, MTLC, 24IN.HX 24IN.WX6IN.D NEMA 4	334290	US	\$484.45
A-24P24	HOFFMAN	BACK PANEL 24 X 24	334290	US	\$65.38
A-30H3008SSLP	HOFFMAN	Stainless Steel Enclosure 30x30x8 Less Panel	334290	US	\$1,676.16
A-30N30BLP	HOFFMAN	Medium Enclosure NEMA 1 30x30x8.62	334290	US	\$303.95
A-30N30MP	HOFFMAN	30 x 30 Back Panel	334290	US	\$90.31
A-30P30	HOFFMAN	Back Panel Steel 30 x 30	334290	US	\$111.71
A-L12AR	HOFFMAN	Lock Kit	334290	US	\$30.83
H181610HLL	INTEGRA	18X16X10 W/HINGE/OPAQUE/LOCKING LATCH/FEET	334290	US	\$217.92

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
1943-L	INTRUSION	Z Bracket for 2800T, Aluminum	334290	MX	\$8.63
1944-L	INTRUSION	z-Bracket for 2700 Series'	334290	MX	\$8.63
2AC59	ITE	single-pole double-throw (SPDT) miniature safety interlock Door Switch with a 3-position push-momentary pull-maintained threaded plunger, screw terminations and ON/OFF function.	334290	MX	\$52.76
UDS1100	LANTRONIX	1 x DB25F DCE, 1 x 10/100Base-T RJ-45, DSTNI-EX 48 MHz, 256 KB SRAM, 2 MB Flash, LED Lantronix UDS1100. Cabling technology: 10/100Base-T(X). Management protocols: SNMP, Telnet, HTTP...	334290	US	\$159.87
002172	LENEL	Power Supply, NEG 48 to 24 Volt Converter	334290L	US	\$400.73
002173	LENEL	TRAC-Vault BT Smart, Tamper Switch	334290L	US	\$422.85
002180	LENEL	TRAC-Lock BT Smart, w/o Lockset (Bluetooth Interface and Standard Controller only)	334290L	US	\$512.58
002185	LENEL	TRAC-Lock BT Smart, Best Electronic Lock Knob	334290L	US	\$830.95
002186	LENEL	TRAC-Lock BT Smart w/Alarm I/F, Best Electronic Lock Knob	334290L	US	\$882.58
002193	LENEL	TRAC-Lock BT Smart w/Alarm I/F, w/o Lockset (Bluetooth Interface and Alarm Interface Controller only)	334290L	US	\$522.42

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
002200	LENEL	TRAC-Vault BT Smart	334290L	US	\$383.52
002202	LENEL	TRAC-Vault BT Smart, Recessed, Tamper Switch	334290L	US	\$521.19
002203	LENEL	TRAC-Vault BT Smart, Recessed	334290L	US	\$485.54
002212	LENEL	TRAC-Lock BT Smart w/Alarm I/F, Best Knob 8K, No XFMR, no batteries, w/ Neg. 48 V converter	334290L	US	\$1,114.90
23458565	LENEL	Interior Shim Plate - AD-401	334290L	MX	\$10.29
23458599	LENEL	Exterior Shim Plate	334290L	MX	\$8.00
430209004	LENEL	T-500W Mifare & Prox Reader. Capable of Casi Prox, HID Prox, Mifare (ISO14443A) and Vicinity (ISO15693). Wiegand output, Mullion Mount in Gray with 18inch [45.7 cm] pigtail wire.	334290L	US	\$187.15
430209006	LENEL	T-500W Mifare & Prox Reader. Capable of Casi Prox, HID Prox, Mifare (ISO14443A) and Vicinity (ISO15693). Wiegand output, Mullion Mount in Black with 18inch [45.7 cm] pigtail wire.	334290L	US	\$187.15
430210004	LENEL	T-520W Mifare & Prox Reader. Capable of Casi Prox, HID Prox, Mifare (ISO14443A) and Vicinity (ISO15693). Wiegand output, single gang electrical box mount in Gray 18inch [45.7 cm] pigtail wire.	334290L	US	\$212.96
430210006	LENEL	T-520W Mifare & Prox Reader. Capable of Casi Prox, HID Prox, Mifare (ISO14443A) and Vicinity (ISO15693). Wiegand output, single gang electrical box mount in Black 18inch [45.7 cm] pigtail wire.	334290L	US	\$212.96

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
430211004	LENEL	T-525W Mifare & Prox Reader with Keypad. Capable of Casi Prox, HID Prox, Mifare (ISO14443A) and Vicinity (ISO15693). Wiegand output, 12-key keypad, single gang electrical box mount in Gray 18 inch [45.7 cm] pigtail wire.	334290L	US	\$380.75
430211006	LENEL	T-525W Mifare & Prox Reader with Keypad. Capable of Casi Prox, HID Prox, Mifare (ISO14443A) and Vicinity (ISO15693). Wiegand output, 12-key keypad, single gang electrical box mount in Black 18inch [45.7 cm] pigtail wire.	334290L	US	\$380.75
520998002	LENEL	8RP Connector Kit; meant for use with LNL-1380-RP; qty 4 of 8 position blocks	334290L	US	\$9.83
520998003	LENEL	20DI or 16DOR Connector Kit; meant for use with LNL-1200-16DOR or LNL-1100-20DI; qty 4 of 10 position blocks	334290L	US	\$9.83
520998004	LENEL	16DO Connector Kit, meant for use with LNL-1200-16DO; qty 1 of 2 position blocks and qty 4 of 8 position blocks	334290L	US	\$9.83
520998005	LENEL	2RP or 2SRP Connector Kit; meant for use with LNL-1320-2RP or LNL-1320-S2RP; qty 2 of 9 position blocks and qty 2 of 10 position blocks	334290L	US	\$9.83
10103273P1	LENEL	Relay Logic Pack	334290L	US	\$65.15
120-3650L	LENEL	Intelligent Power Supply, with UL enclosure, with out transformer. RoHS, UL294 certified.	334290L	US	\$178.24
1324GBN22	LENEL	Direct Image PVC Labels with peel off adhesive back for use with Prox Card II (0.020 thick card) no slot punch. Will not work with all direct card printers, check printer specifications. [Min Order QTY of 100]	334290L	US	\$0.70
1324GGN31	LENEL	Direct Image, PVC Labels for use with Prox Card II with peel off self adhesive front part number 1326-LASMV (0.025 thick cards) no slot punch. Will not work with all direct card printers, check printer specifications. [Min Order QTY of 100]	334290L	US	\$0.70

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
1326-LASMV	LENEL	ProxCARD II Proximity Access Card - includes 26-bit Wiegand format, adhesive front, back has molded HID logo, printed sequential matching (internal/external) number and vertical slot punch capability. [Min Order QTY of 100]	334290L	US	\$2.31
1326-LSSMV	LENEL	ProxCARD II Proximity Access Card - standard card includes, 26-bit format, HID ProxCARD II artwork with matte finish, printed sequential number with gaps and vertical slot punch. [Min Order QTY of 100]	334290L	US	\$1.95
1336-LGGMN	LENEL	DuoProx Card Prox with Mag Stripe Graphics Quality Both Sides - standard card includes, 26 bit format, plain white glossy finish for direct card printing on front and back, with printed sequential numbering with no gaps and 1/2 inch Hi-Co magstripe	334290L	US	\$4.11
1336-LGSMN	LENEL	DuoProx Card Prox with Mag Stripe - standard card includes, 26 bit format, plain white glossy finish for direct card printing on front, with HID ISO Prox artwork, matte finish on back with laser sequential numbering with no gaps and 1/2 inch Hi-Co ma	334290L	US	\$3.96
1346-LNSMN	LENEL	ProxKey III Proximity Access Keyfob - keyfob includes; 26 bit format, Black with Grey Insert and HID standard logo on the front; standard back packaging; inkjetted sequential matching internal/external keyfob numbering (Minimum order 100)	334290L	US	\$3.87
1351-LBSMN	LENEL	Prox Pass Long Range Proximity Tag for Vehicle Access Control (6' to 8') read range with MaxiProx readers. [Min Order QTY of 50]	334290L	US	\$22.33
1386-LGGMN	LENEL	ISO Prox II Graphics Quality Both Sides - standard card includes, 26 bit format, plain white glossy finish for direct card printing on front and back, printed ID number and No gaps in card sequence (Minimum order 100)	334290	US	\$3.25
1386-LGSMN	LENEL	ISO Prox II Graphics Quality- standard card includes, 26 bit format, plain white glossy finish for direct card printing on front, with HID ISO Prox artwork with matte finish on back, printed ID number and No gaps in card sequence [Min Order QTY of 10]	334290L	US	\$3.60
1391-LSSMN	LENEL	Microprox Tag - for assets retrofit applications - standard tag includes 125kHz programming, HID standard artwork on front, adhesive back, sequential matching numbering internal/external. [Min Order QTY of 100]	334290L	US	\$2.62
1430-MGGMN	LENEL	HID FlexSmart MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors - this card is programmed (must specify programming information at the time of order), plain white front, plain wh	334290L	US	\$2.73

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
1430-NGGNN	LENEL	HID FlexSmart MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 KByte Memory with 16 Sectors - this card is unprogrammed, plain white front, plain white back, no slot punch. [Min Order QTY of 100]	334290L	US	\$2.35
1431-BG1MNN	LENEL	HID FlexSmart Proximity & MIFARE Contactless Smart Card w/mag - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors, and 125kHz "Prox by HID"- this card is programmed (must specify programming information at the t	334290L	US	\$5.19
1431-BGGMNN	LENEL	HID FlexSmart Proximity & MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 1 K Memory with 16 Sectors, and 125kHz "Prox by HID" - this card is programmed (must specify programming information at the time o	334290L	US	\$4.40
1440-NGGNN	LENEL	HID FlexSmart MIFARE Contactless Smart Card - Utilizes MIFARE 13.56 MHz Internal Smart Chip, Standard S50, 4KByte Memory with 40 Sectors - this card is unprogrammed, plain white front, plain white back, no slot punch. [Min Order QTY of 100]	334290L	US	\$4.57
2000NG1NN	LENEL	iCLASS Contactless Smart Card, 2K bits with 2 application areas, 13.56 MHz, direct printable, ISO standard dimensions, with Magnetic stripe, non-programmed, no external card numbering. (minimum order qty. 100)	334290L	US	\$3.76
2000NGGNN	LENEL	iCLASS Contactless Smart Card, 2K bits with 2 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering. iCLASS must be encoded by OnGuard before card can be used (minimum order qty. 100)	334290L	US	\$3.05
2001NG1NN	LENEL	iCLASS Contactless Smart Card, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, with Magnetic stripe, non-programmed, no external card numbering. (minimum order qty	334290L	US	\$6.22
2001NGGNN	LENEL	iCLASS Contactless Smart Card, 16K bits with 2 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering	334290	US	\$5.23
2002PGGNN	LENEL	iCLASS Contactless Smart Card, 16K bits with 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, programmed, no external card numbering. (minimum order qty. 100)	334290L	US	\$5.51
2020AG1NNM	LENEL	iCLASS Contactless Smart Card, 2K bits with 2 application areas, 13.56 MHz & HID Proximity 125kHz, direct printable, ISO standard dimensions, with magnetic stripe, non-programmed iCLASS, programmed proximity with external card numbering matching HID	334290L	US	\$7.26

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
2020AGGNNM	LENEL	iCLASS Contactless Smart Card, 2K bits with 2 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, non-programmed iCLASS, programmed proximity with external card numbering matching HID proximity. (minimum o	334290L	US	\$6.55
2021AG1NNM	LENEL	iCLASS Contactless Smart Card, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, with magnetic stripe, non-programmed iCLASS, programmed pro	334290L	US	\$8.46
2021AGGNNM	LENEL	iCLASS Contactless Smart Card, 16K bits with 2 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, non-programmed iCLASS, programmed proximity with external card numbering matching HID proximity. (minimum	334290L	US	\$7.73
2022AGGNNM	LENEL	iCLASS Contactless Smart Card, 16K bits with 16 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, non-programmed iCLASS, programmed proximity with external card numbering matching HID proximity. (minimum	334290L	US	\$7.73
2050NNNNN	LENEL	iCLASS Contactless Smart Hexagonal Key Ring Tag, 2K bits with 2 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering. (minimum order qty. 100)	334290L	US	\$3.95
2051NNNNN	LENEL	iCLASS Contactless Smart Hexagonal Key Ring Tag, 16K bits with 2 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering. (minimum order qty. 100)	334290L	US	\$6.58
2061NSSNN	LENEL	iCLASS Contactless Smart Adhesive BackTag, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering. (minimum order qty. 100)	334290L	US	\$4.46
2080PGSNV	LENEL	iCLASS Clamshell Contactless Smart Card, 2k bit with 2 application areas, configured, programmed, Gloss plain white PVC front, Std HID Logo base, No external Numbering, Vertical Slot punch. (minimum order qty. 100)	334290L	US	\$2.03
2101NG1NN	LENEL	Composite iCLASS Contactless Smart Card, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, with Magnetic stripe, non-programmed, no external card numbering.(minimum	334290L	US	\$6.44
2101NGGNN	LENEL	Composite iCLASS Contactless Smart Card, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, non-programmed, no external card numbering. Direct replacement for 2002NGG	334290L	US	\$5.81

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
2102PGGNN	LENEL	Composite iCLASS Contactless Smart Card, 16K bits with 16 application areas, 13.56 MHz, direct printable, ISO standard dimensions, programmed, no external card numbering. (minimum order qty. 100)	334290L	US	\$5.81
2120AG1NNM	LENEL	Composite iCLASS Contactless Smart Card, 2K bits with 2 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, with magnetic stripe, non-programmed iCLASS, programmed proximity with external card numbering ma	334290L	US	\$7.69
2120AGGNNM	LENEL	Composite iCLASS Contactless Smart Card, 2K bits with 2 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, non-programmed iCLASS, programmed proximity with external card numbering matching HID proximity.(334290L	US	\$6.86
2121AG1NNM	LENEL	Composite iCLASS Contactless Smart Card, 16K bits that can be configured by OnGuard for either 2 or 16 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, with magnetic stripe, non-programmed iCLASS, progr	334290L	US	\$8.89
2121AGGNNM	LENEL	Composite iCLASS Contactless Smart Card, 16K bits with 2 application areas, 13.56 MHz & HID Proximity 125kHz , direct printable, ISO standard dimensions, non-programmed iCLASS, programmed proximity with external card numbering.(minimum order qty. 100	334290L	US	\$8.04
32ES-32RUP	LENEL	32 Access Readers upgrade for all 32ES systems (max of 64 readers).	334290L	US	\$1,229.22
5006PGGMN	LENEL	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM (NOTE SEOS PROGRAMMED)	334290L	US	\$3.38
593PI-12DC	LENEL	12 VDC Power Supply (plug-in transformer), may be used to power all PIMs	334290L	US	\$52.86
64ADV-64RUP	LENEL	64 Access Readers upgrade for all ADV systems (max of 256 readers).	334290L	US	\$1,960.60
832-00105-02R	LENEL	4G V-Series Power Supply	334290L	HK	\$67.61

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
859-2244SA	LENEL	120VAC Transformer Wall Wart, UL certified. [XFMR; 16.5V; 40Va; Class 2; Plug]	334290L	US	\$30.73
900NHPTEK000HR-L02	LENEL	PIVClass R10-H reader; Black; Terminal block; iClass SE E; Wiegand output; iCLASS - SIO - SEOS - FIPS - CAK - DIW; LF OFF; 485 Half Duplex; LED Red - Flash Green - Buzzer On, Optical Tamper; FIPS 200-BIT, Lenel Logo	334290L	US	\$105.71
900NHRTEK0000C	LENEL	PIVClass R10 reader; Black; Pigtail; wiegand output; consists of Legacy iCLASS - SIO - SEOS - FIPS 201 - CAK; Mullion mount size; LED Red - Flash Green - Buzzer On; 475 Full Duplex; Open Collector and Optical Tamper; FIPS 200 bit; with HID standard l	334290L	US	\$104.48
900NMNTEKMA001-L01	LENEL	Model R10 Reader, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY, LENEL	334290L	US	\$135.21
900PHPTek000HU-L02	LENEL	PIVClass RP10-H reader; Black; Terminal block; LF Std, iClass SE E; Wiegand output; iCLASS - SIO - SEOS - FIPS - CAK - DIW; 485 Half Duplex; LED Red - Flash Green - Buzzer On, Optical Tamper; FIPS 200-BIT, Lenel Logo	334290L	US	\$130.30
900PMNTEKMA003-L01	LENEL	Model RP10 Reader, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY, LENEL	334290L	US	\$161.03
91000ABNNN	LENEL	Authentication module hardware with plastic enclosure, firmware and installation manuals. Includes pivCLASS Reader Services component.	334290L	US	\$1,639.74
91000ANNNN	LENEL	Authentication module hardware without enclosure, firmware and installation manuals. Includes pivCLASS Reader Services component.	334290L	US	\$1,407.00
910NHRNEK0000C	LENEL	PIVClass R15 reader; Black; Pigtail; wiegand output; consists of Legacy iCLASS - SIO - SEOS - FIPS 201 - CAK; Mullion mount size; LED Red - Flash Green - Buzzer On; Open Collector and Optical Tamper; FIPS 200 bit; with standard HID Logo	334290L	US	\$183.15
910NMNTEKMA001-L01	LENEL	Model R15 Reader, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY, LENEL	334290L	US	\$215.11

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
910PMNTEKMA003-L01	LENEL	Model RP15 Reader, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY, LENEL	334290L	US	\$240.93
920NHPTEK000HR-L02	LENEL	PIVClass R40-H reader; Black; Terminal block; iClass SE E; Wiegand output; iCLASS - SIO - SEOS - FIPS - CAK - DIW; LF OFF; 485 Half Duplex; LED Red - Flash Green - Buzzer On, Optical Tamper; FIPS 200-BIT, Lenel Logo	334290L	US	\$185.61
920NMNTEKMA001-L01	LENEL	Model R40 Reader, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY, LENEL	334290L	US	\$215.11
920PHPTEK000HU-L02	LENEL	PIVClass RP40-H reader; Black; Terminal block; LF Std, iClass SE E; Wiegand output; iCLASS - SIO - SEOS - FIPS - CAK - DIW; 485 Half Duplex; LED Red - Flash Green - Buzzer On, Optical Tamper; FIPS 200-BIT, Lenel Logo	334290L	US	\$210.20
920PMNTEKMA003-L01	LENEL	Model RP40 Reader, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY, LENEL	334290L	US	\$240.93
921NHPTEK000HT-L02	LENEL	PIVClass RK40-H reader; Black; Terminal block; iClass SE E; Wiegand output; iCLASS - SIO - SEOS - FIPS - CAK - DIW; LF OFF; 485 Half Duplex; LED Red - Flash Green - Buzzer On, Optical Tamper; FIPS 200-BIT, Lenel Logo	334290L	US	\$323.28
921NMNTEKMA002-L01	LENEL	Model RK40 Reader with Keypad, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE-READY, LENEL	334290L	US	\$351.56
921PHPTEK000HV-L02	LENEL	PIVClass RPK40-H reader; Black; Terminal block; LF Std, iClass SE E; Wiegand output; iCLASS - SIO - SEOS - FIPS - CAK - DIW; 485 Half Duplex; LED Red - Flash Green - Buzzer On, Optical Tamper; FIPS 200-BIT, Lenel Logo	334290L	US	\$346.64
921PMNTEKMA004-L01	LENEL	Model RPK40 Reader with Keypad, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE-READY, LENEL	334290L	US	\$377.37
923NPPTEK000NT-L02	LENEL	PIVClass RKCL40-P, Black; Terminal Block; iClass SE E; Wiegand Output, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI/DIW, 485HDX, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, LCD1F, IPM OFF, UART OFF, WIEG ON, LENEL LO	334290L	US	\$510.13

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
923PPRTEK00008	LENEL	4L X 4W (IN), RPKCL40-P PIVCLASS SE READER,B FFRD 1 KEY,NO PAR,4-BIT MSG	334290L	US	\$529.79
923PPRTEK0053W-L002	LENEL	PIVClass RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD / SIO / SEOS / FIPS / CAK / DIW, 485FDX, TERM, BLK, STD-1, WIEG, LED RD, FLSH GRN, BZR ON, OPT TAMP DISAB, FIPS 200-BIT, LCD 1F, EM4102 34-BIT, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, LE	334290L	US	\$528.07
AA-AP-622-JSP	LENEL	Aperio K100 622 Jump Start Pack	334290L	US	\$22.13
AA-AP-AH30RN1	LENEL	Aperio 1 to 8 Wireless lock hub using Authentic Mercury; RS-485 connection to ISC; capable of handling up to 8 wireless locks per hub	334290L	US	\$245.84
AA-AP-APA-10-PC	LENEL	ASSA ABLOY Aperio Programming Kit; includes USB Radio Dongle for programming; includes test card and memory stick [QTY of 1 each]	334290L	SE	\$338.04
AA-AP-AS100	LENEL	ASSA ABLOY Aperio AS100 Wireless DPS; will alarm door forced open in Alarm Monitoring; requires a reader license and takes up one of the wireless devices from the 1:8 Aperio Hub	334290L	US	\$67.61
AA-AP-K100-622-PA-B1	LENEL	ASSA ABLOY Aperio K100 Cabinet lock; with HID 125 kHz Prox reader; black color; with round knob	334290L	US	\$338.04
AA-AP-K100-622PA-W1	LENEL	ASSA ABLOY Aperio K100 Cabinet lock; with HID 125 kHz Prox reader; white color; with round knob	334290L	US	\$338.04
AA-AP-K100-622SE-B1	LENEL	ASSA ABLOY Aperio K100 Cabinet lock; with HID iCLASS SE reader; black color; with round knob	334290L	US	\$338.04
AA-AP-K100-622SE-B2	LENEL	ASSA ABLOY Aperio K100 Cabinet lock; with HID iCLASS SE reader; black color; with blade knob	334290L	US	\$338.04

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
AA-AP-K100-622SE-W1	LENEL	ASSA ABLOY Aperio K100 Cabinet lock; with HID iCLASS SE reader; white color; with round knob	334290L	US	\$338.04
ANT400-REM-CEILING	LENEL	Omni-Directional Remote Indoor/Outdoor Antenna Module. Includes Antenna, 15' Coax, Coax Whip. For indoor use with PIM400 and/ or WRI400.	334290L	MX	\$183.15
ANT400-REM-HALL	LENEL	Bi-Directional Remote Indoor Antenna Module. Includes Antenna, 15' Coax, Coax Whip. For indoor use with PIM400 and/or WRI400.	334290L	MX	\$260.59
ANT400-REM-I/O	LENEL	Omni-Directional Remote Indoor/Outdoor Antenna Module. Includes Antenna, 15' Coax, Coax Whip, Articulated Wall/Post Mounting Hardware. For indoor use with PIM400 and/or WRI400. Requires MGB+MCA5 Antenna Grounding Kit for outdoor applications.	334290L	US	\$248.30
ANT400-REM-I/O+6DB	LENEL	Directional Remote Indoor/Outdoor Antenna Module with 6dB Gain. Includes Antenna, 15' Coax, Coax Whip, Articulated Wall/Post Mounting Hardware. For indoor use with PIM400 and/or WRI400. Requires MGB+MCA5 Antenna Grounding Kit for outdoor applications	334290L	MX	\$239.70
ANT-CBL-60CM	LENEL	RP-SMA(Male) to N-male (male pin) CFD-200 Antenna Cable 0.6 m length 0.5dB loss 50 Ohms	334290L	TW	\$11.80
ANT-CBL-6M	LENEL	RP-SMA(Male) to N-male (male pin) CFD-200 Antenna Cable 6 m length 3.5dB loss 50 Ohms	334290L	TW	\$29.50
ANT-OMN-2G-15DB	LENEL	2400-2485MHz OmiDirectional Antenna Point to Point 15 dBi General Purpose 360 degrees	334290L	TW	\$196.68
ANT-PNL-2G-18DB	LENEL	2400-2485MHz Uni-directional Flat Panel Point to Point 18 dBi 30H/25V degrees	334290L	TW	\$98.34
ANT-PNL-2G-9DB	LENEL	2400-2485MHz Uni-directional Flat Panel Point to Point 9 dBi 75H/75V degress	334290L	TW	\$59.00

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
ANT-UNI-2G-21DB	LENEL	2400-2485MHz Uni-Directional Grid Point to Point 21 dBi 9H/8V degrees	334290L	TW	\$177.01
B920NHRTEK000HW-L02	LENEL	pivCLASS 2 Reader Bundle for CHUID, CAK Authentication Includes: One (1) PAM with cover and back plate, two (2) R40 Contactless Finished Smart Card Readers, Wall Switch, No Prox, FDX. Terminal connection. Supports FIPS 201 CHUID and CAK authenticatio	334290L	US	\$1,668.05
B923NPRTEK000K8-L02	LENEL	pivCLASS 2 Reader Bundle for PIV Authentication, Key Pad, LCD Includes: One (1) PAM with cover and back plate, two (2) RKCL40 Contactless and Contact Finished Smart Card Readers with LCD, Keypad, Wall Switch, No Prox, FDX. Terminal connection. Suppor	334290L	US	\$2,194.16
B924NPRTEK000K8-L02	LENEL	pivCLASS 2 Reader Bundle for PIV Authentication, Key Pad, LCD and Biometric Sensor Includes: One (1) PAM with cover and back plate, two (2) RKCLB40 Contactless and Contact Finished Smart Card Readers with LCD, Keypad and Biometric Sensor. Wall Switc	334290L	US	\$2,837.04
BC-BCSSA	LENEL	BioConnect SSA; gives software upgrades and support for BioConnect for up to 10 devices for 3 years	334290L	US	\$1,106.30
BC-BCSW	LENEL	BioConnect Device License Add-On for Suprema Readers Not purchased from Lenel	334290L	US	\$131.53
BC-BEPHOC	LENEL	BioEntry Plus; Bio Reader with built in Prox reader; mullion mount[requires 12 VDC power - not included][Includes BioConnect software]	334290L	KR	\$785.47
BC-BEPIOC	LENEL	BioEntry Plus; Bio Reader with built in iCLASS reader; mullion mount[requires 12 VDC power - not included][Includes BioConnect software]	334290L	KR	\$853.08
BC-BEPLOC	LENEL	BioEntry Plus; Bio Reader with built in EM 125kHz reader; mullion mount[requires 12 VDC power - not included][Includes BioConnect software]	334290L	KR	\$607.23
BC-BEPMOC	LENEL	BioEntry Plus; Bio Reader with built in Mifare reader; mullion mount[requires 12 VDC power - not included][Includes BioConnect software]	334290L	KR	\$767.03

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
BC-BEWHOC	LENEL	BioEntry W; Outdoor Bio Reader with built in Prox reader in IP65 enclosure; mullion mount [POE capable or requires 12 VDC power - not included][Includes BioConnect software]	334290L	KR	\$947.73
BC-BEWIOC	LENEL	BioEntry W; Outdoor Bio Reader with built in iCLASS reader in IP65 enclosure; mullion mount [POE capable or requires 12 VDC power - not included][Includes BioConnect software]	334290L	KR	\$1,016.56
BC-BEWMOC	LENEL	BioEntry W; Outdoor Bio Reader with built in Mifare reader in IP65 enclosure; mullion mount [POE capable or requires 12 VDC power - not included][Includes BioConnect software]	334290L	KR	\$935.44
BC-BIOMINI	LENEL	USB Biometrics enrollment device [Required to enroll fingerprints into the BioConnect software used for fingerprint verification]	334290L	KR	\$290.10
BC-BLNOC	LENEL	BioLite Net; Outdoor Bio Reader with built in LCD; keypad and Mifare Reader; mullion mount [IP65 rated][requires 12 VDC power][Includes BioConnect software]	334290L	KR	\$979.69
BC-BSHOC	LENEL	BioStation; Bio Reader with built in keypad and Prox Reader; plus 2.5 inch LCD display [135mm x 128mm x 50mm][requires 12 VDC power - not included][Includes BioConnect software]	334290L	KR	\$1,498.42
BC-BST2MOC	LENEL	BioStation T2; Bio Reader with built in touchscreen keypad and Mifare Reader [155mm x 155mm x 40mm][POE capable or requires 12 VDC power - not included][Includes BioConnect software]	334290L	KR	\$1,702.47
BDM-CRED-1	LENEL	BlueDiamond Mobile Credential 12 month initial purchase - This license enables a single mobile credential for one year. Credentials may be moved from person-to-person or phone-to-phone,	334290L	US	\$3.32
BDR-CRED-1	LENEL	BlueDiamond Mobile Credential 12 month Renewal - This license renews a single mobile credential for one year. Credentials may be moved from person-to-person or phone-to-phone,	334290L	US	\$3.32
BIO-4GFXLS	LENEL	4G V-Flex Lite; fingerprint reader with Secugen Optical sensor [no card internal card reader]	334290L	HK	\$636.74

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
BIO-4GFXLSO	LENEL	4G V-Flex Lite with Smart Reader; fingerprint reader with Secugen Optical sensor and built in Omnikey reader [capable of reading iCLASS and Mifare cards]	334290L	HK	\$784.24
BIO-4GFXS	LENEL	4G V-Flex reader with Secugen Optical [fingerprint reader only].	334290L	HK	\$687.13
BIO-4GFXSG	LENEL	4G V-Flex reader with Secugen Optical and built in Gemalto Mifare & Desire reader.	334290L	HK	\$963.71
BIO-4GFXSH	LENEL	4G V-Flex reader with Secugen Optical and built in HID iClass reader.	334290L	HK	\$963.71
BIO-4GSTLS	LENEL	4G V-Station Lite; fingerprint reader with Secugen Optical sensor and built in keypad [no card internal card reader]	334290L	HK	\$862.91
BIO-4GSTLSO	LENEL	4G V-Station Lite with keypad and Smart Reader; fingerprint reader with Secugen Optical sensor; built in keypad and Omnikey reader [capable of reading iCLASS and Mifare cards]	334290L	HK	\$1,085.40
BIO-4GSTS	LENEL	4G V-Station with Secugen sensor and keypad.	334290L	HK	\$1,306.66
BIO-4GSTSG	LENEL	4G V-Station with Secugen sensor; keypad and built in Gemalto Mifare & DesFire reader.	334290L	HK	\$1,500.88
BIO-DSK4GFX	LENEL	V-Flex 4G Desktop stand (Includes Power Supply, Mounting Hardware)	334290L	HK	\$285.18
BIO-DSK4GST	LENEL	V-Station 4G Desktop stand (Includes Power Supply, Mounting Hardware)	334290L	HK	\$285.18

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
BIO-EPTVG	LENEL	4G PIV-TWIC Station Extreme (V,G) - 4G PIV-TWIC Station Extreme (Contactless), no TPK support from OnGuard	334290L	HK	\$3,793.37
BIO-XFXS	LENEL	4G V-Flex with Secugen Optical in weather resistant outdoor enclosure.	334290L	HK	\$985.83
BIO-XFXSG	LENEL	4G V-Flex with Secugen Optical with built in Gemalto Mifare & Desire reader in weather resistant outdoor enclosure.	334290L	HK	\$985.83
BIO-XFXSH	LENEL	4G V-Flex with Secugen Optical with built in HID iClass reader in weather resistant outdoor enclosure.	334290L	HK	\$1,320.18
BIO-XSTS	LENEL	4G V-Station with Secugen Optical and keypad in weather resistant outdoor enclosure.	334290L	HK	\$1,868.41
BIO-XSTSG	LENEL	4G V-Station with Secugen Optical; keypad and built in Gemalto Mifare & Desire reader in weather resistant outdoor enclosure.	334290L	HK	\$2,337.97
BIO-XSTSH	LENEL	4G V-Station with Secugen Optical; keypad and built in HID iClass reader in weather resistant outdoor enclosure.	334290L	HK	\$2,337.97
BT-ASP-HID	LENEL	Non-destructible HID proximity reader only - 5 to 12 VDC, 150 mA, 2 to 3 inch read range, weather proof , solid state pezo sounder technology and red and green status LED s. Designed for an international single gang electrical box mounting. Optiona	334290L	IL	\$307.30
BT-ASP-ICLASS	LENEL	Non-destructible HID iCLASS reader only - 5 to 12 VDC, 150 mA, 2 to 3 inch read range, weather proof , solid state pezo sounder technology and red and green status LED s. Designed for an international single gang electrical box mounting. Optional c	334290L	IL	\$491.69
BT-ASPKP-HID	LENEL	HID proximity reader with Lenel s non-destructible keypad, 2 keys across and 5 keys down, 8 bit word output, 5 to 12 VDC, 150 mA, 2 to 3 inch read range, ADA compliant, weather proof with tamper proof keypad, solid state pezo sounder technology and r	334290L	IL	\$362.62

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
BT-ASPKP-ICLASS	LENEL	iCLASS reader with Lenel s non-destructible keypad, 2 keys across and 5 keys down, 8 bit word output, 12 to 16 VDC, 170 mA, up to a 2 inch read range, ADA compliant, weather proof with tamper proof keypad, solid state pezo sounder technology and red	334290L	IL	\$553.15
C1000	LENEL	Corporate 1000 Card Formats Require end user information, card format number, facility code and starting card number at the time of order.	334290L	US	\$0.25
CAM-20K758USB-SYS-1	LENEL	Camera, NTCS, USB 2.0 viewer software, High resolution color camera for ID system with 6MM lens, mounted on fixed stand, 1/4" IL CCD (768 x 494), Still image capture with streaming video, Microsoft Digitally Certified WDM Device Drivers for 32bit and	334290L	US	\$432.69
CAM-21K758USB-SYS-1	LENEL	Camera, PAL,USB 2.0 viewer software, High resolution color camera for ID system with 6MM lens, mounted on fixed stand, 1/4" IL CCD (768 x 494), Still image capture with streaming video, Microsoft Digitally Certified WDM Device Drivers for 32bit and 6	334290L	US	\$432.69
CAM-24C708AF-SYS	LENEL	Camera with Stand, 5MP USB 2.0 with synchronized flash and auto focus, UVC Compliant mounted on fixed stand (CAM-60S0004), includes power supply and 6 ft USB cable; Twain Data Source and camera control / set-up software.	334290L	US	\$1,275.93
CAM-24C708AF-USB	LENEL	Camera only 5MP USB 2.0 with synchronized flash and auto focus, UVC Compliant, includes power supply and 6 ft USB cable; Twain Data Source and camera control / set-up software.	334290L	US	\$819.89
CAM-60S0004	LENEL	Camera Stand, 20.6" x 5.2", Flexible goodeck arm for use with the CAM-24C708AF-USB	334290L	US	\$236.01
CAM-60TP0001	LENEL	Compact Industrial Grade Tripod table top camera stand for use with the CAM-24C708AF-USB	334290L	US	\$111.86
CE-401-001	LENEL	Configuration card to change LED status to flashing red; for X02_51 or higher	334290L	US	\$6.15
CE-401-002	LENEL	Configuration card to change LED status from flashing red to solid red; for X02_51 or higher	334290L	US	\$6.15

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
CE-401-033	LENEL	Configuration card for Mifare report CSN; Disables Secure Mifare; PIV and EV1 PACSA; for X02_51 or higher	334290L	US	\$6.15
CE-401-200	LENEL	Configuration card - PIV Enable 200 bit for X02_51 or higher	334290L	US	\$6.15
COM400L	LENEL	Wireless AD-400 Communication Kit. AD400 900Mhz Wireless Comm Board plus Cover for Classroom/Storeroom Function, w/ LED Lens on CY & MS Chassis. All Functions on MD Chassis	334290L	MX	\$165.94
CP1000D	LENEL	Desktop encoder	334290L	US	\$1,707.39
CRDT-G5	LENEL	Third Party Credential Credits. Credit for MIFARE DESFire Credentials with Custom Data	334290L	US	\$1.71
CS-DEV-AD	LENEL	Active Directory Synchronizations (includes SWG-1140)	334290L	US	\$12,292.19
CS-DEV-CDR	LENEL	Custom Solutions Clean/Dirty Reader Integration. Contamination prevention through the use of rules-driven hazardous and clean area access restrictions. Includes: CS-DEV-CDR license, CS-1140 (DataConduIT Client License), remote installation support, f	334290L	US	\$9,833.75
CS-DEV-ECMON	LENEL	NEC ExpressCluster Monitoring Software. NEC ExpressCluster Monitoring software is designed to monitor the status of the NEC ExpressCluster LAN/WAN solution and to proactively report any failures or problems. Alerts are configurable and can be sent t	334290L	US	\$2,458.44
CS-DEV-FTMON	LENEL	NEC Fault Tolerant Server Monitor Software: The Lenel NEC Fault Tolerant Server Monitoring Service is a Windows Service designed to monitor changes in hardware and network status on NEC Fault Tolerant servers. Status changes include hardware that is	334290L	US	\$2,458.44
CS-ELVDB-SCHIND	LENEL	Custom Solutions Schindler Elevator Cardholder Database Integration	334290L	US	\$24,584.38

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
CS-ELVT-SCHIND	LENEL	Custom Solutions Schindler Elevator Turnstile Integration	334290L	US	\$24,584.38
CS-EMR-SCH	LENEL	Custom Solutions Emergency Scheduling	334290L	US	\$14,750.63
CS-KONE-DOP	LENEL	Custom Solutions KONE Destination Dispatch Integration	334290L	US	\$24,584.38
CS-KONE-TS	LENEL	Custom Solutions KONE Turnstile Integration	334290L	US	\$24,584.38
CS-PRI-SCH	LENEL	Custom Solutions Priority Scheduling	334290L	US	\$6,146.10
CS-RNDM-SCRN	LENEL	Custom Solutions Random Screening Integration. Random selection of Cardholders for additional screening as they enter and/or exit the facility. Includes: CS-1140 (DataConduIT Client License), remote installation support, first year Custom Solutions S	334290L	US	\$9,833.75
CS-RPT-AAR	LENEL	Enhanced Audit Reports (Cardholder, Badge, Access Level Assignments) - details per-field changes to include values pre- and post- modification.	334290L	US	\$6,146.10
CS-RPT-BSC	LENEL	Basic Custom Report	334290L	US	\$1,229.22
CSS-EXTWAR	LENEL	Annual Extended Hardware Warranty this includes one additional year of hardware warranty.	334290L	US	\$61.46
DS-200	LENEL	Acrylic demo stand for F-Series readers	334290L	US	\$66.84

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
DVC-EX-B-MEM-UPG	LENEL	4 x 2GB DDR3 1600Mhz UDIMM memory modules - Memory upgrade kit for DVC-EX-B from 4GB to 8GB	334290L	US	\$159.80
DVC-EX-C-A00-04-2T	LENEL	Four 2TB data drives; 5.1TB Usable RAID5 or 6.8TB Usable JBOD.	334290L	US	\$8,112.85
DVC-EX-C-A00-04-3T	LENEL	Four 3TB data drives, 7.6TB Usable RAID5 or 10.1TB Usable JBOD.	334290L	US	\$8,112.85
DVC-EX-C-A00-08-2T	LENEL	Eight 2TB data drives; 11.8TB Usable RAID5 or 13.5TB Usable JBOD.	334290L	US	\$8,973.30
DVC-EX-C-A00-08-3T	LENEL	Eight 3TB data drives, 17.6TB Usable RAID5 or 20.2TB Usable JBOD.	334290L	US	\$9,956.68
DVC-EX-C-A00-08-4T	LENEL	Eight 4TB data drives, 25.2TB Usable RAID5 or 26.9TB Usable JBOD.	334290L	US	\$11,677.58
DVC-EX-C-A16-04-2T	LENEL	Four 2TB data drives; 5.1TB Usable RAID5 or 6.8TB Usable JBOD; Supports up to 16 analog channels.	334290L	US	\$8,973.30
DVC-EX-C-A16-04-3T	LENEL	Four 3TB data drives, 7.6TB Usable RAID5 or 10.1TB Usable JBOD; Supports up to 16 analog channels.	334290L	US	\$9,096.22
DVC-EX-C-A16-08-2T	LENEL	Eight 2TB data drives; 11.8TB Usable RAID5 or 13.5TB Usable JBOD; Supports up to 16 analog channels.	334290L	US	\$9,833.75
DVC-EX-C-A16-08-3T	LENEL	Eight 3TB data drives, 17.6TB Usable RAID5 or 20.2TB Usable JBOD; Supports up to 16 analog channels.	334290L	US	\$10,940.05

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
DVC-EX-C-A16-08-4T	LENEL	Eight 4TB data drives, 25.2TB Usable RAID5 or 26.9TB Usable JBOD; Supports up to 16 analog channels.	334290L	US	\$12,292.19
DVC-EX-C-A32-04-2T	LENEL	Four 2TB data drives; 5.1TB Usable RAID5 or 6.8TB Usable JBOD; Supports up to 32 analog channels.	334290L	US	\$9,464.99
DVC-EX-C-A32-04-3T	LENEL	Four 3TB data drives, 7.6TB Usable RAID5 or 10.1TB Usable JBOD; Supports up to 32 analog channels.	334290L	US	\$10,079.60
DVC-EX-C-A32-08-2T	LENEL	Eight 2TB data drives; 11.8TB Usable RAID5 or 13.5TB Usable JBOD; Supports up to 32 analog channels.	334290L	US	\$10,817.13
DVC-EX-C-A32-08-3T	LENEL	Eight 3TB data drives, 17.6TB Usable RAID5 or 20.2TB Usable JBOD; Supports up to 32 analog channels.	334290L	US	\$11,800.50
DVC-EX-C-A32-08-4T	LENEL	Eight 4TB data drives, 25.2TB Usable RAID5 or 26.9TB Usable JBOD; Supports up to 32 analog channels.	334290L	US	\$13,521.41
DV-CH-8UP	LENEL	8 Camera channel device license to Non Lenel supplied server solutions.	334290L	US	\$1,229.22
DVC-HD-C-A00-08-4T	LENEL	Eight 4TB data drives, 25.2TB Usable RAID5 or 26.9TB Usable JBOD	334290L	US	\$12,383.15
DVC-HD-C-A00-16-4T	LENEL	Sixteen 4TB data drives, 50.4TB Usable RAID5 or 53.8TB Usable JBOD	334290L	US	\$15,023.52
DVC-HD-C-A16-00-0T	LENEL	No Data Hard Drives (space for 16); Supports up to 16 analog channels.	334290L	US	\$10,369.69

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
DVC-HD-C-A16-08-4T	LENEL	Eight 4TB data drives, 25.2TB Usable RAID5 or 26.9TB Usable JBOD; Supports up to 16 analog channels.	334290L	US	\$13,008.83
DVC-HD-C-A16-16-4T	LENEL	Sixteen 4TB data drives, 50.4TB Usable RAID5 or 53.8TB Usable JBOD; Supports up to 16 analog channels.	334290L	US	\$15,647.96
DVC-HD-C-A32-00-0T	LENEL	No Data Hard Drives (space for 16); Supports up to 32 analog channels.	334290L	US	\$10,931.45
DVC-HD-C-A32-08-4T	LENEL	Eight 4TB data drives, 25.2TB Usable RAID5 or 26.9TB Usable JBOD; Supports up to 32 analog channels.	334290L	US	\$13,633.27
DVC-HD-C-A32-16-4T	LENEL	Sixteen 4TB data drives, 50.4TB Usable RAID5 or 53.8TB Usable JBOD; Supports up to 32 analog channels.	334290L	US	\$16,272.40
DVC-LP-A-MEM-UPG	LENEL	2 x 4GB DDR3 1333MHz ECC UDIMM memory modules - Memory upgrade kit for DVC-LP-A from 4GB to 8GB	334290L	US	\$227.41
DVC-LP-B-A00-01-2T	LENEL	One 2TB data drives, 1.7TB Usable JBOD	334290L	US	\$3,441.81
DVC-LP-B-A00-02-2T	LENEL	Two 2TB data drives, 3.4TB Usable JBOD	334290L	US	\$3,687.66
DVC-LP-B-A00-03-2T	LENEL	Three 2TB data drives, 5.1TB Usable JBOD	334290L	US	\$3,933.50
DVC-LP-B-A00-04-2T	LENEL	Four 2TB data drives, 6.8TB Usable JBOD	334290L	US	\$3,933.50

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
DVC-LP-B-A00-04-3T	LENEL	Four 3TB data drives, 10.1TB Usable JBOD	334290L	US	\$4,302.27
DVC-ST-A-MEM-UPG	LENEL	4 x 2GB DDR2 800Mhz DIMM memory modules - Memory upgrade kit for DVC-ST-A from 4GB to 8GB	334290L	US	\$221.26
DVC-ST-C-A16-04-2T	LENEL	Four 2TB data drives; 6.8TB Usable JBOD; Supports up to 16 analog channels.	334290L	US	\$4,302.27
DVC-ST-C-A16-04-3T	LENEL	Four 3TB data drives; 10.1TB Usable JBOD; Supports up to 16 analog channels.	334290L	US	\$4,548.11
DVG-RM	LENEL	Remote Monitor Client - Single Remote Monitor Client Software license. Video can be transmitted to a remote computer on the network running the Remote Monitoring Client Software. (Requires License Key Number for every upgrade order).	334290L	US	\$307.30
DV-LNR-CHA1	LENEL	Lenel Network Audio Recording single channel audio license for use with the Lenel Network Video Recorder. Records synchronized audio along with LNVR video from supported Lenel Network Video Recorder devices. Requires SW-LNR-CH1 per Audio Channel. (334290L	US	\$61.46
DV-LNR-ICS1	LENEL	In-Camera Storage - Single channel license for In-Camera Storage on supported DV-LNR-CH1 devices. Video can be stored and retrieved from supported IP camera(s) or server(s) allowing scheduled retrieval, and reduction in network bandwidth. (Requires L	334290L	US	\$122.92
DV-UP2012R2	LENEL	Windows 7 Professional upgrade to Windows Server 2012 R2.	334290L	US	\$676.07
ECK400	LENEL	Elevator Control Kit; includes WRI400 - PIM400-TD2 - ANT400-REM-I/O and 12 VDC power Supply.	334290L	MX	\$1,266.10
EHK-K42U-A	LENEL	Professional Continuous Lighting Kit includes two 600-watt quartz lights, two bounce back white umbrellas, two stands, mounting brackets and carrying case (110VAC)	334290L	US	\$547.00

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
EL-ADMIN	LENEL	Administrator TM (additional licenses per workstation)[correlates to EasyLobby part number EL-96300-ADM10]	334290L	US	\$409.33
EL-EADVANCE	LENEL	Web pre-registration (per web server)[correlates to EasyLobby part number EL-98000-EADV10]	334290L	US	\$2,304.79
EL-OG-INT	LENEL	EasyLobby Access Control Integration to OnGuard (per server) [REQUIRED for OnGuard integration] [correlates to EasyLobby part number EL-ACI-LENEL]	334290L	US	\$2,304.79
EL-SAT	LENEL	Satellite TM - check point station (per client)[correlates to EasyLobby part number EL-96200-SAT]	334290L	US	\$768.26
EL-SVM	LENEL	SVM - Main Application (per client): includes Administrator TM (admin / reporting) [correlates to EasyLobby part number EL-96000-SVM10]	334290L	US	\$1,945.85
EL-SWG-OITVM	LENEL	SWG-OITVM and SWG-OITVM-5 bundle for EasyLobby [REQUIRED for OnGuard integration]	334290L	US	\$3,073.05
EM-801-F3	LENEL	Memory Expansion - 9728 Users for original HK-CR, HK-2.	334290L	KR	\$222.49
ES2001-4P-4T	LENEL	8-Port 10/100Base-T Copper Ports Unmanaged Fast Ethernet Switch with 4-Ports PoE af (55 Watts PoE budget) (0~50?)	334290L	TW	\$113.09
ES2402-16P-2C	LENEL	Economy 16-port Fast Ethernet Websmart Switch with 802.3at PoE+ and 2-port Gigabit TP SFP combo ports (220W PoE Budget)	334290L	TW	\$540.86
ES2402-24P-2C	LENEL	Economy 24-port Fast Ethernet Websmart Switch with 802.3at PoE+ and 2-port Gigabit TP SFP combo ports (380W PoE Budget)	334290L	TW	\$737.53

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
ES2402-8P-2C	LENEL	Economy 8-port Fast Ethernet Websmart Switch with 802.3at PoE+ and 2-port Gigabit TP SFP combo ports (125W PoE Budget)	334290L	TW	\$373.68
ES3001-4P-4T	LENEL	8-Port 10/100/1000Base-T Copper Ports Unmanaged Gigabit Ethernet Switch with 4-Ports PoE af (55 Watts PoE budget) (0~50?)	334290L	TW	\$177.01
EV-30256	LENEL	Peel and stick labels 2 5/16 x 4 labels, 300 per roll	334290L	US	\$28.27
FRGO-82601	LENEL	Polyguard 1.0 mil Overlamine Clear 250 count (for use with HDP5000 cartridge 1-2)	334290L	GB	\$65.15
FRGO-82604	LENEL	Polyguard 1.0 mil Overlamine High Secure Orbit Design Universal orientation 250 count (for use with HDP5000 cartridge 1-2)	334290L	GB	\$120.46
FRGO-82615	LENEL	Thermal Transfer Overlamine Clear 500 count (for use with HDP5000 cartridge 1-2)	334290L	GB	\$50.40
FRGO-84050	LENEL	HDP5000 YMC: Full-color ribbon [750 prints per roll]	334290L	GB	\$210.20
FRGO-84051	LENEL	HDP5000 YMCK: Full-color ribbon with resin black panel [500 prints per roll]	334290L	GB	\$190.53
FRGO-84052	LENEL	HDP5000 YMCKK: Full-color ribbon with two resin black panels [500 prints per roll]	334290L	JP	\$227.41
FRGO-84053	LENEL	HDP5000 HDP Film [1,500 prints per roll]	334290L	GB	\$119.23

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
FRGO-84056	LENEL	HDP5000 YMCKH: Full-color ribbon with resin black and Heat Seal panel [500 prints per roll]	334290L	US	\$260.59
FRGO-89001	LENEL	HDP5000 Dual-Sided Printing Module	334290L	US	\$737.53
FRGO-89200	LENEL	HDP 5000 Cleaning Kit - includes 4 Printhead Cleaning Swabs; 10 Cleaning Cards; 10 Cleaning Pads and 3 Alcohol Cleaning Cards	334290L	US	\$35.65
FRGO-89201	LENEL	HDP5000 ISO Magnetic Stripe Encoder, Tracks 1-3	334290L	US	\$442.52
GCK400	LENEL	Gate Control Kit; includes WRI400 - PIM400-TD2 - ANT400-REM-I/O - MGM+MCA5 and 12 VDC power Supply.	334290L	MX	\$1,321.41
HDD-2TB-SV-SPARE	LENEL	Spare 3.5" 2TB SATA3 7,200rpm hard drive for use with DVC-LP or -ST chassis. This is a bare drive not installed in any chassis. Drive carrier not included.	334290L	US	\$221.26
HDD-4TB-ENT-SPARE	LENEL	Spare 3.5" 4TB SATA3 7,200rpm hard drive for use with DVC-EX, or -HD chassis. This is a bare drive not installed in any chassis. Drive carrier not included.	334290L	US	\$614.61
HDD-4TB-SV-SPARE	LENEL	Spare 3.5" 4TB SATA3 7,200rpm hard drive for use with DVC-LP or -ST chassis. This is a bare drive not installed in any chassis. Drive carrier not included.	334290L	US	\$329.43
HHD-KIT-USB	LENEL	Handheld Device pre-loaded with SUS	334290L	KR	\$531.02
HH-SERIAL	LENEL	Cable used to connect HHD to CIP for programming legacy CM/CL/KC products	334290L	MX	\$56.54

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
HK-CR	LENEL	HandKey F-Series with memory for 512 users (HK-2-F3) - this reader requires an LNL-500B gateway. The total number of cardholder templates is controlled by the amount of memory on the LNL-2220 controller. [DOES NOT INCLUDE POWER SUPPLY]	334290L	US	\$1,772.53
HK-CR-PROX	LENEL	Schlage HK-CR Reader with externally top mounted HID ProxPoint Prox Reader; 26 bit Wiegand output format standard; pre-mounted from factory. [DOES NOT INCLUDE POWER SUPPLY]	334290L	US	\$2,093.36
HO-2065	LENEL	Two Port LAN/serial hub, 10/100base-T input, with two selectable output ports (either RS-232, RS-422 or RS-485) using a DB9 connector	334290L	US	\$688.36
HO-2067	LENEL	Eight port LAN/serial hub, DeviceMaster Serial 8Port RTS, 10/100T input, with eight selectable output ports (either RS-232, RS-422 or RS-485) using a DB9 connector	334290L	US	\$1,475.06
HO-2072	LENEL	Four Port serial expansion board for 64 bit PCI Slots	334290L	US	\$454.81
HOC-56KEXT	LENEL	Communications Cable for all Lenel Intelligent Systems Controllers to LNL-56KEXT Dial up modem.	334290L	US	\$29.50
ICLASS-100	LENEL	Schlage HK-CR Reader Options - iCLASS Reader add on at the time of hand reader order - Internally mounted iCLASS reader with clear acrylic card holder. - MUST BE ORDERED ALONG WITH HK-CR AT TIME OF PURCHASE	334290L	US	\$427.77
ID-CHAIN	LENEL	Neck Chain, 36", Nickel Plated (100 units)	334290L	HK	\$49.17
ID-CLIP	LENEL	Badge Clip, Clear Vinyl (100 units)	334290L	TW	\$30.73
ID-LANYARD	LENEL	Lanyard, Breakaway, Black* (100 units)	334290L	TW	\$73.75

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
ID-MBHL	LENEL	Magnetic Badge Holder, Landscape, CC, Black (100 units)	334290L	TW	\$135.21
ID-MBHP	LENEL	Magnetic Badge Holder, Portrait, CC, Black (100 units)	334290L	TW	\$135.21
ID-RETRACT	LENEL	Retractable Badge Clip, Black* (100 units)	334290L	HK	\$368.77
ID-SPHH	LENEL	Slot Punch, Hand Held, Heavy Duty	334290L	US	\$122.92
ID-SPTT	LENEL	Slot Punch, Table Top, Heavy Duty	334290L	US	\$614.61
IDVM-ADV-FD	LENEL	Enables OnGuard Visitor Management for OnGuard ADV system. Includes two (2) Front Desk Admin Client user licenses, unlimited number of visitor hosts and visits	334290L	US	\$3,060.76
IDVM-ES-FD	LENEL	Enables OnGuard Visitor Management for OnGuard ES system. Includes one (1) Front Desk Admin Client user license, unlimited number of visitor hosts and visits	334290L	US	\$1,782.37
IDVM-FRONTDESK	LENEL	Adds one (1) additional Front Desk Admin Client license to any of the IDVM FD licenses above	334290L	US	\$479.40
IDVM-PRO/ENT-FD	LENEL	Enables OnGuard Visitor Management for OnGuard PRO or ENT system. Includes three (3) Front Desk Admin Client user licenses, unlimited number of visitor hosts and visits	334290L	US	\$4,117.88
ILS-C4XCMWAPA	LENEL	900 MHz to 10/100 Ethernet Wireless Gateway with AC Power converter	334290L	US	\$618.36

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
ILS-C4XDCON	LENEL	Lock, Door Contact Kit (field upgrade kit) NOTE: Product lead times will vary based on quantity ordered as follows: (1-100 units, 2 weeks), (101-500 units, 12 weeks), (more than 500 units, 14 weeks)	334290L	US	\$11.37
IRIS-EXTHC-1Y	LENEL	One Year Extended Warranty per iCAM4000/7000 Series Camera	334290L	US	\$227.81
IRIS-EXTHC-2Y	LENEL	Two Year Extended Warranty per iCAM 4000/7000 Series Camera	334290L	US	\$342.55
IRIS-EXTSW-1Y-100K	LENEL	One Year Extended Warranty per Iris Access Software (100K users)	334290L	US	\$2,124.09
IRIS-EXTSW-1Y-10K	LENEL	One Year Extended Warranty per Iris Access Software (10K users)	334290L	US	\$227.81
IRIS-EXTSW-1Y-30K	LENEL	One Year Extended Warranty per Iris Access Software (30K users)	334290L	US	\$639.19
IRIS-EXTSW-1Y-50K	LENEL	One Year Extended Warranty per Iris Access Software (50K users)	334290L	US	\$1,180.05
IRIS-EXTSW-2Y-100K	LENEL	Two Year Extended Warranty per Iris Access Software (100K users)	334290L	US	\$3,186.14
IRIS-EXTSW-2Y-10K	LENEL	Two Year Extended Warranty per Iris Access Software (10K users)	334290L	US	\$342.55
IRIS-EXTSW-2Y-30K	LENEL	Two Year Extended Warranty per Iris Access Software (30K users)	334290L	US	\$958.79

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
IRIS-EXTSW-2Y-50K	LENEL	Two Year Extended Warranty per Iris Access Software (50K users)	334290L	US	\$1,770.08
IRIS-ICAM7000S-B	LENEL	DUAL IRIS RECOGNITION READER, FACE IMAGE CAPTURE, AUTOTILT, BLACK, TCP/IP enabled, embedded 5MP face camera with flash. *Note: Power Supply sold separately. See IRIS-iCAM7-PWR for pricing. Ethernet cable not included	334290L	KR	\$2,065.09
IRIS-ICAM7000S-T	LENEL	DUAL IRIS RECOGNITION READER, FACE IMAGE CAPTURE, AUTOTILT, SILVER, TCP/IP enabled, embedded 5MP face camera with flash. *Note: Power Supply sold separately. See IRIS-iCAM7-PWR for pricing. Ethernet cable not included	334290L	KR	\$2,065.09
IRIS-ICAM7010S-H1B	LENEL	DUAL IRIS RECOGNITION READER, FACE IMAGE CAPTURE, AUTOTILT, BLACK, WITH HID ICLASS SE READER, TCP/IP enabled, embedded 5MP face camera with flash. *Note: Power Supply sold separately. See IRIS-iCAM7-PWR for pricing. Ethernet cable not included	334290L	KR	\$2,212.59
IRIS-ICAM7010S-H1T	LENEL	DUAL IRIS RECOGNITION READER, FACE IMAGE CAPTURE, AUTOTILT, SILVER, WITH HID ICLASS SE READER, TCP/IP enabled, embedded 5MP face camera with flash. *Note: Power Supply sold separately. See IRIS-iCAM7-PWR for pricing. Ethernet cable not included	334290L	KR	\$2,212.59
IRIS-ICAM7101S-B	LENEL	DUAL IRIS RECOGNITION READER, FACE IMAGE CAPTURE, AUTOTILT, BLACK, WITH LCD TOUCHSCREEN/KEYPAD *Note: Power Supply sold separately. See IRIS-iCAM7-PWR for pricing. Ethernet cable not included	334290L	KR	\$2,442.46
IRIS-ICAM7101S-T	LENEL	DUAL IRIS RECOGNITION READER, FACE IMAGE CAPTURE, AUTOTILT, SILVER, WITH LCD TOUCHSCREEN/KEYPAD *Note: Power Supply sold separately. See IRIS-iCAM7-PWR for pricing. Ethernet cable not included	334290L	KR	\$2,446.15
IRIS-ICAM7111S-H1B	LENEL	DUAL IRIS RECOGNITION READER, FACE IMAGE CAPTURE, AUTOTILT, BLACK, WITH HID ICLASS SE READER AND LCD TOUCHSCREEN/KEYPAD *Note: Power Supply sold separately. See IRIS-iCAM7-PWR for pricing. Ethernet cable not included	334290L	KR	\$2,624.38
IRIS-ICAM7111S-H1T	LENEL	DUAL IRIS RECOGNITION READER, FACE IMAGE CAPTURE, AUTOTILT, SILVER, WITH HID ICLASS SE READER AND LCD TOUCHSCREEN/KEYPAD *Note: Power Supply sold separately. See IRIS-iCAM7-PWR for pricing. Ethernet cable not included	334290L	KR	\$2,624.38
IRIS-ICAM7-PWR	LENEL	Power Supply for iCAM7000 series	334290L	KR	\$57.37

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
ISG-CMS100K	LENEL	Integration for encoding 100,000 ActivIdentity Certificates	334290L	US	\$61,460.96
ISG-CMS10K	LENEL	Integration for encoding 10,000 ActivIdentity Certificates	334290L	US	\$15,365.24
ISG-CMS1K	LENEL	Integration for encoding 1,000 ActivIdentity Certificates	334290L	US	\$2,151.13
ISG-CMS500	LENEL	Integration for encoding 500 ActivIdentity Certificates	334290L	US	\$1,229.22
ISG-CMS5K	LENEL	Integration for encoding 5,000 ActivIdentity Certificates	334290L	US	\$9,219.14
ISO-PVC	LENEL	VPVC Credit card size (minimum order of 500 cards), 0.030 thick, Laminated construction, Die-cut, rounded corners, polished both sides, polywrapped in qty's of 100	334290L	US	\$0.18
ISO-PVCM	LENEL	VPVC Credit card size (minimum order of 500 cards), 0.030 thick, Laminated construction, Die-cut, rounded corners, polished both sides with 1/2" 2750 HICO Mag Stripe, polywrapped in qty's of 100	334290L	US	\$0.28
ISO-PVCST	LENEL	VPVC Credit card size (500 Qty.), 0.030 thick, Laminated construction, Die-cut, rounded corners, polished both sides, polywrapped in qty's of 100	334290L	US	\$0.37
K380-001	LENEL	Single Battery; WA/AD Series Battery Pack used to power WA5200, WA5600, WA993, WPR2, WSM, and WPR400	334290L	MX	\$36.88
K380-0012	LENEL	12 Pack of batteries; WA/AD-Series Battery Pack used to power WA5200, WA5600, WA993, WPR2, WSM, and WPR400	334290L	US	\$342.95

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
KP	LENEL	Keypad Only Reader Module.	334290L	MX	\$236.01
LGE-00R	LENEL	Instructor Regional Travel Expense Surcharge (PER STUDENT)	334290L	US	\$295.01
LGE-00X	LENEL	Onsite Training Expense Surcharge (PER WEEK) Includes instructor expenses, access control hardware, student laptop rental, and network equipment rental for up to 15 students.	334290L	US	\$10,141.06
LGE-ACCESS	LENEL	Advanced Access Control	334290L	US	\$1,327.56
LGE-BIOMETRICS	LENEL	Credentialing Technology & Biometrics	334290L	US	\$442.52
LGE-CEU	LENEL	Lenel Learning Credit	334290L	US	\$676.07
LGE-CORE	LENEL	OnGuard Hardware & Software Fundamentals	334290L	US	\$2,212.59
LGE-CUSTOMREPORTS	LENEL	Custom Reports	334290L	US	\$442.52
LGE-DATABASE	LENEL	Database	334290L	US	\$442.52
LGE-DATACONDUIT	LENEL	DataConduit	334290L	US	\$442.52

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
LGE-DATAEXCHANGE	LENEL	DataExchange	334290L	US	\$442.52
LGE-DESIGNARCHITECT	LENEL	Design Architect	334290L	US	\$2,212.59
LGE-ENTERPRISE	LENEL	Enterprise Overview	334290L	US	\$442.52
LGE-FC	LENEL	FCWnx	334290L	US	\$1,770.08
LGE-INTRUSION	LENEL	Intrusion	334290L	US	\$885.04
LGE-NEC	LENEL	High Availability and Disaster Recovery Solutions	334290L	US	\$885.04
LGE-NGP	LENEL	Next Generation Panel	334290L	US	\$885.04
LGE-PP	LENEL	Picture Perfect	334290L	US	\$2,212.59
LGE-PP2OG	LENEL	Picture Perfect to OnGuard Migration	334290L	US	\$1,327.56
LGE-PRISM	LENEL	Prism	334290L	US	\$885.04

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
LGE-SPECIALIST	LENEL	System Administrator Specialist	334290L	US	\$2,212.59
LGE-VIDEO	LENEL	Digital Video	334290L	US	\$1,327.56
LGE-WIRELESS LOCKS	LENEL	Wireless Lock Technology	334290L	US	\$442.52
LNL-108A	LENEL	Converter RS-232 to RS-485	334290L	US	\$442.52
LNL-109A	LENEL	Converter RS-232 to RS-485 with Optical Isolation	334290L	US	\$639.19
LNL-1100-20DI	LENEL	Input Control Module, 12 VDC; 20 zone input module RoHS	334290L	US	\$390.89
LNL-1100-I8	LENEL	iStarPro I8 Migration Board. Eight Supervised Inputs. Board Only. No Connectors.	334290L	US	\$515.04
LNL-1100-S3	LENEL	Input Control Module (Series three) 12/24 VDC, 16 zone input monitor module, (32) 1K resistors (with 2 programmable output relays) , RoHS, CE, C-Tick and UL294 certified	334290L	US	\$561.75
LNL-1200-16DO	LENEL	Output Control Module, 12 VDC; 16 driver open collector module ; RoHS	334290L	US	\$390.89
LNL-1200-16DOR	LENEL	Output Control Module, 12 VDC; 16 relay output control module ; RoHS	334290L	US	\$390.89

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
LNL-1200-R8	LENEL	iStar Pro R8 Migration Board. Eight Relay Outputs. Board Only. No Connectors.	334290L	US	\$578.96
LNL-1200-S3	LENEL	Output Control Module (Series three) 12/24 VDC, 16 relay output control module , RoHS, CE, C-Tick and UL294 certified	334290L	US	\$561.75
LNL-1300E	LENEL	IP-Based Single Door Interface - support 2 readers W/M/OSDP. Can be used as an alarm panel, without readers; 4 inputs and 2 Relay Outputs. PoE or 12 VDC Power Input. Communicates via IP to Controller (LNL-2210, LNL2220, LNL-3300). Requires OnGua	334290L	US	\$528.56
LNL-1300-S3	LENEL	Single Reader Interface Module (Series 3 - Supports OSDP Readers) 12/24 VDC, 1 Reader interface, W/M, 2 inputs and 2 outputs relays (one of each, 2A and 5A) and cabinet tamper pigtail , RoHS, CE, C-Tick and UL294 certified	334290L	US	\$243.39
LNL-1320-2RP	LENEL	Dual Reader Interface Module (Supports Wiegand, Magstripe, F2F, Supervised F2F Rdr). 12/ VDC; 2 Rdr interface;4 unsupervised inputs; 6 (5A) form C relays ; RoHS	334290L	US	\$390.89
LNL-1320-S2RP	LENEL	Dual Reader Interface Module (Supports Wiegand, Magstripe, F2F & SF2FRdr) 12 VDC; 2 Rdr interface; 4 supervised inputs; 6 (5A) form C relays ; RoHS	334290L	US	\$390.89
LNL-1320-S3	LENEL	Dual Reader Interface Module (Series 3 Supports OSDP Readers) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick and UL294 certified	334290L	US	\$489.23
LNL-1340-M2K	LENEL	Bridge Board for GE/CASI M2000 IO board. 4 SF2F Readers, 10 Inputs, 8 Relay Outputs. UL 294, CE, RoHS. Head-of-Line LNL-1340-M2K requires LNL-3300-M5. OnGuard 7.2 or higher required.	334290L	US	\$676.07
LNL-1380-8RP	LENEL	Eight Reader Interface Module (Supports SF2F Rdr) 12/VDC; 8 Rdr interface; RoHS	334290L	US	\$614.61
LNL-1380-ACM	LENEL	iStarPro ACM Migration Board 8 Wiegand Reader Ports and 16 Inputs. Eight RS-485 ports that can support LNL-1300/LNL-1320 reader interfaces. Should not exceed eight readers per LNL-1380-ACM. . Board Only. No Connectors.	334290L	US	\$1,688.95

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
LNL-1K-32	LENEL	Resistors one complete set of sixteen, 1K-ohm resistors for the LNL-1100, LNL-1300 or LNL-1320 modules	334290L	US	\$12.29
LNL-2005W	LENEL	Magnetic Card Access Reader 12 VDC, track 2 weatherized, one-million pass extended wear read head, (No keypad Available), Black, tamper not available on this reader. (UL Approved)	334290L	US	\$121.69
LNL-2005W-5	LENEL	Magnetic Card Access Reader 5 VDC, track 2 weatherized, one-million pass extended wear read head, (No Keypad Available), Black, tamper not available on this reader (UL Approved)	334290L	US	\$121.69
LNL-2010W	LENEL	Magnetic Card Access Reader 12 VDC, track 2, weatherized, one-million pass extended wear read head, Black (UL Approved)	334290L	US	\$167.17
LNL-2010W-5	LENEL	Magnetic Card Access Reader 5 VDC, track 2, weatherized, one-million pass extended wear read head, Black (UL Approved)	334290L	US	\$167.17
LNL-2020W	LENEL	Magnetic Card Access Reader with Keypad 12 VDC, track 2, one-million pass extended wear read head, weatherized, Black (UL Approved)	334290L	US	\$242.16
LNL-2020W-5	LENEL	Magnetic Card Access Reader with Keypad 5 VDC, track 2, one-million pass extended wear read head, weatherized, Black (UL Approved)	334290L	US	\$242.16
LNL-2020W-NDK	LENEL	Magnetic Card Access Reader with non-destructible Keypad 12 VDC, track 2, one-million pass extended wear read head, weatherized, (UL Approved)	334290L	US	\$478.17
LNL-2210	LENEL	Intelligent Single Door Controller PoE or 12 VDC @ 900mA, size (5.5" (140mm) W x 2.75" (70mm) L x 0.96" (24mm) H, (rechargeable battery) 6 MB standard cardholder flash memory, 50,000 of Event memory, maximum of one door, two readers (entry and exit	334290L	US	\$633.75
LNL-2220	LENEL	Intelligent Dual Reader Controller 12 VDC or 24 VDC @ 700mA, size (6" (152mm) W x 8" (203mm) L x 1" (25mm) H), (5 year lithium battery or 3 months full run) 6 MB standard cardholder flash memory, 50,000 of Event memory, maximum of 32 devices, On-board	334290	US	\$1,360.71

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
LNL-2240-RS4	LENEL	Replacement ISC for ACURS2, ACURS4, ACURT2 and ACURT4 Controllers, only communicates to OnGuard 7.3 or higher.. Board only. Connectors not included	334290L	US	\$1,609.05
LNL-3300	LENEL	Intelligent System Controller - 12 VDC or 24 VDC @300mA;size (5 in. (127mm) W x 6 in. (152.4mm) L x 1 in. (25mm) H); (5 year lithium battery or 3 months full run) 15 MB standard cardholder flash memory; 50;000 Event memory; maximum of 64 devices; On-	334290L	US	\$1,468.92
LNL-3300-ACUXL	LENEL	Replacement ISC for ACUXL16 Controller, only communicates to OnGuard 7.3 or higher.. Board Only. Connectors Not Included.	334290L	US	\$1,690.18
LNL-3300-GCM	LENEL	iStarPro GCM Migration Board. Board Only. No Connectors.	334290L	US	\$1,979.04
LNL-3300-M5	LENEL	Intelligent System Controller, 12 VDC, Size (4 in. W x 10.25 in. L) RoHS	334290L	US	\$823.58
LNL-400X-CE220	LENEL	Lenel CE Listed 4A, 220VAC Power Supply 12VDC output, 220/230 VAC input, continuous supply current with enclosure (15.5 x 12.5 x 4.5), lock and open frame transformer, tamper switch UPS capable (Battery Optional) CE Approved	334290L	US	\$356.47
LNL-4420	LENEL	Intelligent Dual Reader Controller 12 or 24 VDC @ 500mA (w/o Rdr Power), size (6" (152mm) W x 8" (203mm) L x 1" (25mm)H), (5 year lithium battery or 3 months full run) 16 MB standard cardholder flash memory, 50,000 of Event memory, maximum of 64 de	334290L	US	\$2,575.21
LNL-600X6-CE220	LENEL	Lenel CE Listed Power Supply 12VDC output (switch selectable), 220/230 VAC (1.6 amps) input, continuous supply current with enclosure (24 x 18 x 4.5), lock and open frame transformer, tamper switch, power distribution module, UPS capable (Battery	334290L	US	\$577.73
LNL-7410	LENEL	PROX clamshell card; plain white matte finish; 26-bit format pre-programmed; printed ID numbers; vertical slot punch [Min Order QTY of 100]	334290L	TW	\$1.72
LNL-7510	LENEL	PROX card; direct printable ISO Card; 26-bit format pre-programmed; printed ID numbers [Min Order QTY of 100]	334290L	TW	\$3.10

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
LNL-7510M1	LENEL	PROX card with magnetic stripe; direct printable ISO Card; 26-bit format pre-programmed; printed ID numbers [Min Order QTY of 100]	334290L	TW	\$3.75
LNL-7610	LENEL	PROX Key Fob; gray finish; 26-bit format pre-programmed [Min Order QTY of 50]	334290L	TW	\$3.21
LNL-8000	LENEL	Star Multiplexer 12 VDC, (8) Downstream RS-485 2-wire ports or (4) RS-485 4-wire ports and stand-offs.	334290L	US	\$431.75
LNL-8000-MCOM	LENEL	Power/ Communications Module-Provides RS485 comm & Power to enclosure; Size (4 in. W x 10.25 in. L) RoHS	334290L	US	\$159.80
LNL-826S121NN	LENEL	Brushed Aluminum Keypad, 2 keys across and 6 keys down, 8-bit word output, 12 to 28 VDC, 30 mA, ADA compliant, weather proof with tamper proof keypad. Designed for mullion mounting	334290L	IL	\$202.82
LNL-834S121NN	LENEL	Lenel Brushed Aluminum Keypad, 3 keys across and 4 keys down, 8-bit word output, 12 to 28 VDC, 30 mA, ADA compliant, weather proof with tamper proof keypad. Designed for a single gang electrical box	334290L	IL	\$202.82
LNL-837A	LENEL	RS-232 /RS-485 High Speed Line Driver, stand-alone, 115 VAC 60 Hz, (115 Kbps)	334290L	DE	\$387.20
LNL-838A	LENEL	RS-232 /RS-485 High Speed Line Driver, stand-alone, 115 VAC 60 Hz, Optically isolated from data ground (115.2 Kbps)	334290L	US	\$430.23
LNL-9420	LENEL	MIFARE 2.5k bit 14443 memory card; clamshell style; with vertical slot punch [Min Order QTY of 100]	334290L	TW	\$2.07
LNL-9520	LENEL	MIFARE 2.5k bit 14443 memory card; direct printable ISO Card [Min Order QTY of 100]	334290L	TW	\$2.61

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
LNL-9520M1	LENEL	MIFARE 2.5k bit 14443 memory card with magnetic stripe; direct printable ISO Card [Min Order QTY of 100]	334290L	TW	\$2.94
LNL-9551	LENEL	MIFARE 13,56 Mhz Card; 1 Kbyte/8Kbit; ISO 14443; direct printable ISO Card [Min Order QTY of 100]	334290L	TW	\$3.18
LNL-9551M1	LENEL	MIFARE 13,56 Mhz Card with magnetic stripe; 1 Kbyte/8Kbit; ISO 14443; direct printable ISO Card [Min Order QTY of 100]	334290L	TW	\$3.53
LNL-9558	LENEL	MIFARE 13,56 Mhz Card; 14Kbyte/32Kbit; ISO 14443; direct printable ISO Card [Min Order QTY of 100]	334290L	TW	\$4.49
LNL-9558M1	LENEL	MIFARE 13,56 Mhz Card with magnetic stripe; 14Kbyte/32Kbit; ISO 14443; direct printable ISO Card [Min Order QTY of 100]	334290L	TW	\$4.82
LNL-9651	LENEL	MIFARE 1 Kbyte/8Kbit 14443 memory Key Fob; gray finish [Min Order QTY of 50]	334290L	TW	\$4.08
LNL-9951	LENEL	MIFARE/PROX Combo Card; 125KHz/13.56MHz; ISO 14443; HID Prox with Mifare 1K; preprogrammed 26 bit Prox; direct printable ISO Card [Min Order QTY of 100]	334290L	TW	\$4.35
LNL-9958	LENEL	MIFARE/PROX Combo Card; 125kHz/13.56MHz; ISO 14443; HID Prox with Mifare 4K; preprogrammed 26 bit Prox; direct printable ISO card [Min Order QTY of 100]	334290L	TW	\$5.22
LNL-9958M1	LENEL	MIFARE/PROX Combo Card with magnetic stripe; 125kHz/13.56MHz; ISO 14443; HID Prox with Mifare 4K; preprogrammed 26 bit Prox; direct printable ISO card [Min Order QTY of 100]	334290L	TW	\$6.15
LNL-AL400ULX	LENEL	Lenel UL Listed 4A, 110VAC Power Supply 12VDC 4A output, 115VAC input, continuous supply current with enclosure (15.5 x 12.5 x 4.5), lock, tamper switch, UPS capable (Battery Optional) UL & CUL Approved	334290L	US	\$331.89

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
LNL-CAM1	LENEL	Lock assembly and keys for Lenel standard power supply cabinets	334290L	US	\$6.15
LNL-CBSB1001ART	LENEL	Sticky back nylon spacers to mount LNL-500; LNL-3300; LNL-8000 on LNL Cabinets or Power Supplies [100 per bag]	334290L	US	\$49.17
LNL-CCK-1401L	LENEL	Lenel Time & Attendance real time display timer, with 1 inch LCD display	334290L	US	\$387.20
LNL-CK	LENEL	Display terminal Lenel Command Keypad - 32-character back-lit LCD display with a 16-position keypad, supports both direct RS-485 communication with the ISC and Wiegand TTL output, supports one external Wiegand input, 12VDC 15% @175mA (keypad only)	334512	US	\$283.17
LNL-CONV-1	LENEL	Plastic Adapter plate to mount a single LNL-1300 module and a single LNL-2210 (2.75 x 4.25)	334290L	US	\$4.92
LNL-CONV-1U	LENEL	Metal adapter plate to mount single full size Universal Series IO Board (NGP-1100-U, NGP-1200-U, or NGP-1320-U) in any CTX enclosure, maximum two per LNL-CTX enclosure or maximum six per LNL-CTX6. [Dimensions 8.1" x 6" x .25"]	334290L	US	\$18.44
LNL-CONV-2U	LENEL	Metal adapter plate to mount a two LNL-1300 or NGP-1300-U in any CTX enclosure, maximum two per LNL-CTX enclosure or maximum six per LNL-CTX6. Dimensions 8.1" x 6".	334290L	US	\$18.44
LNL-CONV-4	LENEL	Adapter plate to mount up to 4 LNL-1300s in any CTX enclosure, Maximum two per LNL-CTX enclosure	334290L	US	\$18.44
LNL-CTX	LENEL	Lenel UL listed hardware enclosure (12 x 16 x 4.5) only with lock and tamper switch support up to two Lenel access hardware modules (UL Approved)	334512	US	\$80.91
LNL-CTX-6	LENEL	Lenel UL listed hardware enclosure (24 x 18 x 4.5), only with lock and tamper switch. (UL Approved) (can house up to 6 boards)	334290L	US	\$147.51

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
LNL-DC336K	LENEL	12 VDC powered/33.6K External modem for Intelligent System Controller Dial-up, includes HOC-56KEXT custom made modem to ISC communication cable as well as the 12 VDC power cable when purchase from Lenel RoHS compliant device.	334290L	US	\$676.07
LNL-DEMO-UI-HOI	LENEL	Lenel Access Hardware Demo Case; includes a universal power supply [100-240V, 50-60Hz], [1] LNL-2220, [1] LNL-1300, [1] RWKL550 LCD display reader, [1] LNL-PR10 AptiQ Prox reader, [1] 910NWNNEKE055N reader, [4] inputs, [4] output LED, auxiliary RS-48	334290L	US	\$2,206.45
LNL-DEMO-UI-HOI2	LENEL	Lenel Access Hardware Demo Case; includes SWS-DEMO & OG-MEDIA-KIT; the demo case includes a universal power supply [100-240V, 50-60Hz], [1] LNL-2220, [1] LNL-1300, [1] RWKL550 LCD display reader, [1] LNL-PR10 AptiQ Prox reader, [1] 910NWNNEKE055N re	334290L	US	\$2,329.37
LNL-EMCSTO	LENEL	Standoffs for LNL-ETHLAN-MICR [100 per pack]	334290L	US	\$30.73
LNL-MOM-5	LENEL	Multi-output power supply interface (board Only)	334290L	US	\$86.05
LNL-MT11	LENEL	Multi-Technology Mullion Reader: Designed to be mounted to a door mullion; Black ; Wiegand interface;75 bit PIV [will also read cards encoded through OnGuard; Secure Mifare]	334290L	US	\$184.38
LNL-MT11-PIV3	LENEL	Multi-Technology Mullion Reader: Designed to be mounted to a door mullion; Black ; Wiegand interface; 200-bit PIV / FASC-N [will also read cards encoded through OnGuard; Secure Mifare]	334290L	US	\$184.38
LNL-MT15	LENEL	Multi-Technology Single Gang Reader: Medium-sized reader designed to be mounted on a wall over a single gang junction box; Black ; Wiegand interface;75 bit PIV [will also read cards encoded through OnGuard; Secure Mifare]	334290L	US	\$184.38
LNL-MT15-PIV3	LENEL	Multi-Technology Single Gang Reader: Medium-sized reader designed to be mounted on a wall over a single gang junction box; Black ; Wiegand interface; 200-bit PIV / FASC-N [will also read cards encoded through OnGuard; Secure Mifare]	334290L	US	\$184.38
LNL-MTK15	LENEL	Multi-Technology Single Gang Reader with Keypad: Medium-sized reader designed to be mounted on a wall over a single gang junction box; Black ; Wiegand interface;75 bit PIV [will also read cards encoded through OnGuard; Secure Mifare]	334290L	US	\$301.16

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
LNL-MTK15-PIV3	LENEL	Multi-Technology Single Gang Reader with Keypad: Medium-sized reader designed to be mounted on a wall over a single gang junction box; Black ; Wiegand interface; 200-bit PIV /FASC-N [will also read cards encoded through OnGuard; Secure Mifare]	334290L	US	\$301.16
LNL-OLS120A	LENEL	4.0 A Power Supply - Board Only The OLS120A is a power supply/charger that will auto-convert a 115/230VAC 50/60Hz input, into a 12VDC or 24VDC output, with 4 amps of continuous supply current, UPS capable (Battery Optional)	334290L	US	\$159.80
LNL-OLS120ACTXP2	LENEL	4.0 A Power Supply with Enclosure - The OLS120A is a power supply/charger that will auto-convert a 115/230VAC 50/60Hz input, into a 12VDC or 24VDC output, with 4 amps of continuous supply current, a power distribution board with two 2A outputs. UPS	334290L	US	\$295.01
LNL-OLS75A	LENEL	2.5 A Power Supply Only The OLS75A is a power supply/charger that will auto-convert a 115/230VAC 50/60Hz input, into a 12VDC or 24VDC output, with 2.5 amps of continuous supply current, UPS capable (Battery Optional)	334290L	US	\$135.21
LNL-OLS75ACTX	LENEL	2.5 A Power Supply with enclosure-The OLS75 is a power limited supply/chargers that will convert a 115 VAC/60Hz or 230 VAC/50Hz input; into a 12 or 24VDC power limited output; with 2.5 amps of continuous supply current; UPS capable (Battery Optional)	334290L	US	\$270.43
LNL-PR10	LENEL	Proximity Mini-Mullion Reader: Compact proximity reader, designed to fit in small spaces, or to be mounted to a door mullion; Black ; Wiegand interface	334290L	US	\$92.19
LNL-R11030-85TB	LENEL	BlueDiamond Mobile Bluetooth In-Line add-on reader- Mini-Mullion form-factor adds BlueDiamond Mobile smartphone credential support to an existing Wiegand-interface reader. Existing reader is wired through this reader, which allows RFID badge reads to	334290L	GB	\$184.38
LNL-R11320-05TB	LENEL	BlueDiamond Mobile US Single Gang- Multi-Tech, Bluetooth Low Energy for Lenel BlueDiamond Mobile smartphone credential, Mifare/DESFire EV1 Open Encoding, HID Proximity and LenelProx, Connects to access panel via Wiegand, OSDP with Secure Channel encr	334290L	GB	\$276.57
LNL-R11325-05TB	LENEL	BlueDiamond Mobile US Single Gang Reader with keypad- Multi-Tech, Bluetooth Low Energy for Lenel BlueDiamond Mobile smartphone credential, Mifare/DESFire EV1 Open Encoding, HID Proximity and LenelProx, Connects to access panel via Wiegand, OSDP with	334290L	GB	\$430.23
LNL-R11330-05TB	LENEL	BlueDiamond Mobile Mini-Mullion Reader- Multi-Tech, Bluetooth Low Energy for Lenel BlueDiamond Mobile smartphone credential, Mifare/DESFire EV1 Open Encoding, HID Proximity and LenelProx, Connects to access panel via Wiegand, OSDP with Secure Channel	334290L	GB	\$221.26

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
LNL-RCC	LENEL	Reader Connector Cable, Replacement (Lots of 5)	334290L	TW	\$18.44
LNL-SM10	LENEL	Smart Mini-Mullion Reader: Compact smart reader, designed to fit in small spaces, or to be mounted to a door mullion; Black ; Wiegand interface; 75 bit PIV	334290L	US	\$98.34
LNL-SS	LENEL	Security Screw (Lot of 10)	334290L	US	\$7.38
LNL-SSK	LENEL	Security Screw Key for A-SS (Lot of 5)	334290L	US	\$17.21
LNL-STANDOFF	LENEL	Standoffs to mount any LNL board on LNL Cabinets or Power Supplies [includes screws] [25 per bag]	334290L	US	\$15.98
LNL-WP10	LENEL	Wall Plate cover for Single Gang electrical box (Grey)	334290L	TW	\$7.38
LNL-WP10-BL	LENEL	Wall Plate cover for Single Gang electrical box (Black)	334290L	TW	\$7.38
LNL-WP20	LENEL	Wall Plate cover for Double Gang electrical box (Grey)	334290L	TW	\$9.83
LNL-WP20-BL	LENEL	Wall Plate cover for Double Gang electrical box (Black)	334290L	US	\$9.83
LNL-WS10	LENEL	Single Reader Weather Shield for LNL-2005W, 2010W and 2020W	334290L	TW	\$28.27

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
LP-CS	LENEL	"Clam Shell" style Prox Badge, with laser etched card number, 26 bit default format, others available, Pre-punched in Portrait Orientation (min order qty 100)	334290L	TW	\$1.48
LP-GR	LENEL	Graphics Quality both sides, ISO compliant credential with laser etched card number, 26 bit default format, others available, (min order qty 100)	334290L	TW	\$2.45
LP-GR-1KM	LENEL	1K MIFARE Cards with a 125 Proximity insert, graphic quality on both sides, ISO Compliant (minimum order qty 250) 10 week lead time. 7 byte Mifare CSN.	334290L	TW	\$5.00
LP-GR-4KM	LENEL	4K MIFARE Cards with a 125 Proximity insert, graphic quality on both sides, ISO Compliant (minimum order qty 250) 10 week lead time 7 Byte Mifare CSN.	334290L	TW	\$5.57
LP-GRMAG	LENEL	Graphics Quality ISO with 3 track High-Co ABA Magnetic Stripe Graphics Quality both sides, ISO compliant credential with laser etched card number, 26 bit default format, others available, with 3 track High-Co ABA Magnetic Stripe (min order qty 100)	334290L	TW	\$2.77
LPGR-UHF-0-U	LENEL	UHF, GRAPHICS QUALITY BADGE [min order qty 50]	334290L	TW	\$3.69
LPHT-UHF-0-0	LENEL	UHF HANG TAG, BLANK [min order qty 50]	334290L	TW	\$5.51
LPKP-6840GRMP	LENEL	LENELPROX, Gray, Proximity Card switchplate-type reader combined with a 12-key numeric Keypad, fits on a single-gang box. Read range up to 8 inches. (color Gray)	334290L	US	\$172.09
LP-KT	LENEL	Proximity Key Tag with laser etched card number, 26 bit default format, others available, (Key Fob) (min order qty 50)	334290L	TW	\$2.64
LPLR-2000BU	LENEL	LenelProx Long Range UHF Reader - Wiegand output, passive tag reader with directional 9 to 11 foot Read Range, 5 to 15 VDC [1.5A to 0.4 A typical], (color Beige only) Works Only with UHF Tags (1 year warranty). INSTALLER KIT LPLR-2000KIT00 required	334290L	TW	\$1,417.29

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
LPLR-2000HILOMABU	LENEL	LenelProx Long Range UHF Reader with dual antennas Same as LPLR-2000BU, but includes 2nd remote antenna and 4ft Coax cable to provide expanded read range in 1 axis only, to allow greater range of tag locations in either the horizontal OR vertical a	334290L	TW	\$2,061.40
LPLR-2000KIT00	LENEL	Installer kit for LPLR-2000 REQUIRED for any LR-2000 Installation! - includes test reader, sample tags, and a power supply (PS121A) modified with spring clips	334290L	TW	\$700.65
LPLRMB	LENEL	Mounting Bracket for LPLR-2000 and LR-911 Reader, 11 inches long with pan & tilt swivel head. Order 2 for HiLo applications.	334290L	TW	\$43.02
LPMM-6800GRMP	LENEL	LenelProx/HID Prox Mullion Mount Reader, Wiegand and RS232 (simultaneous) output, 6 to 8 inch Read Range, Metal Compensated, 5-12 VDC [65 to 85 mA typical], Mullion Width, Indoor/Outdoor, (color Gray)	334290L	TW	\$108.17
LPMR-1824GRMP	LENEL	LenelProx/HID Prox Mid Range Reader, Wiegand and RS232 (simultaneous) output, 18 to 24 inch Read Range, 5-12 VDC [250 to 650 mA typical] Dimensions only 8 x8 x1 , Indoor/Outdoor, (color Gray)	334290L	TW	\$221.26
LPMR-1824MCGMP	LENEL	LenelProx/HID Prox Mid Range Reader Metal Compensated, Wiegand and RS232 (simultaneous) output, 14 to 16 inch Read Range, 5-12 VDC [250 to 650 mA typical] Dimensions only 8 x8 x1 , Indoor/Outdoor, (color Gray)	334290L	TW	\$276.57
LP-MT	LENEL	Metal Mount Tag High Frequency, for use with LPLR-911 and LPLR-911HILO only. (minimum order qty 50)	334290L	TW	\$8.60
LPMT-UHF-0-0	LENEL	UHF METAL MOUNT TAG [min order qty 50]	334290L	US	\$8.52
LP-PW	LENEL	Proximity Wafer, 1 inch diameter, adhesive backing, with laser etched card number, 26 bit default format, others available, (min order qty 50)	334290L	TW	\$2.27
LPRV-UHF-0-0	LENEL	UHF REAR VIEW MIRROR TAG [min order qty 50]	334290L	TW	\$7.78

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
LPSP-6820GRMP	LENEL	LenelProx/HID Prox Switch Plate Reader, Wiegand and RS232 (simultaneous) output, 6 to 8 inch Read Range, 5-12 VDC [65 to 85 mA typical], Single Gang Box Mount, (color Gray)	334290L	US	\$108.17
LPSR-2400GRMP	LENEL	LenelProx/HID Prox Special Range Reader, Wiegand Output, 4 to 5.5 inch Read Range, Metal Compensated, 5-12 VDC [40 to 70 mA typical], Mullion Width, Indoor/Outdoor, (color Gray)	334290L	US	\$68.84
LPUA-612MU	LENEL	UHF Access Proximity Reader Works Only with UHF Tags, 6-12in. read range, Midnight Black, RoHS	334290L	TW	\$320.83
LPVT-UHF-0-U	LENEL	UHF VISOR TAG [min order qty 50]	334290L	TW	\$6.15
LP-WS	LENEL	Windshield Tag High Frequency, for use with LPLR-911 and LPLR-911HILO only. adhesive mount (minimum order qty 50)	334290L	TW	\$8.60
LPWS-UHF-0-U	LENEL	UHF WINDSHIELD TAG [min order qty 50]	334290L	TW	\$7.78
MC-1000-H5XXXX	LENEL	Corp 1000 indicator specifying the Corp 1000 format number [H5xxxx]	334290L	US	\$0.25
MC-3652-0001	LENEL	Rio Pro, Professional single-sided ID Card Printer. Upgradable to double-sided. 3 year UltraCoverPlus unlimited warranty	334290L	GB	\$2,492.48
MC-3652-0002	LENEL	Rio Pro M, Professional single-sided ID card printer with magnetic encoder. Upgradable to double-sided. 3 year UltraCoverPlus unlimited warranty	334290L	GB	\$2,795.06
MC-3652-0021	LENEL	Rio Pro Duo, Professional double-sided ID card printer. 3 year UltraCoverPlus unlimited warranty	334290L	GB	\$2,795.06

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
MC-3652-0021-L150	LENEL	Rio Pro Duo, Professional double-sided ID card printer. 3 year UltraCoverPlus unlimited warranty - includes installed serial iCLASS encoder	334290L	GB	\$3,225.47
MC-3652-0022	LENEL	Rio Pro Duo, Professional double-sided ID card printer with magnetic encoder. 3 year UltraCoverPlus unlimited warranty	334290L	GB	\$3,097.63
MC-MA250YMCKOK	LENEL	Rio Pro YMCKOK Dye Film [250 prints per roll]	334290L	GB	\$114.15
MC-MA300YMCKO	LENEL	Rio Pro YMCKO Dye Film [300 prints per roll]	334290L	GB	\$97.46
MC-MA600KO	LENEL	Rio Pro Black Resin with Overcoat [600 prints per roll]	334290L	GB	\$70.24
MC-PRIMA401	LENEL	Prima 4 Uno, Reverse Transfer Printer - Single-sided. 3 year UltraCoverPlus unlimited warranty. Printer and Encoding options ordered on separate part numbers. Factory configuration is required	334290L	GB	\$3,946.67
MC-PRIMA402	LENEL	Prima 4 Duo, Reverse Transfer Printer - Double-sided. 3 year UltraCoverPlus unlimited warranty. Printer and Encoding options ordered on separate part numbers. Factory configuration is required	334290L	GB	\$4,824.69
MC-PRIMA402-L150	LENEL	Prima 4 Duo; Reverse Transfer Printer - Double-sided. 3 year UltraCoverPlus unlimited warranty - includes built in iCLASS encoder	334290L	GB	\$5,316.37
MC-PRIMA424	LENEL	Prima 4 Bend Remedy. Option for PRIMA402 Only.	334290L	GB	\$468.05
MC-PRIMA431	LENEL	Prima 4 YMCK Dye Film & Retransfer Film Set [1000 prints per roll]	334290L	GB	\$478.08

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
MC-PRIMA433	LENEL	Prima 4 YMCKK Dye Film [750 prints per roll double sided]	334290L	GB	\$429.78
MC-PRIMA434	LENEL	Prima 4 YMCK-UV Dye Film - with UV panel [750 prints per roll]	334290L	GB	\$429.78
MC-PRIMA435	LENEL	Prima 4 YMCKO-PO Dye Film - with Peel-off panel [750 prints per roll]	334290L	GB	\$494.38
MC-PRIMA451	LENEL	Prima 4 Inline Laminator - Single-sided. 3 year UltraCoverPlus unlimited warranty	334290L	GB	\$2,629.66
MC-PRIMA452	LENEL	Prima 4 Inline Laminator - Double-sided. 3 year UltraCoverPlus unlimited warranty	334290L	GB	\$3,507.66
MC-PRIMA461	LENEL	Prima 4 Holographic Overlay Film with Generic "Snowflake" design [1000 Overlays per roll]	334290L	GB	\$449.44
MC-PRIMA462	LENEL	Prima 4 Clear Patch Laminate .6mil [600 patches per roll]	334290L	GB	\$194.76
MC-PRIMA463	LENEL	Prima 4 Clear Patch Laminate .6mil with chip cutout [600 patches per roll]	334290L	GB	\$244.69
MC-PRIMA464	LENEL	Prima 4 Clear Patch Laminate 1 mil [600 patches per roll]	334290L	GB	\$194.76
MC-PRIMA465	LENEL	Prima 4 Clear Patch Laminate 1 mil with chip cutout [600 patches per roll with chip cutout]	334290L	GB	\$244.69

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
MG	LENEL	Magnetic Stripe Reader Module (Track 1, 2, or 3).	334290L	MX	\$287.64
MGB-MCA5	LENEL	Grounding Kit for ANT-REM-I/O+6DB ONLY	334290L	US	\$86.05
MGK	LENEL	Magnetic Stripe Reader Plus Keypad Module (Track 1, 2, or 3).	334290L	MX	\$317.14
MIGR8-2OG-KIT-16	LENEL	FCWnx to OnGuard Standard kit for one 16 door M/5 or M3000. Server includes Lenel Dell Server (PC-CONFIG#3D) with SWS-32ES OnGuard software license and FCWnx to OnGuard database conversion utility, Additional OnGuard client license with Badging (SWC-	334290L	US	\$3,488.52
MIGR8-2OG-KIT-32	LENEL	FCWnx to OnGuard Standard kit for two 16 door M/5 or M3000. Server includes Lenel Dell Server (PC-CONFIG#3D) with SWS-32ES OnGuard software license and FCWnx to OnGuard database conversion utility, Additional OnGuard client license with Badging (SWC-	334290L	US	\$4,484.19
MIGR8-2OG-KIT-64	LENEL	FCWnx to OnGuard Standard kit for four 16 door M/5 or M3000. Server includes Lenel Dell Server (PC-CONFIG#3D) with SWS-32ES OnGuard software license and FCWnx to OnGuard database conversion utility, Additional OnGuard client license with Badging (SWC-	334290L	US	\$6,600.91
MS3-00M1AKU	LENEL	RF Ideas Mag Stripe Wedge [will read badge id off any mag stripe card][USB form factor]	334290L	US	\$97.11
MS-BEP	LENEL	BioEntry Plus Desktop Stand (stand only)	334290L	KR	\$172.09
MS-BST	LENEL	BioStation Desktop Stand (stand only)	334290L	KR	\$172.09
MS-BST2	LENEL	BioStation T2 Desktop Stand (stand only)	334290L	KR	\$172.09

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
MT	LENEL	125 kHz Proximity and 13.56 MHz Smart Card Reader Module.	334290L	MX	\$318.56
MTK	LENEL	125 kHz Proximity and 13.56 MHz Smart Card Reader Plus Keypad Module.	334290L	MX	\$352.79
NEC-FT-A320EE432GB	LENEL	FT Server SW & HW Chassis: R320eE4 with capacity for qty. 2 HDD, processor and memory bays, Microsoft Windows 2012 Server Standard R2 (2CPU/2VM), BTO, FTCTRL SW,RDR,ESMPRO W2012R2 R320E (No ActiveUpgrade), 3 years Standard warranty is included. S	334290L	JP	\$20,480.02
NEC-FT-A320EE48GB	LENEL	FT Server SW & HW Chassis: R320eE4 with capacity for qty. 2 HDD, processor and memory bays, Microsoft Windows 2012 Server Standard R2 (2CPU/2VM), BTO, FTCTRL SW,RDR,ESMPRO W2012R2 R320E (No ActiveUpgrade), 3 years Standard warranty is included. S	334290L	JP	\$19,077.48
NEC-FT-A320EM432GB	LENEL	FT Server SW & HW Chassis: R320eE4 with capacity for qty. 2 HDD, processor and memory bays, Microsoft Windows 2012 Server Standard R2 (2CPU/2VM), BTO, FTCTRL SW, RDR,ESMPRO W2012R2 R320E (No ActiveUpgrade), 3 years Standard warranty is included.	334290L	JP	\$30,688.69
NGP-1100-U	LENEL	Input Control Module (Universal Series) 12/24 VDC, 16 zone input monitor module, (32) 1k resistors (with 2 programmable output relays); RoHS, CE, C-Tick, and UL 294 certified. Requires OnGuard 2012 or higher version.	334290L	US	\$459.73
NGP-1100-UKIT	LENEL	Input Control Module (Universal Series) with Adapter Mounting Plate (LNL-CONV-1U) for CTX enclosures 12/24 VDC, 16 zone input monitor module, (32) 1k resistors (with 2 programmable output relays); RoHS, CE, C-Tick, and UL 294 certified. Requires On	334290L	US	\$470.79
NGP-1200-U	LENEL	Output Control Module (Universal Series) 12/24 VDC, 16 relay output control module; RoHS, CE, C-Tick, and UL 294 certified. Requires OnGuard 2012 or higher version.	334290L	US	\$459.73
NGP-1200-UKIT	LENEL	Output Control Module (Universal Series) with Adapter Mounting Plate (LNL-CONV-1U) for CTX enclosures 12/24 VDC, 16 relay output control module; RoHS, CE, C-Tick, and UL 294 certified. Requires OnGuard 2012 or higher version.	334290L	US	\$470.79
NGP-1320-U	LENEL	Dual Reader Interface Module (Universal Series) 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays , RoHS, CE, C-Tick, and UL 294 certified. Requires OnGuard 2012 or higher.	334290L	US	\$406.87

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
NGP-1320-UKIT	LENEL	Dual Door Interface Module (Universal Series) with Adapter Mounting Plate (LNL-CONV-1U) for CTX enclosures 12/24 VDC, 2 Reader interface, W/M, 8 inputs, 6 (5A) form C relays, RoHS, CE, C-Tick, and UL 294 certified. Requires OnGuard 2012 or higher	334290L	US	\$417.93
NGP-2220	LENEL	NGP-2220, Dual Door System Controller, board access control features enabled with dual reader ports enabled, RoHS, CE and UL294 certified.	334290L	US	\$1,223.07
NGP-2220I	LENEL	NGP-2220I- Dual Door System Controller, board only with access control and intrusion detection features enabled and dual reader ports enabled, RoHS, CE and UL294 certified.	334290L	US	\$1,591.84
NGP-2220ICE	LENEL	NGP220ICE- Dual Door System Controller - with access control and intrusion detection features enabled, and dual reader ports enabled, mounted in a CE approved enclosure, with integrated 220VAC power supply; RoHS & CEcertified.	334290L	US	\$1,923.73
NGP-2220IUL	LENEL	NGP220IUL- Dual Door System Controller - with access control and intrusion detection features enabled, and dual reader ports enabled, mounted in a UL approved enclosure, with integrated 110VAC power supply, RoHS, and UL294 certified.	334290L	US	\$1,899.14
NGP-2220UL	LENEL	NGP220UL- Dual Door System Controller - access control features enabled, with dual reader ports enabled, mounted in a UL approved enclosure, with integrated 110VAC power supply, RoHS, and UL294 certified.	334290L	US	\$1,530.38
NGP-3320CE	LENEL	NGP-3320CE- Extended Dual Door System Controller - access control features enabled with dual path IP communications and dual reader ports enabled, mounted in a CE approved enclosure, with integrated 220VAC power supply, RoHS, CE, certified.	334290L	US	\$1,677.88
NGP-3320I	LENEL	NGP-3320I- Extended Dual Door System Controller, board only access control and intrusion detection features enabled, dual path IP communications and dual reader ports enabled, RoHS, CE and UL294 certified.	334290L	US	\$1,714.76
NGP-3320IUL	LENEL	NGP-3320IUL- Extended Dual Door System Controller - with access control and intrusion detection features enabled, dual path IP communications and dual reader ports enabled, mounted in a CE approved enclosure, with integrated 110VAC power supply, RoHS	334290L	US	\$2,022.07
NGP-3320UL	LENEL	NGP-3320UL- Extended Dual Door System Controller - access control features enabled with dual path IP communications and dual reader ports enabled, mounted in a CE approved enclosure, with integrated 110VAC power supply, RoHS, UL294 certified.	334290L	US	\$1,653.30

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
NGP-UP-2IX3I	LENEL	Upgrade from NGP-2220i to NGP-3320i, Capacity Increase.	334290L	US	\$184.38
NGP-UP-2X2I	LENEL	Upgrade from NGP-2220 to NGP-2220i, Add Intrusion Features.	334290L	US	\$430.23
NGP-UP-2X3	LENEL	Upgrade from NGP-2220 to NGP-3320, Capacity Increase.	334290L	US	\$184.38
NGP-UP-2X3I	LENEL	Upgrade from NGP-2220 to NGP-3320i, Capacity Increase and Intrusion Features.	334290L	US	\$553.15
NGP-UP-3X3I	LENEL	Upgrade from NGP-3320 to NGP-3320i, Add Intrusion Features.	334290L	US	\$430.23
NIS-5302	LENEL	Heat Roller Unit for PR53xx Printers provides additional registered security holographic over-lamination for either front, back or front and back printing. Adds an additional 20 seconds per side, for PR53xx available in both hard and soft coat con	334290L	JP	\$2,275.28
NIS-5302HS1	LENEL	LAMINATOR HOT SWAP/ Heat roller Unit 1st year USA Only	334290L	JP	\$1,205.86
NIS-53XXHS2	LENEL	PRINTER HOT SWAP Warranty Year 2 USA Only	334290L	US	\$634.28
NIS-BK	LENEL	NiSCA BK Bkck Only Ribbon - PR-C201 Retransfer Printer	334290L	JP	\$108.17
NIS-CLEARPRC20I	LENEL	Clear 1mil Patch for PRC20I/L20I	334290L	JP	\$84.82

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
NIS-CLEAR-TF	LENEL	NiSCAClear-TF - Clear Thinfilm / Overlay [softcoat/overlay][450 printers per roll]	334290L	NO	\$65.76
NIS-CLKIT-53	LENEL	Nisca Cleaningkit53 for P53xx and PRC151 printers. Includes supplies for 1,250 prints, 5 sticky cards, 5 snap sticks and a cleaning pen [Requires Printer firmware 4.3 or higher]	334290L	JP	\$71.29
NIS-CLKIT-C101	LENEL	Nisca Cleaning Kit PR5500K574KIT for for PRC101 and PRC201: 5 Low-Tack cards -5000 prints	334290L	JP	\$24.93
NIS-CVR-C101	LENEL	Nisca DC-NI-101 Dust cover for PR-C101 printers	334290L	NO	\$62.69
NIS-G2THIN	LENEL	NiscaGenuine2 - Generic NiscaGenuineV2 - Thinfilm [softcoat / overlay][450 prints per roll]	334290L	JP	\$79.90
NIS-GSTHIN	LENEL	NiscaSecureID-TF - Generic Secure ID - Thinfilm / Overlay [softcoat/overlay][450 prints per roll]	334290L	JP	\$78.67
NIS-L201	LENEL	Laminator for PR-C201 - Single & Double sided lamination, 1 Mil hardcoat, Thinfilm softcoat, Field Upgradeable, 1 Year Laminator Warranty on L201 Laminator	334290L	JP	\$1,975.36
NIS-NGYMCK	LENEL	NiSCA YMCK Ribbon - PR-C201 Retransfer Printer	334290L	JP	\$93.42
NIS-NGYMCKH	LENEL	NiSCA YMCKH Heat Seal Ribbon - PR-C201 Retransfer Printer	334290L	JP	\$228.63
NIS-NGYMCKK	LENEL	NiSCA YMCKK Ribbon - PR-C201 Retransfer Printer	334290L	JP	\$180.70

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
NIS-NGYMCKO3	LENEL	Nisca ribbon NGYMCKO3/3BP for PR5350, PR3560LE, PR53LE & PRC151 printers [250 prints per roll]	334290L	JP	\$102.03
NIS-NGYMCKOPRC	LENEL	Nisca Ribbon NGYMCKOPRC cartridge & cleaning rollers for the PRC-101 printer [250 prints per roll]	334290L	JP	\$102.03
NIS-NSC-CVR	LENEL	Nisca DC-NI-53 Dust cover for PR53xx and PRC151 printers	334290L	JP	\$62.69
NIS-PR5350HED	LENEL	Nisca replacement print head for 5350 [change every 20K cards]	334290L	JP	\$1,205.86
NIS-PR5500K569	LENEL	Nisca Cleaning Input Rollers PR5500K569 for PR53xx [change every 10K cards]	334290L	JP	\$168.40
NIS-PRC101MF-SERIAL	LENEL	PR-C101 Single Sided (USB ONLY) 300dpi Printer; Full color edge-to-edge printing; 24 bit color; 256 grey scale, Ribbon Cartridge design; rotating LCD panel and Rear or Front card exit; PVC, CR-80, 30MIL thickness card standards, 16MB Memory. Includ	334290L	JP	\$1,975.36
NIS-PRC151	LENEL	PR-C151 High Speed Smart Card Printer - 300dpi Dual-Sided Printer - Edge-to-Edge, 32MB Memory, Self aligning print head module,Dual-sided printing, Dual-sided lamination w/ optional Heat Roller, Magnetic Stripe 3-Track encoding, Password authenticati	334290L	JP	\$3,178.76
NIS-PRC151MF-USB	LENEL	PR-C151 High Speed Smart Card Printer - 300dpi Dual-Sided Printer - Edge-to-Edge, 32MB Memory, Self aligning print head module,Dual-sided printing, Dual-sided lamination w/ optional Heat Roller, USB Digion24 SAMME MiFARE Encoder, Password authenticat	334290L	JP	\$3,782.31
NIS-PRC201-USB	LENEL	PR-C201 Retransfer Printer - 600 dpi Dual-Sided Printer - Over-the-Edge, 24Bit Color, 256 Grey scale, 64MB Memory, Card standards: PVC, CR-80 & 79, 0.25 to 1 mil thickness, Password authentication, Downloadable firmware, USB contactless Digion24 MiFa	334290L	JP	\$4,900.90
NIS-REXFERFLM	LENEL	NiSCA Retransfer Film - PR-C201 Retransfer Printer Only	334290L	JP	\$82.36

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
NIS-SECUREIDPRC201	LENEL	Generic Secure ID - 1mil Holopatch* for PRC201 Printer/L201 Laminator	334290L	JP	\$93.42
NIS-SNAPSWAB	LENEL	SnapSwab Cleaners, 25 per package [all Nisca printers]	334290L	US	\$30.73
NIS-YMCFK	LENEL	Nisca ribbon NGYMCFK for PR5300, PR5310, PR5360LE, PR5350 & PRC151 printers [250 prints per roll]	334290L	JP	\$109.40
NIS-YMCKOK2	LENEL	Nisca ribbon NGYMCKOK2 for PR5100, PR5200, PR5300, PR5310, PR5350 and PRC151 printers [210 prints per roll]	334290L	JP	\$113.09
NS-10G-CBL-50	LENEL	10G SFP+ Direct Attach Copper Cable - 0.5 Meters Stacking	334290L	TW	\$49.17
NS2051-4P/1T	LENEL	4-Port 10/100Base-Tx IEEE802.3af Copper Ports + 1-Port 10/100Base-Tx Unmanaged Fast Ethernet Switch (4x 15.4W PoE budget) (-40~75 C) - Power 24-48V DC or 24V AC	334290L	TW	\$270.43
NS3500-28T-4S	LENEL	28-Port 10/100/1000Base-T Copper Ports with 4 shared SFP Slots Managed Gigabit Ethernet Switch (0~50?)	334290L	TW	\$585.11
NS3502-8P-2S	LENEL	8-Port 10/100/1000Base-Tx IEEE802.3af/at Copper Ports + 2-Ports 100/1000 SFP Managed Switch (0~50?)	334290L	TW	\$457.27
NS3550-2T-8S	LENEL	8-port 100/1000 SFP + 2-Ports 10/100/1000BaseT Managed Switch - ERPS (-40~75?) - Power 12-48V DC	334290L	TW	\$688.36
NS3550-8T-2S	LENEL	8-Port 10/100/1000 Base-Tx Copper Ports + 2-Ports 100/1000 SFP Managed Switch - ERPS (-40~75?) - Power 12-48VDC or 24VAC	334290L	TW	\$737.53

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
NS3552-8P-2S	LENEL	8-Port 10/100/1000Base-Tx IEEE802.3af/at Copper Ports + 2-Ports 100/1000 SFP Managed Switch - ERPS - Layer-3 (-40~75?) - Power 48V DC	334290L	TW	\$934.21
NS3702-24P-4S	LENEL	24-Port 10/100/1000Base-T IEEE802.3at Copper Ports with 4 shared SFP Slots Managed Gigabit Ethernet Switch(24x15,4W/12x30,8 W / 380W PoE Budget) and Static Routing (0~50?)	334290L	TW	\$978.46
NS4702-24P-4S-4X	LENEL	24-Port 10/100/1000Base-T IEEE802.3at Copper Ports with 4 shared SFP Slots Managed Gigabit Ethernet Switch (24x 15,4W/ 14 x 30,8 W / 420W PoE Budget) and Static Routing and 4 1/10BaseG SFP+ Uplinks - ERPS (0~50?)	334290L	TW	\$1,475.06
NS4750-24S-4T-4X	LENEL	24-Port SFP Slots with 4 shared 10/100/1000Base-T Copper Ports Managed Gigabit Ethernet Switch and 4 1/10BaseG SFP+ Uplinks - ERPS (0~50? AC, or -10~60? DC External PSU)	334290L	TW	\$1,081.71
NS4802-24P-4S-2X	LENEL	24-Port 10/100/1000Base-T IEEE802.3at Copper Ports with 4 shared SFP Slots Managed Gigabit Ethernet Stacking Switch (380W PoE Budget) and Static Routing and 2 1/10BaseG SFP+ Uplinks (0~50?)	334290L	TW	\$1,573.40
OAM-HR-NR-ADV	LENEL	First time 12 month license for OnGuard OpenAccess HR integration. Requires OnGuard 7.3 or higher and active SUSP-ADV-TR-1, TR-2, or TR-3 support plan.	334290L	US	\$491.69
OAM-HR-NR-ES	LENEL	First time 12 month license for OnGuard OpenAccess HR integration. Requires OnGuard 7.3 or higher and active SUSP-ES support plan.	334290L	US	\$338.04
OAM-HR-NR-MAS	LENEL	First time 12 month license for OnGuard OpenAccess hr integration. Requires OnGuard 7.3 or higher and active SUSP-ENT-MAS support plan.	334290L	US	\$1,843.83
OAM-HR-NR-MAS-LT	LENEL	First time 12 month license for OnGuard OpenAccess hr integration. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-MAS-LT support plan.	334290L	US	\$1,352.14
OAM-HR-NR-PRO-A	LENEL	First time 12 month license for OnGuard OpenAccess HR integration. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-1 or TR-2 support plan.	334290L	US	\$860.45

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
OAM-HR-NR-PRO-B	LENEL	First time 12 month license for OnGuard OpenAccess HR integration. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-3 or TR-4 support plan.	334290L	US	\$1,352.14
OAM-HR-NR-PRO-C	LENEL	First time 12 month license for OnGuard OpenAccess HR integration. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-5 support plan.	334290L	US	\$1,843.83
OAM-HR-NR-REG-A	LENEL	First time 12 month license for OnGuard OpenAccess hr integration. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	334290L	US	\$1,475.06
OAM-HR-NR-REG-C	LENEL	First time 12 month license for OnGuard OpenAccess hr integration. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-5 support plan.	334290L	US	\$1,843.83
OAM-HR-NR-REG-LT	LENEL	First time 12 month license for OnGuard OpenAccess hr integration. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-REG-LT support plan.	334290L	US	\$860.45
OAR-HR-NR-ADV	LENEL	12 month renewal or extension for OnGuard OpenAccess HR integration. Requires OAM-HR-NR-adv license and active SUSP-ADV-TR-1, TR-2, or TR-3 support plan.	334290L	US	\$491.69
OAR-HR-NR-ES	LENEL	12 month renewal or extension for OnGuard OpenAccess HR integration. Requires OAM-HR-NR-ES license and active SUSP-ES support plan.	334290L	US	\$338.04
OAR-HR-NR-MAS	LENEL	12 month renewal or extension for OnGuard OpenAccess hr integration. Requires OAM-HR-NR-MAS license and active SUSP-ENT-MAS support plan.	334290L	US	\$1,843.83
OAR-HR-NR-MAS-LT	LENEL	12 month renewal or extension for OnGuard OpenAccess hr integration. Requires OAM-HR-NR-MAS-LT license and active SUSP-W-ENT-MAS-LT support plan.	334290L	US	\$1,352.14
OAR-HR-NR-PRO-A	LENEL	12 month renewal or extension for OnGuard OpenAccess HR integration. Requires OAM-HR-NR-PRO-a license and active SUSP-PRO-TR-1 or TR-2 support plan.	334290L	US	\$860.45

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
OAR-HR-NR-PRO-B	LENEL	12 month renewal or extension for OnGuard OpenAccess HR integration. Requires OAM-HR-NR-PRO-b license and active SUSP-PRO-TR-3 or TR-4 support plan.	334290L	US	\$1,352.14
OAR-HR-NR-PRO-C	LENEL	12 month renewal or extension for OnGuard OpenAccess HR integration. Requires OAM-HR-NR-PRO-b license and active SUSP-PRO-TR-5 support plan.	334290L	US	\$1,843.83
OAR-HR-NR-REG-A	LENEL	12 month renewal or extension for OnGuard OpenAccess hr integration. Requires OAM-HR-NR-REG-a license and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	334290L	US	\$1,475.06
OAR-HR-NR-REG-C	LENEL	12 month renewal or extension for OnGuard OpenAccess hr integration. Requires OAM-HR-NR-REG-b license and active SUSP-ENT-REG-TR-5 support plan.	334290L	US	\$1,843.83
OAR-HR-NR-REG-LT	LENEL	12 month renewal or extension for OnGuard OpenAccess hr integration. Requires OAM-HR-NR-REG-LT license and active SUSP-W-ENT-REG-LT support plan.	334290L	US	\$860.45
OG-32ES-2EP2	LENEL	OnGuard 32ES 2 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [1] LNL-OLS75ACTX power supply with enclosu	334290L	US	\$2,089.67
OG-32ES-2EPE-NP	LENEL	OnGuard 32ES 2 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [1] LNL-400XCE220 p	334290L	US	\$1,874.56
OG-32ES-2EPEU2	LENEL	OnGuard 32ES 2 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [1] LNL-400X-CE220	334290L	US	\$2,458.44
OG-32ES-2NCR2	LENEL	OnGuard 32ES 2 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [1] LNL-OLS75ACTX power supply with cabinet	334290L	US	\$1,806.95
OG-32ES-2NEU2	LENEL	OnGuard 32ES 2 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [1] LNL-400X-CE220	334290L	US	\$1,905.29

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
OG-32ES-M-16EP2	LENEL	OnGuard 32ES 16 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [7] LNL-1320 two door interface module; [1]	334290L	US	\$6,514.86
OG-32ES-M-16EPEU2	LENEL	OnGuard 32ES 16 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [7] LNL-1320 two d	334290L	US	\$6,576.32
OG-32ES-M-16EP-NP	LENEL	OnGuard 32ES 16 Door Server Software Entry package without power supply - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [7] LNL-1320 two door	334290L	US	\$5,654.41
OG-32ES-M-16NCR2	LENEL	OnGuard 32ES 16 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [7] LNL-1320 two door interface module; [1]	334290L	US	\$5,076.68
OG-32ES-M-16NEU2	LENEL	OnGuard 32ES 16 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [7] LNL-1320 two d	334290L	US	\$5,113.55
OG-32ES-M-4EP2	LENEL	OnGuard 32ES 4 Door Server Software Entry package - includes OnGuard Server software licnse [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [1] LNL-1320 two door interface module; [1] L	334290L	US	\$2,642.82
OG-32ES-M-4EPE-NP	LENEL	OnGuard 32ES 4 Door Server Software Entry package without power supply - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [1] LNL-1320 two door i	334290L	US	\$2,372.39
OG-32ES-M-4EPEU2	LENEL	OnGuard 32ES 4 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [1] LNL-1320 two do	334290L	US	\$2,765.74
OG-32ES-M-4NCR2	LENEL	OnGuard 32ES 4 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [1] LNL-1320 two door interface module; [1]	334290L	US	\$2,224.89
OG-32ES-M-4NEU2	LENEL	OnGuard 32ES 4 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [1] LNL-1320 two do	334290L	US	\$2,323.22

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
OG-32ES-M-8EP2	LENEL	OnGuard 32ES 8 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [3] LNL-1320 two door interface module; [1]	334290L	US	\$3,964.23
OG-32ES-M-8EPE-NP	LENEL	OnGuard 32ES 8 Door Server Software Entry package without power supply - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [3] LNL-1320 two door i	334290L	US	\$3,417.23
OG-32ES-M-8EPEU2	LENEL	OnGuard 32ES 8 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [3] LNL-1320 two do	334290L	US	\$4,056.42
OG-32ES-M-8NCR2	LENEL	OnGuard 32ES 8 Door Server Software Entry package - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [3] LNL-1320 two door interface module; [1]	334290L	US	\$3,306.60
OG-32ES-M-8NEU2	LENEL	OnGuard 32ES 8 Door Server Software Entry package with 220VAC power supply - includes OnGuard Server software license [1] SWS-32ES; OnGuard CredentialCenter Client software [1] SWC-IDES; [1] LNL-2220 intelligent system controller; [3] LNL-1320 two do	334290L	US	\$3,331.18
OG-MEDIA-KIT	LENEL	OnGuard Software Media - DVD media in a clear double case; no physical documentation included. Please specify the version of OnGuard you would like. Only currently supported versions of OnGuard are available.	334290L	US	\$18.44
ONT-KTF-XPPM	LENEL	Onity Portable Programmer for Integra Locks with memory module and 12V transformer (Serial Port required on Computer)	334290L	ES	\$1,077.46
PCC-32ES	LENEL	OnGuard 32ES Client System with PC includes PC with Microsoft Windows 7 Professional 64bit (includes Windows 10 Pro License) loaded with OnGuard Client software license which includes; System Administration; Alarm Monitoring; Map Designer and Login	334290L	US	\$1,499.65
PCC-32ESI	LENEL	OnGuard 32ESI Client System with PC includes PC with Microsoft Windows 7 Professional 64-bit (includes Windows 10 Pro License) and loaded with OnGuard Client software license which includes; System Administration; Alarm Monitoring; Map Designer; Lo	334290L	US	\$1,825.39
PCC-ADV	LENEL	OnGuard ADV Client System with PC includes PC with Microsoft Windows 7 Professional 64bit (includes Windows 10 Pro License) and loaded with OnGuard Client software license which includes; System Administration; Alarm Monitoring; Map Designer and Lo	334290L	US	\$3,374.21

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
PCC-ADVI	LENEL	OnGuard ADVI Client System with PC includes PC with Microsoft Windows 7 Professional 64-bit loaded with OnGuard Client software license which includes; System Administration; Alarm Monitoring; Map Designer; Login Driver; ID Credential Center Applic	334290L	US	\$6,072.34
PCC-HPC-ADV	LENEL	OnGuard ADV High Performance Client System with PC includes PC with Microsoft Windows 7 Professional 64bit (includes Windows 10 Pro License) and loaded with OnGuard Client software license which includes; System Administration; Alarm Monitoring; Ma	334290L	US	\$5,814.21
PCC-HPC-ADVI	LENEL	OnGuard ADVI High Performance Client System with PC includes PC with Microsoft Windows 7 Professional 64-bit (includes Windows 10 Pro License) and loaded with OnGuard Client software license which includes; System Administration; Alarm Monitoring;	334290L	US	\$8,512.34
PCC-HPC-DV	LENEL	OnGuard Video Client Software with PC includes single digital video client software with PC. (INCLUDES CONFIGURATION #7E)	334290L	US	\$4,240.81
PCC-IDADV	LENEL	OnGuard IDADV Client System with PC includes PC with Microsoft Windows 7 Professional 64-bit (includes Windows 10 Pro License) and loaded with OnGuard Client software license which includes; ID Credential Center Application; Badge Designer Applica	334290L	US	\$3,884.33
PCC-IDES	LENEL	OnGuard IDES Client System with PC includes PC with Microsoft Windows 7 Professional 64-bit (includes Windows 10 Pro License) and loaded with OnGuard Client software license which includes; ID Credential Center Application; Badge Designer Applicat	334290L	US	\$1,677.88
PC-CONFIG#3D	LENEL	CONFIGURATION # 3D - WORKSTATION PC: (32ES and ADV Systems); Dell Precision T5810 Mid-Tower; Intel Xeon E5-1607; Quad Core; 10MB Cache; 3.1GHz; 8GB (2 x 4GB) 2133MHz DDR4 RDIMM ECC; 8X DVD+/-RW; 500GB 3.5inch Serial ATA (7.200 Rpm) Hard Drive; 2GB	334290L	MX	\$1,905.29
PC-CONFIG#4E	LENEL	CONFIGURATION # 4E WORKSTATION PC: Dell Precision R7910 2U Rackmount Workstation - Intel Xeon E5-2603 v3 1.6GHz, 15M Cache, Turbo; 8GB (2x4GB) 2133MHz DDR4 RDIMM; 8x Slimline DVD +/-; 500GB 7.2k RPM Serial ATA 6Gbps Entry 2.5in Cabled Hard Drive;	334290L	US	\$3,683.53
PC-CONFIG#5D	LENEL	CONFIGURATION #5D - SERVER PC: (PRO, ENTREG1 and ENTMAS1 Systems): Dell PowerEdge R730 (2U Rackmount) Dell PowerEdge R730 (2U Rackmount) Intel Xeon E5-2620 Quad Core - 2.4GHz - 15MB Cache - 8.0GT/s; 120/220V 750Watt Redundant Power Supply; 16GB -	334290L	GB	\$8,198.89
PC-CONFIG#6F	LENEL	CONFIGURATION # 6F Small Form Factor Client PC: Dell OptiPlex 3020 Small Form Factor; Intel Core i3-6100 Processor (Dual Core, 3MB, 4T, 3.7GHz, 65W); AMD Radeon R5 340X (2GB DP/DVI-I) (490-BCYL); 4GB (1x4G) 1600MHz DDR3L Memory; AMD Radeon R5 340X	334290L	MX	\$1,227.99

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
PC-CONFIG#7E	LENEL	CONFIGURATION # 7E High Performance Video Client PC: Dell Precision T5810 Mid-Tower; Intel Xeon Processor E5-1620 v3; Quad Core HT; 3.5 GHz Turbo; 10 MB; 685W power supply; 16GB (4 x 4GB) 2133MHz; DDR4 RDIMM-ECC; 8X DVD+/-RW; 512GB 2.5" Serial AT	334290L	GB	\$4,277.23
PCS-32ES	LENEL	OnGuard 32ES Server Software License OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; sup	334290L	US	\$2,698.14
PCS-32ESI	LENEL	Lenel OnGuard 32ESI Server System with PC includes Microsoft Windows XP Professional, SQL2005 Express database, OnGuard Server software licenses for System Administration, License Server, Import, Communication Server, Alarm Monitoring, MapDesigner,	334512	US	\$4,192.44
PCS-ADV	LENEL	OnGuard ADV Server System with PC includes PC with Microsoft Windows 7 Professional SP1 64-bit (includes Windows 10 Pro License) and SQL 2014 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Server softwa	334290L	US	\$5,279.50
PCS-ADVI	LENEL	OnGuard ADVI Server System with PC includes PC with Microsoft Windows 7 Professional 64-bit (includes Windows 10 Pro License) and SQL 2014 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Server softwar	334290L	US	\$8,967.15
PCS-DV	LENEL	OnGuard Video Security Server System with PC include this part number if you DO NOT HAVE an OnGuard Security Server PC- includes Microsoft Windows 7 Professional 64-bit, SQL 2008 R2 Express database, OnGuard digital video security server software 1	334290L	US	\$2,562.92
PCS-ENTMAS1	LENEL	OnGuard Enterprise Server System with PC includes PC with Microsoft Windows Server 2014; Standard Edition; x64 includes 5 CALS and SQL 2012 x64 server database enterprise edition (Single Application License; 10 CALS) loaded with OnGuard Server sof	334290L	US	\$48,093.20
PCS-ENTMAS1-REDU	LENEL	OnGuard Enterprise Master Redundant Server System with PC includes PC with Microsoft Windows Server 2008 R2 SP1; Standard Edition; x64 includes 5 CALS and SQL 2008 R2 x64 server database enterprise edition (Single Application License; 10 CALS) load	334290L	US	\$48,093.20
PCS-ENTREG1	LENEL	OnGuard Regional Server System with PC includes PC with Microsoft Windows Server 2014; Standard Edition; x64 includes 5 CALS and SQL 2012 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Server software	334290L	US	\$29,040.30
PCS-ENTREG1-REDU	LENEL	OnGuard Regional Redundant Server System with PC includes PC with Microsoft Windows Server 2008 R2 SP1; Standard Edition; x64 includes 5 CALS and SQL 2008 R2 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGu	334290L	US	\$29,040.30

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
PCS-ENTREG-LT	LENEL	OnGuard Regional Lite Server System with PC includes PC with Microsoft Windows Server 2014; Standard Edition; x64 includes 5 CALS and SQL 2012 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Server sof	334290L	US	\$22,894.21
PCS-IDADV	LENEL	Lenel OnGuard IDADV Server System with PC includes Microsoft Windows XP Professional, SQL 2005 server database standard edition, OnGuard Server software licenses for License Server, Import, Login Driver, CredentialCenter (enrollment, capture and pr	334512	US	\$7,628.88
PCS-IDES	LENEL	Lenel OnGuard IDES Server System with PC includes Microsoft Windows XP Professional, SQL2005 Express database, OnGuard Server software licenses for License Server, Import, CredentialCenter (enrollment, capture and printing), Cardholder Image Export	334512	US	\$3,824.69
PCS-IDPRO	LENEL	OnGuard IDPRO Server System with PC includes PC with Microsoft Windows Server 2012; Standard Edition; x64 includes 5 CALS and SQL 2014 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Server software lic	334290L	US	\$19,821.16
PCS-PRO	LENEL	OnGuard PRO Server System with PC includes PC with Microsoft Windows Server 2012 ; Standard Edition; x64 includes 5 CALS and SQL 2014 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Server software lic	334290L	US	\$19,821.16
PCS-PROI	LENEL	OnGuard PROI Server System with PC includes PC with Microsoft Windows Server 2012; Standard Edition; x64 includes 5 CALS and SQL 2014 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard Server software lic	334290L	US	\$24,762.62
PCS-PROI-REDU	LENEL	OnGuard PROI Redundant Server System with PC includes PC with Microsoft Windows Server 2008 R2 SP1; Standard Edition; x64 includes 5 CALS and SQL 2008 R2 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard	334290L	US	\$24,762.62
PCS-PRO-REDU	LENEL	OnGuard PRO Redundant Server System with PC includes PC with Microsoft Windows Server 2008 R2 SP1; Standard Edition; x64 includes 5 CALS and SQL 2008 R2 x64 server database standard edition (Single Application License; 5 CALS) loaded with OnGuard	334290L	US	\$18,493.60
PES-011	LENEL	In-transit and labor charge	334290L	US	\$983.38
PES-CNL	LENEL	Cancellation Fee per day	334290L	US	\$983.38

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
PES-CON-ORA	LENEL	Database Conversion - Oracle to SQL	334290L	US	\$15,057.93
PES-DE-OT1	LENEL	One-time DataExchange import from 1 Database	334290L	US	\$4,302.27
PES-DVA-DLT	LENEL	OnGuard Digital Video Assessment (Audit) Survey 0-10 recorders *	334290L	US	\$3,073.05
PES-DVP-PLN	LENEL	OnGuard Digital Video Planning Session	334290L	US	\$4,302.27
PES-EC-D	LENEL	Daily rate	334290L	US	\$2,458.44
PES-EMR-SCH	LENEL	Emergency Scheduling Fee (less than 3 days travel notice)	334290L	US	\$14,750.63
PES-EPS-ENT	LENEL	Enterprise Deployment Planning Session [Required for OnGuard Enterprise]	334290L	US	\$6,760.71
PES-FAT-ENT	LENEL	Enterprise 1-5 Regions Factory Acceptance Test (FAT)	334290L	US	\$7,989.92
PES-FAT-PROI	LENEL	PRO/ES/ADV Factory Acceptance Test (FAT)	334290L	US	\$5,900.25
PES-FC2OG-CDHB	LENEL	Cardholder and hardware(where applicable) conversion to OnGuard ES/ADV/PRO from FCWnx 7.7	334290L	US	\$3,687.66

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
PES-FC2OG-LEGACY	LENEL	Cardholder and hardware(where applicable) conversion to OnGuard ES/ADV/PRO from Diamond, Diamond II, Sapphire, Secure Perfect, or FC 7.6 or earlier	334290L	US	\$6,146.10
PES-IDP-ENT	LENEL	Enterprise 3-5 Regions Install and Deployment Package	334290L	US	\$5,531.49
PES-IDP-ENTL	LENEL	Enterprise 2 Regions or less Install and Deployment Package	334290L	US	\$4,302.27
PES-IDP-PROI	LENEL	PRO Installation and Deployment Package	334290L	US	\$4,302.27
PES-MIG-1DP	LENEL	OnGuard Migration - OnGuard PES ES/ADV/PRO Standalone to OG Enterprise	334290L	US	\$24,584.38
PES-NEC-INS	LENEL	NEC Inspection and Certification - 1 Cluster	334290L	US	\$2,950.13
PES-NEC-LAN-WAN	LENEL	Pre-planning; remote NEC ExpressCluster LAN or WAN Deployment and Post Project Support per Cluster. Remote connection to site required for deployment. (Add PES-00X for OnSite Deployment.)	334290L	US	\$7,375.31
PES-NEC-PLANNING	LENEL	Remote Pre-Planning session for LAN or WAN Systems	334290L	US	\$983.38
PES-NEC-UPG	LENEL	PES onsite or remote assistance with an NEC ExpressCluster upgrade. ** Does not include 1 year of escalated PES support.	334290L	US	\$4,302.27
PES-OTD	LENEL	Overtime (per hour)	334290L	US	\$540.86

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
PES-PP2OG-MDK-LG	LENEL	PP2OG Migration Deployment Services for PP systems with over 512 readers	334290L	US	\$25,887.36
PES-PP2OG-MDK-SM	LENEL	PP2OG Migration Deployment Services for PP systems with 512 readers or less	334290L	US	\$12,611.79
PES-PP2OG-PTK-LG	LENEL	PP2OG Planning and Testing Services for PP systems with over 512 readers	334290L	US	\$23,010.98
PES-PP2OG-PTK-SM	LENEL	PP2OG Planning and Testing Services for PP systems with 512 readers or less	334290L	US	\$11,210.48
PES-PRI-SCH	LENEL	Priority Scheduling Fee (between 3 and 10 days travel notice)	334290L	US	\$6,146.10
PES-SRA-ENT	LENEL	Enterprise 3 - 5 Regions System Assessment	334290L	US	\$7,989.92
PES-SRA-ENTL	LENEL	Enterprise 2 Regions or less System Assessment	334290L	US	\$5,162.72
PES-SRA-PROI	LENEL	PRO System Assessment	334290L	US	\$5,162.72
PES-UPG-ENT	LENEL	Enterprise 3 - 5 Regions Software and Database Upgrade	334290L	US	\$9,833.75
PES-UPG-ENTL	LENEL	Enterprise 2 Regions or less Software and Database Upgrade	334290L	US	\$7,867.00

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
PES-UPG-PROI	LENEL	PRO Software and Database Upgrade	334290L	US	\$5,900.25
PIM400-1501-KIT	LENEL	PIM400-1501-KIT; 16 wireless lock controller; consists of PIM400-485 & LNL-2210 in the same enclosure; RJ-45 and USB port on outside of controller; powered by POE. NOTE: LNL-2210 is provided separately and needs to be installed and connected inside t	334290L	MX	\$1,596.76
PIM400-485	LENEL	PIM400-485; 16 wireless lock hub; RS-485 connection; includes weatherproof enclosure, internal antenna with ability to add remote antenna; requires 12 or 24 VDC power supply. (7.1" x 7.1" enclosure)[starting with OnGuard 6.6 SP1 this will connect RS-	334290L	MX	\$714.18
PIM400-TD2	LENEL	Wiegand (data1/data0) or magnetic stripe (clock & data) output; includes weatherproof enclosure, internal antenna with ability to add remote antennal; requires 12 or 24 VDC power supply. Dry Contact board not included. (7.1" x 7.1" enclosure) [must	334290L	MX	\$387.20
PIMWA-CV	LENEL	Converter used to connect HHD to WA Series PIM, using the HH-Serial Cable	334290L	MX	\$11.43
PRO-64RUP	LENEL	64 Access Readers upgrade for all PRO systems, no maximum on number of readers.	334290L	US	\$1,960.60
PRSM-BASE	LENEL	Prism Server License; includes VMS Server and Client software; no camera channels included. No max on channels. Can have up to four VMS server interconnected to provide a single system view in large scale and distributed deployments. Includes first	334290L	US	\$737.53
PRSM-LNR-CH1	LENEL	Prism Channel License used for each channel on an LNVR recorder	334290L	US	\$147.51
PRSM-LNR-TVC-CH1	LENEL	Prism Channel License used for each TruVision Camera channel on an LNVR recorder	334290L	US	\$125.38
PRSM-TVNR-CH8	LENEL	Prism 8 Channel License used for up to 8 channels on a TruVision recorder	334290L	US	\$885.04

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
PRSM-UVNR-CH1	LENEL	Prism Channel License used for each channel on an UltraView recorder	334290L	US	\$147.51
PRSM-UVNR-TVC-CH1	LENEL	Prism Channel License used for each Truvision Camera channel on an UltraView recorder	334290L	US	\$125.38
PRSM-VMATRIX	LENEL	Prism Video Matrix License; to be applied to each video matrix computer. Maximum 4 monitors are suggested per single video matrix computer	334290L	US	\$2,212.59
Q24-FR000000001310	LENEL	ExpressCluster X R3 LAN x64 - 1-2 CPU socket add on	334290L	US	\$4,425.19
Q24-FR000000001314	LENEL	ExpressCluster X R3 WAN x64 - 1-2 CPU socket add on	334290L	US	\$9,342.07
Q24-HL000000013441	LENEL	300GB SAS 15K RPM, w/carrier	334290L	JP	\$378.60
Q24-HL000000068233	LENEL	4GB, BTO, DIMM	334290L	JP	\$94.65
Q24-HL000000068234	LENEL	8GB, BTO, DIMM	334290L	JP	\$159.18
Q24-HL000000068235	LENEL	16GB, BTO, DIMM	334290L	JP	\$283.95
Q24-HL000000068245	LENEL	1.2TB SAS 10K RPM, w/carrier	334290L	JP	\$550.69

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
RDR-6081AKU	LENEL	RF Ideas HID Prox Wedge [will read badge id off any HID prox card][USB form factor]	334290L	US	\$175.78
RDR-6981AKU	LENEL	RF Ideas AWID Prox Wedge [will read badge id off any AWID prox card][USB form factor]	334290L	NO	\$175.78
RDR-7081BKU	LENEL	RF Ideas HID iClass Wedge [will read badge id off any HID iCLASS card][USB form factor]	334290L	US	\$195.45
RDR-7581AKU	LENEL	RF Ideas 13.56 Mhz CSN [will read Card Serial Number from ISO14443A (Mifare; UltraLight; Mifare Plus; DesFire) and ISO15693 (iCLASS; TI Tag-it; Phillips i-code; Infineon my-d; etc.)) Mifare CSN is historically 32 bit but changing to 56 bit; ISO15693	334290L	US	\$175.78
RDR-7585AKU	LENEL	RF Ideas Mifare Air ID [will read badge id off Mifare cards][USB form factor]	334290L	US	\$145.05
RDR-7P71AKU	LENEL	RF Ideas PIV Wedge [will read badge id off a FIPS 201 compliant card][USB form factor]	334290L	US	\$350.33
RDR-80581AKU	LENEL	RF Ideas Enrollment Wedge Device: pcProx PLUS Enroll. Supports AWID; Casi-Rusco; HID Prox; Indala; Deister; ReadyKey Pro; GE Security / Advant CSN; HID iCLASS CSN; ISO 15693 CSN; MIFARE Ultralight CSN; DESFire CSN; ISO 14443A CSN; MIFARE CSN [USB fo	334290L	US	\$185.61
READER # + OT	LENEL	Tamper Contact - for both direct & data Outputs (must order with reader, only available for LNL-2010 or LNL-2020 readers)	334290L	US	\$6.15
REGSM-16RUP	LENEL	16 Access Readers upgrade for any OnGuard Enterprise Regional SM systems, maximum of 32 readers.	334290L	US	\$731.39
RLBD	LENEL	Optional Dry contact board available for PIM400-TD2 to simplify installation with Access Control Panels that require relays. Configurable for Normally Open/Closed	334290L	MX	\$111.86

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
S00100	LENEL	SQL Server 2014 R2 Standard for Embedded Systems - with 5 CALs	334290L	US	\$693.28
S00101	LENEL	SQL Server R2 Standard 2014 - with 1 CAL	334290L	US	\$138.90
S00102	LENEL	SQL Server R2 Standard 2014 - with 5 CALs	334290L	US	\$693.28
S00103	LENEL	Windows Server Standard 2012 for Embedded Systems - with 5 CALs	334290L	US	\$1,450.48
S00104	LENEL	SQL Server 2016 Standard for Embedded systems - with 5 CALs	334290L	US	\$801.45
S00105	LENEL	SQL Server 2016 Standard - with 1 CAL	334290L	US	\$164.72
S-CB-232-F3	LENEL	RS-232 Cable to connect HK-CR to PC	334290L	US	\$24.58
SCH-WRI400	LENEL	Wireless Reader Interface - Indoor or Outdoor - compatible with Wiegand or mag stripe interface readers - inputs for 2 paralld readers; requires 12 VDC power supply	334290L	MX	\$456.04
SERIII-W	LENEL	Scramble Keypad (Gray); The keypad is designed to prevent onlookers from detecting the code being entered. Each key is lighted by an LED with a different set of numbers every time the keypad is used. Weatherized for outdoor applications with a Wiegand	334290L	GB	\$1,054.67
SERIII-WB	LENEL	Scramble Keypad (Black); The keypad is designed to prevent onlookers from detecting the code being entered. Each key is lighted by an LED with a different set of numbers every time the keypad is used. Weatherized for outdoor applications with a Wiegand	334290L	GB	\$1,054.67

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SIS-DELL	LENEL	Installation and integration of OnGuard and SQL on server or client PC	334290L	US	\$184.38
SMK-2	LENEL	Scramble Keypad Surface Mount Kit (Gray); Surface Mount Kit and tamper proof screws. Standard color is gray.	334290L	GB	\$137.67
SMK-2B	LENEL	Scramble Keypad Surface Mount Kit (Black); Surface Mount Kit and tamper proof screws. Color is black.	334290L	GB	\$137.67
SM-MSO-1300	LENEL	Morpho Smart Mini Optic Fingerprint sensor (Plastic housing, USB, CBM module)	334290L	FR	\$183.15
SM-MSO-300	LENEL	MorphoSmart 500 ppi Optical Fingerprint sensor (Metal Housing, USB)	334290L	FR	\$414.25
SM-MSO-301	LENEL	MSO-300 with Fake Finger detection	334290L	FR	\$755.97
SM-MSO-350PIV	LENEL	MSO-300 with contact smart card reader and FBI certified sensor	334290L	FR	\$571.59
SM-MSO-351	LENEL	MSO-300 with Fake Finger detection and contact smart card reader	334290L	FR	\$1,057.13
SM-PS-BUILD	LENEL	PreScan Ridge Builder film (1.5" x 2") Increases the quality of the capture on the Morpho Smart sensors, recommended for each Morpho Smart sensor	334290L	US	\$49.17
SM-SIGMA-ICLASS	LENEL	MorphoAccess SIGMA iClass provides 1:3000 Biometric Identification, HID iClass Card Reader, 5" Color Touchscreen, Videophone Functionality, Anti-fraud Technology and FBI Certified IQS Optical Sensor	334290L	FR	\$1,411.14

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SM-SIGMA-MULTI	LENEL	MorphoAccess SIGMA Multi, 1:3000 Biometric Identification, NFC, MIFARE & DESFire Card Reader, 5" Color Touchscreen, Videophone Function, Anti-fraud Technology and FBI Certified IQS Optical Sensor	334290L	FR	\$1,375.50
SPMK-2	LENEL	Panel Mount Kit w/ Steel Back Box (Gray); Steel back box with tamper proof screws	334290L	GB	\$120.46
SPMK-2B	LENEL	Panel Mount Kit w/ Steel Back Box (Black); Steel back box with tamper proof screws	334290L	GB	\$120.46
SUDS-NES-32	LENEL	OnGuard User Direct Technical Support for 32ES/32ESI systems	334290L	US	\$614.61
SUDS-NES-64	LENEL	OnGuard User Direct Technical Support for ADV & ADVI systems	334290L	US	\$1,352.14
SUDS-NES-ENT	LENEL	OnGuard User Direct Technical Support for Enterprise customers	334290L	US	\$9,219.14
SUDS-NES-ENT-LT	LENEL	OnGuard User Direct Technical Support for Enterprise Lite customers	334290L	US	\$5,531.49
SUDS-NES-PRO	LENEL	OnGuard User Direct Technical Support for PRO & PROI systems	334290L	US	\$3,318.89
SUDS-NES-VID	LENEL	OnGuard User Direct Technical Support for OG Video Only systems	334290L	US	\$122.92
SUSP-ADV-TR-1	LENEL	ADV SUSP PLAN - Tier 1; 64-128 Readers. Covers ADV / ADVI / IDADV Systems	334290L	US	\$1,167.76

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SUSP-ADV-TR-2	LENEL	ADV SUSP PLAN - Tier 2; 129-192 Readers. Covers ADV / ADVI Systems	334290L	US	\$1,597.98
SUSP-ADV-TR-3	LENEL	ADV SUSP PLAN - Tier 3; 193-256 Readers. Covers ADV / ADVI Systems	334290L	US	\$2,028.21
SUSP-DV	LENEL	DV Channel SUSP PLAN; SW support for each single video channel licenses Includes LNVR / LDVR / HVR / Integrated GO channels; Integrated goVision channels, Integrated TruVision channels, OAAP channels and Integrated Prism Channels	334290L	US	\$12.29
SUSP-ENT-MAS	LENEL	Enterprise Master SUSP PLAN - Covers Enterprise Master Server	334290L	US	\$7,867.00
SUSP-ENT-REG-TR-1	LENEL	Enterprise Region SUSP PLAN - Tier 1; 128-256 Readers. Covers ENTREG1 Systems	334290L	US	\$3,195.97
SUSP-ENT-REG-TR-2	LENEL	Enterprise Region SUSP PLAN - Tier 2; 257-512 Readers. Covers ENTREG1 Systems	334290L	US	\$4,916.88
SUSP-ENT-REG-TR-3	LENEL	Enterprise Region SUSP PLAN - Tier 3; 513-1024 Readers. Covers ENTREG1 Systems	334290L	US	\$6,637.78
SUSP-ENT-REG-TR-4	LENEL	Enterprise Region SUSP PLAN - Tier 4; 1025-2048 Readers. Covers ENTREG1 Systems	334290L	US	\$10,079.60
SUSP-ENT-REG-TR-5	LENEL	Enterprise Region SUSP PLAN - Tier 5; 2049 or more Readers. Covers ENTREG1 Systems	334290L	US	\$14,750.63
SUSP-GOVIS	LENEL	GoVision SUSP PLAN - HW and SW support for 1 NON-Integrated goVision DVR	334290L	US	\$122.92

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SUSP-IVS	LENEL	IVS Channel SUSP PLAN; SW Support for each channels of intelligent video software [items starting with IVS and IVSP][EXCLUDES IVSP-IC and IVS-SVMD as there is no support cost for these]	334290L	US	\$61.46
SUSP-PRO-TR-1	LENEL	PRO SUSP PLAN - Tier 1; 128-256 Readers. Covers PRO / IDPRO / PROI Systems	334290L	US	\$3,195.97
SUSP-PRO-TR-2	LENEL	PRO SUSP PLAN - Tier 2; 257-512 Readers. Covers PRO / PROI Systems	334290L	US	\$4,916.88
SUSP-PRO-TR-3	LENEL	PRO SUSP PLAN - Tier 3; 513-1024 Readers. Covers PRO / PROI Systems	334290L	US	\$6,637.78
SUSP-PRO-TR-4	LENEL	PRO SUSP PLAN - Tier 4; 1025-2048 Readers. Covers PRO / PROI Systems	334290L	US	\$10,079.60
SUSP-PRO-TR-5	LENEL	PRO SUSP PLAN - Tier 5; 2049 or more Readers. Covers PRO / PROI Systems	334290L	US	\$14,750.63
SUSP-PRSM-CH1	LENEL	Prism camera channel license support for Non-Integrated Systems	334290L	US	\$12.29
SUSP-PRSM-ENT	LENEL	Support for one year for a Prism Enterprise system; covers integrated or non-integrated PRSM-ENT. Requires SUSP-PRSM-CH1 for each channel if NON-Integrated System. Requires SUSP-DV for each channel if Integrated.	334290L	US	\$430.23
SUSP-PRSM-PRO	LENEL	Support for one year for a Prism Professional system; covers integrated or non-integrated PRSM-PRO. Requires SUSP-PRSM-CH1 for each channel if NON-Integrated System. Requires SUSP-DV for each channel if Integrated.	334290L	US	\$184.38
SUSP-PRSM-STD	LENEL	Support for one year for a Prism Standard system; requires this and SUSP-PRSM-CH1 for each channel.	334290L	US	\$61.46

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SUSP-VO	LENEL	Video Only SUSP PLAN - SW support for Video Only Systems [SWS-DV purchases] SUSP-DV required for QTY of cameras on Video Only System.	334290L	US	\$61.46
SUSP-W-ENT-MAS-LT	LENEL	Enterprise Master Lite SUSP PLAN; covers up to 64 readers	334290L	US	\$3,933.50
SUSP-W-ENT-MAS-LT-REDU	LENEL	Enterprise Master Lite REDUNDANT SUSP PLAN; covers up to 64 readers	334290L	US	\$5,285.64
SUSP-W-ENT-REG-LT	LENEL	Enterprise Region Lite SUSP PLAN; covers up to 64 readers	334290L	US	\$1,966.75
SUSP-W-ENT-REG-LT-REDU	LENEL	Enterprise Region Lite REDUNDANT SUSP PLAN; covers up to 64 readers	334290L	US	\$2,458.44
SUSP-W-ENT-REG-SM	LENEL	Enterprise Region Small SUSP PLAN; covers up to 32 readers	334290L	US	\$307.30
SUSP-W-ENT-REG-SM-REDU	LENEL	Enterprise Region Small REDUNDANT SUSP PLAN; covers up to 32 readers	334290L	US	\$430.23
SUSP-W-ES	LENEL	32ES SUSP PLAN. Covers 32ES, 32ESI, IDES Systems	334290L	US	\$122.92
SWC-32ES	LENEL	OnGuard 32ES Client Software License OnGuard Client software license includes; System Administration; Alarm Monitoring; Map Designer and Login Driver. (Use PC CONFIGURATION #6F)	334290L	US	\$190.53
SWC-32ESI	LENEL	OnGuard 32ESI Client Software License - OnGuard Client software license includes; System Administration; Alarm Monitoring; Map Designer; Login Driver; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; Cardholde	334290L	US	\$516.27

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWC-ADV	LENEL	OnGuard ADV Client Software License OnGuard Client software license includes; System Administration; Alarm Monitoring; Map Designer and Login Driver. (SOFTWARE IS SUPPORTED ON PC CONFIGURATION #6F)	334290L	US	\$2,065.09
SWC-ADVI	LENEL	OnGuard ADVI Client Software License OnGuard Client software license includes; System Administration; Alarm Monitoring; Map Designer; Login Driver; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; Cardholder	334290L	US	\$4,763.22
SWC-DV	LENEL	OnGuard Video Client Software License includes a single digital video client software for any client workstation.	334290L	US	\$854.31
SWC-DV-10	LENEL	OnGuard Video Client Software License (Qty 10) includes ten concurrent digital video client software licenses for any client workstation.	334290L	US	\$7,744.08
SWC-DV-25	LENEL	OnGuard Video Client Software License (Qty 25) includes twenty-five digital video client software licenses for any client workstation.	334290L	US	\$17,209.07
SWC-DV-5	LENEL	OnGuard Video Client Software License (Qty 5) includes five concurrent digital video client software licenses for any client workstation.	334290L	US	\$4,117.88
SWC-IDADV	LENEL	OnGuard IDADV Client Software License OnGuard Client software license includes; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; Enhanced Imaging Option (ChromaKey and Ghosting) and Login Driver. (SOFTWARE	334290L	US	\$2,575.21
SWC-IDES	LENEL	OnGuard IDES Client Software License OnGuard Client software license includes; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; Enhanced Imaging Option (ChromaKey and Ghosting) and Login Driver. (SOFTWARE I	334290L	US	\$368.77
SWC-MOB-IDNH	LENEL	Mobile Badging (Distributed Id) Station Client System Software License support mobile badging functionality using a local (replicated) cardholder database. OnGuard Client software licenses includes: Replication Administration; ID Credential Center	334290L	US	\$2,575.21
SWC-VIEW10	LENEL	View Client Workstation Software License - 10 License Pack (*)	334290L	US	\$5,531.49

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWC-VIEW100	LENEL	View Client Workstation Software License - 100 License Pack (*)	334290L	US	\$30,730.48
SWC-VIEW1ADV	LENEL	View Client Workstation Software License - Single License Pack (*)	334290L	US	\$921.91
SWC-VIEW1ES	LENEL	View Client Workstation Software License - Single License Pack	334290L	US	\$184.38
SWC-VIEW25	LENEL	View Client Workstation Software License - 25 License Pack (*)	334290L	US	\$12,292.19
SWC-VIEW5	LENEL	View Client Workstation Software License - 5 License Pack (*)	334290L	US	\$3,073.05
SWC-VIEW50	LENEL	View Client Workstation Software License - 50 License Pack (*)	334290L	US	\$21,511.34
SW-DVR2NVR-CH1	LENEL	DVR to NVR Channel Conversion Single channel conversion of Lenel DVR licenses (DV-CH-XXX) to Lenel NVR licenses (SW-LNR-CH1) for end users moving from away from Lenel DVR [analog recorders]. This part will convert 1 channel from DVR to LNVR allowi	334290L	US	\$92.19
SWG-1120	LENEL	OnGuard Mustering Software Option	334290L	US	\$1,223.07
SWG-1140	LENEL	DataConduIT includes one connection license, supporting documentation and scripting examples.	334290L	US	\$3,073.05
SWG-1210	LENEL	OnGuard FormsDesigner (User definable Fields)	334290L	US	\$1,837.68

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWG-1225	LENEL	DataExchange Global Data Import/Export Utility	334290L	US	\$4,609.57
SWG-1240	LENEL	Database Segmentation [included with all Regional and Master server licenses]	334290L	US	\$3,681.51
SWG-1250	LENEL	Automatic Alarm Export, provides an output text file for configured alarms. The text file can be pulled into a third party application to report on alarm conditions	334290L	US	\$608.46
SWG-1290	LENEL	Oracle Support for PRO based servers only	334290L	US	\$6,139.95
SWG-1293	LENEL	Oracle Support for Enterprise Regional Server only [ENTERPRISE ONLY]	334290L	US	\$11,056.83
SWG-1295	LENEL	Oracle Support for Enterprise Master Servers [ENTERPRISE ONLY]	334290L	US	\$12,286.05
SWG-1330	LENEL	Multiple instances of Alarm Event Monitoring on a single client workstation - This license bit allows the customer to run multiple instances of Alarm Monitoring on the same workstation. Its purpose is to allow customers to take advantage of having	334290L	US	\$2,452.29
SWG-1340	LENEL	Intercom Communication Interface for OnGuard- check compatibility chart for intercom systems	334290L	US	\$1,223.07
SWG-1350	LENEL	Fire Alarm Panel Comm Interface for OnGuard- check compatibility chart for panel support	334290L	US	\$1,223.07
SWG-1355	LENEL	Visonic Technologies SLC-5 Communications device driver per SLC-5 controller (includes 255 bus transmitters) (requires SWS-VSA)	334290L	US	\$608.46

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWG-1360	LENEL	OnGuard support for Remote Desktop Protocol; Citrix Support [see compatability chart for versions] and Terminal Services for 32ES, ADV, and PRO Level solutions [DOES NOT INCLUDE CITRIX]	334290L	US	\$2,452.29
SWG-1370	LENEL	OnGuard support for Remote Desktop Protocol; Citrix Support [see compatability chart for versions] and Terminal Services for any Enterprise level solutions [DOES NOT INCLUDE CITRIX]	334290L	US	\$4,910.73
SWG-1400	LENEL	OnGuard RSI Hand Geometry Interface Global Software Option for OnGuard - for ID3D, Handkey CR and Handkey II Readers (LNL-500B required but has limited stock available).	334290L	US	\$3,066.90
SWG-1402	LENEL	Bioscrypt Interface for Fingerprint authentication option	334290L	US	\$3,066.90
SWG-1407	LENEL	CrossMatch/Sagem-Morpho - Finger Print Capture. Captures 500PPI images, ANSI378 templates, and Sagem-Morpho PKCOMP templates (for Lenel/HID bioCLASS support)	334290L	US	\$3,066.90
SWG-1410	LENEL	Central Station Receiver Interface - communication software for central station receivers, must order one SWG-1410 for each receiver. Check compatability chart for central station receivers	334290L	US	\$3,066.90
SWG-1411	LENEL	Onity lock integration license - License is needed for every lock that is integrated with OnGuard. Locks with a KTDL includes the license with the lock price.	334290L	US	\$4.30
SWG-1415	LENEL	Suprema/EnterTech SW interface for biometric fingerprint authentication option [Includes DataConduIT - SWG-1140]	334290L	US	\$3,073.05
SWG-1440	LENEL	Oracle Support for ADV based servers only	334290L	US	\$1,475.06
SWG-1450	LENEL	Intrusion Panel Support Option (per panel) - check compatability chart for panel support	334290L	US	\$153.65

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWG-1460-1	LENEL	OPC Data Access Server Allows external OPC client access to OnGuard data sources. One license is required for each 3rd party OPC client connection to OnGuard. (includes one DataConduIT connection SWG-1140)	334290L	US	\$3,073.05
SWG-1460-2	LENEL	OPC Alarms and Events Server Allows external OPC clients to view OnGuard Alarms and Events. One license is required for each 3rd party OPC client connection to OnGuard. (includes one DataConduIT connection SWG-1140)	334290L	US	\$3,073.05
SWG-1465	LENEL	OPC Client Option Allows all OnGuard Alarm Monitoring workstations to accept alarms and events from external OPC servers that comply with the industry OPC standard for alarms and events. This option allows for unlimited 3rd party OPC server connectio	334290L	US	\$1,591.84
SWG-1470	LENEL	OnGuard MobileVerify - Includes license for single client workstation for MobileVerify (threat protection) option. Enables custom User Interface within System Administration and ID Credential Center to display go / no go results based on card swipe	334290L	US	\$3,681.51
SWG-1475	LENEL	INTELLI-CHECK Software communications interface option per unit option	334290L	US	\$368.77
SWG-1476	LENEL	OnGuard CSSN Scanner Option. For support of CSS-800 and 1000 series scanners. One license is required per scanner.	334290L	US	\$368.77
SWG-1480	LENEL	OnGuard SNMP Manager software support option is for applications that run from a monitoring center and used to monitor a number of SNMP agents. This option does not require DataConduIT.	334290L	US	\$1,591.84
SWG-1485	LENEL	OnGuard SNMP Agent with message queue option supports a single hardware and/or software applications that are reporting to an SNMP Manager with OnGuard being the Agent. (includes one DataConduIT connection SWG-1140)	334290L	US	\$3,073.05
SWG-1485-5	LENEL	OnGuard SNMP Agent with message queue option supports five hardware and/or software applications that are reporting to an SNMP Manager with OnGuard being the Agent. (includes one DataConduIT connection SWG-1140)	334290L	US	\$6,115.37
SWG-1490	LENEL	HID Custom Key Generator Software Option includes the ability to create site specific custom iCLASS/MIFARE keys for customer cards encoded with HID Access Control or HID MIFARE applications, it also includes the ability to create HID Corporate 1000	334290L	US	\$0.31

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWG-1500	LENEL	Card Management Server Option (Required for ActivIdentity Server integration) Select the number of Certificates that will be linked between OnGuard and ActivIdentity	334290L	US	\$2,458.44
SWG-1600	LENEL	Barco Wall Integration (per Video Stream)	334290L	US	\$184.38
SWG-1610	LENEL	Seamless Elevator Entry Devices - Integration to Elevator Destination Systems (applicable to Otis Compass V1/V2/V3 and OAAP Partners) One license is required for each Elevator Dispatching Controller to be configured. For Otis Compass; each DES/DER c	334290L	US	\$6,139.95
SWG-1640	LENEL	Enable Support for Bilingual DLL in OnGuard Allows OnGuard to directly communicate with Honeywell PW5000 & PW 6000 type access control platforms. A license required for OnGuard Server/Regional Server that needs to communicate to Honeywell panels.	334290L	US	\$12,286.05
SWG-1800-N-PL	LENEL	Partner Access Device License for ANY electronic locks NOT PURCHASED through Lenel and attached to an OnGuard system [REQUIRED license for all Third Party Locks][one license per lock]	334290L	US	\$92.19
SWG-AMADV-8	LENEL	OnGuard ADV Asset Software License Option includes asset control software license for 64ADV and 64ADVI software products.	334290L	US	\$6,139.95
SWG-AMENT-8	LENEL	OnGuard Regional Asset Software License Option includes asset control software license for Enterprise Regional software products.	334290L	US	\$12,286.05
SWG-AMES-8	LENEL	OnGuard ES Asset Software License Option includes asset control software license for 32ES and 32 ESI software products.	334290L	US	\$1,223.07
SWG-AMPRO-8	LENEL	OnGuard PRO Asset Software License Option includes asset control software license for PRO and PROI software products.	334290L	US	\$12,286.05
SWG-DV	LENEL	OnGuard Digital Video Enabler. [required to be enabled to have Prism Integrate with OnGuard]	334290L	US	\$491.69

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWG-ELEVRDR-08	LENEL	Seamless Elevator Reader License (8 Readers) Integrated Reader License (applicable to Otis CompassPlus V3). This license is to be used specifically with Elevator Dispatching Systems with Integrated Card Readers that connect directly to the Elevator	334290L	US	\$2,458.44
SWG-IRIS	LENEL	IrisAccess Software Interface option for OnGuard ES, ADV and PRO Solutions	334290L	US	\$3,066.90
SWG-IRIS-ENT	LENEL	IrisAccess Software Interface option for OnGuard ENT Solutions. This license is required for each region in which LG Iris templates will be enrolled.	334290L	US	\$4,296.12
SWG-MOMO-ADV	LENEL	Mobile Monitoring Application for ADV level system; includes (1) SWG-1140 - DataConduIT; compatible platforms iOS - Android & Blackberry OS based devices. Includes server side architecture plus one mobile client. Please specify required O/S on order	334290L	US	\$614.61
SWG-MOMO-ES	LENEL	Mobile Monitoring Application for 32ES level system; includes (1) SWG-1140 - DataConduIT; compatible platforms iOS - Android & Blackberry OS based devices. Includes server side architecture plus one mobile client. Please specify required O/S on orde	334290L	US	\$276.57
SWG-MOMO-PRO/ENT	LENEL	Mobile Monitoring Application for PRO/ENT level system; includes (1) SWG-1140 - DataConduIT; compatible platforms iOS - Android & Blackberry OS based devices. Includes server side architecture plus one mobile client. Please specify required O/S on o	334290L	US	\$1,352.14
SWG-MOMO-XX	LENEL	Mobile Monitoring Client - additional mobile monitoring client (concurrent users).	334290L	US	\$153.65
SWG-OITVM	LENEL	DataConduIT Visitor Management API includes documentation and scripting examples for visitor management. [see OAAP page for integrations www.lenel.com/oaap]	334290L	US	\$3,073.05
SWG-OITVM-10	LENEL	DataConduIT Visitor Client support for 10 clients	334290L	US	\$3,073.05
SWG-OITVM-25	LENEL	DataConduIT Visitor Client support for 25 clients	334290L	US	\$6,146.10

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWG-OITVM-5	LENEL	DataConduIT Visitor Client support for 5 clients	334290L	US	\$1,720.91
SWG-OITVM-50	LENEL	DataConduIT Visitor Client support for 50 clients	334290L	US	\$9,219.14
SWG-RAM1	LENEL	OnGuard Area Access Manager software license for any OnGuard servers includes 1 concurrent user license (this item is Not available on any Entry System (PCS-32ES, PCS-32ESI or PCS-IDES).	334290L	US	\$614.61
SWG-RAM10	LENEL	OnGuard Area Access Manager software license for ADV or PRO servers includes up to 10 concurrent user licenses (this item is Not available on any Entry System (PCS-32ES, PCS-32ESI or PCS-IDES)	334290L	US	\$4,916.88
SWG-RAM100	LENEL	OnGuard Area Access Manager software license for PRO servers includes up to 100 concurrent user (this item is Not available on any Entry System (PCS-32ES, PCS-32ESI or PCS-IDES)	334290L	US	\$20,896.73
SWG-RAM25	LENEL	OnGuard Area Access Manager software license for PRO servers includes up to 25 concurrent user licenses (this item is Not available on any Entry System (PCS-32ES, PCS-32ESI or PCS-IDES)	334290L	US	\$9,833.75
SWG-RAM5	LENEL	OnGuard Area Access Manager software license for any OnGuard Server includes up to 5 concurrent user licenses (this item is Not available on any Entry System (PCS-32ES, PCS-32ESI or PCS-IDES).	334290L	US	\$2,765.74
SWG-RAM50	LENEL	OnGuard Area Access Manager software license for PRO servers includes up to 50 concurrent user licenses (this item is Not available on any Entry System (PCS-32ES, PCS-32ESI or PCS-IDES)	334290L	US	\$14,750.63
SWG-TRACPACK	LENEL	Provides a license for one OnGuard system for the installation and operation of TRACcess devices. For OnGuard ES, ADV, and PRO system. Consult Lenel for ENT system applications. NOTE: This item is only available with the purchase of one or more TRACc	334290L	US	\$731.39
SWG-UL1981O	LENEL	Add-on operator seat. Requires SWG-UL1981S. Required if more than one UL1981 operator must be logged in simultaneously. Order one instance of SWG-UL1981O for each additional operator for both the primary and backup OnGuard systems. Supported with OnG	334290L	US	\$3,073.05

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWG-UL1981S	LENEL	UL1981 Classified option with a single operator seat. In most cases, you will need this license for both your primary and backup (standby) OnGuard system. For Enterprise systems, if any region has this option, the Enterprise Master must also have thi	334290L	US	\$12,286.05
SW-LNR-CH1	LENEL	Lenel Network Video Recorder Software - Includes a single channel software license for one IP/ Network based camera channel to be used with either a customer provided PC or adding on to a turnkey system. The customer provided PC must meet or exceed	334290L	US	\$184.38
SWM-CSS-ADV-TR-1	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ADV-TR-1 support plan.	334290L	US	\$464.64
SWM-CSS-ADV-TR-2	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ADV-TR-2 support plan.	334290L	US	\$511.36
SWM-CSS-ADV-TR-3	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ADV-TR-3 support plan.	334290L	US	\$760.89
SWM-CSS-ES	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-W-ES support plan.	334290L	US	\$417.93
SWM-CSS-MAS	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-MAS support plan.	334290L	US	\$1,966.75
SWM-CSS-MAS-LT	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-W-ENT-MAS-LT support plan.	334290L	US	\$983.38
SWM-CSS-PRO-TR-1	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-PRO-TR-1 support plan.	334290L	US	\$798.99
SWM-CSS-PRO-TR-2	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-PRO-TR-2 support plan.	334290L	US	\$1,229.22

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWM-CSS-PRO-TR-3	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-PRO-TR-3 support plan.	334290L	US	\$2,489.17
SWM-CSS-PRO-TR-4	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-PRO-TR-4 support plan.	334290L	US	\$4,672.26
SWM-CSS-PRO-TR-5	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-PRO-TR-5 support plan.	334290L	US	\$9,219.14
SWM-CSS-REG-LT	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-W-ENT-REG-LT support plan.	334290L	US	\$491.69
SWM-CSS-REG-SM	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-W-ENT-REG-SM support plan.	334290L	US	\$417.93
SWM-CSS-REG-TR-1	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-REG-TR-1 support plan.	334290L	US	\$798.99
SWM-CSS-REG-TR-2	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-REG-TR-2 support plan.	334290L	US	\$1,229.22
SWM-CSS-REG-TR-3	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-REG-TR-3 support plan.	334290L	US	\$1,659.45
SWM-CSS-REG-TR-4	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-REG-TR-4 support plan.	334290L	US	\$2,519.90
SWM-CSS-REG-TR-5	LENEL	First time 12 month license for OnGuard Cardholder Self Service module. Requires OnGuard 7.2 and active SUSP-ENT-REG-TR-5 support plan.	334290L	US	\$3,687.66

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWM-MCI-ADV	LENEL	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ADV-TR-1, TR-2, Or TR-3 support plan.	334290L	US	\$345.41
SWM-MCI-ES	LENEL	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ES support plan.	334290L	US	\$233.55
SWM-MCI-MAS	LENEL	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-MAS support plan.	334290L	US	\$5,506.90
SWM-MCI-MAS-LT	LENEL	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SSUSP-W-ENT-MAS-LT support plan.	334290L	US	\$2,065.09
SWM-MCI-PRO-A	LENEL	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-1 or TR-2 support plan.	334290L	US	\$653.94
SWM-MCI-PRO-B	LENEL	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-3 or TR-4 support plan.	334290L	US	\$2,082.30
SWM-MCI-PRO-C	LENEL	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-5 support plan.	334290L	US	\$5,162.72
SWM-MCI-REG-A	LENEL	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	334290L	US	\$567.90
SWM-MCI-REG-B	LENEL	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-3 or TR-4 support plan.	334290L	US	\$1,325.10
SWM-MCI-REG-C	LENEL	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-5 support plan.	334290L	US	\$2,409.27

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWM-MCI-REG-LT	LENEL	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-REG-LT support plan.	334290L	US	\$275.35
SWM-MCI-REG-SM	LENEL	First time 12 month license for Mobile Credential Issuance. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-REG-SM support plan.	334290L	US	\$153.65
SWM-OCM-ADV	LENEL	First time 12 month license for OnGuard Credentials app. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ADV-TR-1, TR-2, Or TR-3 support plan.	334290L	US	\$492.92
SWM-OCM-ES	LENEL	First time 12 month license for OnGuard Credentials app. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ES support plan.	334290L	US	\$334.35
SWM-OCM-MAS	LENEL	First time 12 month license for OnGuard Credentials app. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-MAS support plan.	334290L	US	\$5,900.25
SWM-OCM-MAS-LT	LENEL	First time 12 month license for OnGuard Credentials app. One required per server. Requires OnGuard 7.3 or higher and active SSUSP-W-ENT-MAS-LT support plan.	334290L	US	\$2,950.13
SWM-OCM-PRO-A	LENEL	First time 12 month license for OnGuard Credentials app. One required per server. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-1 or TR-2 support plan.	334290L	US	\$934.21
SWM-OCM-PRO-B	LENEL	First time 12 month license for OnGuard Credentials app. One required per server. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-3 or TR-4 support plan.	334290L	US	\$2,974.71
SWM-OCM-PRO-C	LENEL	First time 12 month license for OnGuard Credentials app. One required per server. Requires OnGuard 7.3 or higher and active SUSP-PRO-TR-5 support plan.	334290L	US	\$5,900.25
SWM-OCM-REG-A	LENEL	First time 12 month license for OnGuard Credentials app. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	334290L	US	\$811.28

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWM-OCM-REG-B	LENEL	First time 12 month license for OnGuard Credentials app. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-3, or TR-4 support plan.	334290L	US	\$1,671.74
SWM-OCM-REG-C	LENEL	First time 12 month license for OnGuard Credentials app. One required per server. Requires OnGuard 7.3 or higher and active SUSP-ENT-REG-TR-5 support plan.	334290L	US	\$2,950.13
SWM-OCM-REG-LT	LENEL	First time 12 month license for OnGuard Credentials app. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-REG-LT support plan.	334290L	US	\$614.61
SWM-OCM-REG-SM	LENEL	First time 12 month license for OnGuard Credentials app. One required per server. Requires OnGuard 7.3 or higher and active SUSP-W-ENT-REG-SM support plan.	334290L	US	\$334.35
SWM-VSS	LENEL	12 month license for [1] Visitor Self Service Module (iPad Only Support). iPad not included. Quantity should be for total number of configured tablets. Requires at least one IDVM front desk license on the OnGuard server. iPad not included. NOTE: Spec	334290L	US	\$737.53
SWM-WATCH-ADV-TR-1	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ADV-TR-1 support plan.	334290L	US	\$464.64
SWM-WATCH-ADV-TR-2	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ADV-TR-2 support plan.	334290L	US	\$511.36
SWM-WATCH-ADV-TR-3	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ADV-TR-3 support plan.	334290L	US	\$760.89
SWM-WATCH-ES	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ES support plan.	334290L	US	\$417.93
SWM-WATCH-MAS	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-MAS support plan.	334290L	US	\$1,966.75

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWM-WATCH-MAS-LT	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-W-ENT-MAS-LT support plan.	334290L	US	\$983.38
SWM-WATCH-PRO-TR-1	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-PRO-TR-1 support plan.	334290L	US	\$798.99
SWM-WATCH-PRO-TR-2	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-PRO-TR-2 support plan.	334290L	US	\$1,229.22
SWM-WATCH-PRO-TR-3	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-PRO-TR-3 support plan.	334290L	US	\$2,489.17
SWM-WATCH-PRO-TR-4	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-PRO-TR-4 support plan.	334290L	US	\$4,672.26
SWM-WATCH-PRO-TR-5	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-PRO-TR-5 support plan.	334290L	US	\$9,219.14
SWM-WATCH-REG-LT	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-W-ENT-REG-LT support plan.	334290L	US	\$491.69
SWM-WATCH-REG-SM	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-W-ENT-REG-SM support plan.	334290L	US	\$417.93
SWM-WATCH-REG-TR-1	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-REG-TR-1 support plan.	334290L	US	\$798.99
SWM-WATCH-REG-TR-2	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-REG-TR-2 support plan.	334290L	US	\$1,229.22

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWM-WATCH-REG-TR-3	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-REG-TR-3 support plan.	334290L	US	\$1,659.45
SWM-WATCH-REG-TR-4	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-REG-TR-4 support plan.	334290L	US	\$2,519.90
SWM-WATCH-REG-TR-5	LENEL	First time 12 month license for OnGuard WATCH Module. Requires OnGuard 7.1 or higher and active SUSP-ENT-REG-TR-5 support plan.	334290L	US	\$3,687.66
SWR-CSS-ADV-TR-1	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-ADV-TR-1 license and active SUSP-ADV-TR-1 support plan.	334290L	US	\$464.64
SWR-CSS-ADV-TR-2	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-ADV-TR-2 license and active SUSP-ADV-TR-2 support plan.	334290L	US	\$511.36
SWR-CSS-ADV-TR-3	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-ADV-TR-3 license and active SUSP-ADV-TR-3 support plan.	334290L	US	\$760.89
SWR-CSS-ES	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-ES license and active SUSP-W-ES support plan.	334290L	US	\$417.93
SWR-CSS-MAS	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-MAS license and active SUSP-ENT-MAS support plan.	334290L	US	\$1,966.75
SWR-CSS-MAS-LT	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-MAS-LT license and active SUSP-W-ENT-MAS-LT support plan.	334290L	US	\$983.38
SWR-CSS-PRO-TR-1	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-PRO-TR-1 license and active SUSP-PRO-TR-1 support plan.	334290L	US	\$798.99

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWR-CSS-PRO-TR-2	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-PRO-TR-2 license and active SUSP-PRO-TR-2 support plan.	334290L	US	\$1,229.22
SWR-CSS-PRO-TR-3	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-PRO-TR-3 license and active SUSP-PRO-TR-3 support plan.	334290L	US	\$2,489.17
SWR-CSS-PRO-TR-4	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-PRO-TR-4 license and active SUSP-PRO-TR-4 support plan.	334290L	US	\$4,672.26
SWR-CSS-PRO-TR-5	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-PRO-TR-5 license and active SUSP-PRO-TR-5 support plan.	334290L	US	\$9,219.14
SWR-CSS-REG-LT	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-REG-LT license and active SUSP-W-ENT-REG-LT support plan.	334290L	US	\$491.69
SWR-CSS-REG-SM	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-REG-SM license and active SUSP-W-ENT-REG-SM support plan.	334290L	US	\$417.93
SWR-CSS-REG-TR-1	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-REG-TR-1 license and active SUSP-ENT-REG-TR-1 support plan.	334290L	US	\$798.99
SWR-CSS-REG-TR-2	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-REG-TR-2 license and active SUSP-ENT-REG-TR-2 support plan.	334290L	US	\$1,229.22
SWR-CSS-REG-TR-3	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-REG-TR-3 license and active SUSP-ENT-REG-TR-3 support plan.	334290L	US	\$1,659.45
SWR-CSS-REG-TR-4	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-REG-TR-4 license and active SUSP-ENT-REG-TR-4 support plan.	334290L	US	\$2,519.90

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWR-CSS-REG-TR-5	LENEL	12 month Renewal or Extension for OnGuard Cardholder Self Service (CSS) Module. Requires SWM-CSS-REG-TR-5 license and active SUSP-ENT-REG-TR-5 support plan.	334290L	US	\$3,687.66
SWR-MCI-ADV	LENEL	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SWM-MCI-ADV license and active SUSP-ADV-TR-1, TR-2, Or TR-3 support plan.	334290L	US	\$345.41
SWR-MCI-ES	LENEL	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SWM-MCI-ES license and active SUSP-W-ES support plan.	334290L	US	\$233.55
SWR-MCI-MAS	LENEL	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SWM-MCI-MAS license and active SUSP-ENT-MAS support plan.	334290L	US	\$5,506.90
SWR-MCI-MAS-LT	LENEL	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SWM-MCI-MAS-LT license and active SUSP-W-ENT-MAS-LT support plan.	334290L	US	\$2,065.09
SWR-MCI-PRO-A	LENEL	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SWM-MCI-PRO-A license and active SUSP-PRO-TR-1 or TR-2 support plan.	334290L	US	\$653.94
SWR-MCI-PRO-B	LENEL	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SWM-MCI-PRO-B license and active SUSP-PRO-TR-3 or TR-4 support plan.	334290L	US	\$2,082.30
SWR-MCI-PRO-C	LENEL	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SWM-MCI-PRO-C license and active SUSP-PRO-TR-5 support plan.	334290L	US	\$5,162.72
SWR-MCI-REG-A	LENEL	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SWM-MCI-REG-A license and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	334290L	US	\$567.90
SWR-MCI-REG-B	LENEL	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SWM-MCI-REG-B license and active SUSP-ENT-REG-TR-3 or TR-4 support plan.	334290L	US	\$1,325.10

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWR-MCI-REG-C	LENEL	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SWM-MCI-REG-B license and active SUSP-ENT-REG-TR-5 support plan.	334290L	US	\$2,409.27
SWR-MCI-REG-LT	LENEL	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SWM-MCI-REG-LT license and active SUSP-W-ENT-REG-LT support plan.	334290L	US	\$275.35
SWR-MCI-REG-SM	LENEL	12 month Renewal or Extension for Mobile Credential Issuance. One required per server. Requires SWM-MCI-REG-SM license and active SUSP-W-ENT-REG-SM support plan.	334290L	US	\$153.65
SWR-OCM-ADV	LENEL	12 month Renewal or Extension for OnGuard Credentials app. One required per server. Requires SWM-OCM-ADV license and active SUSP-ADV-TR-1, TR-2, Or TR-3 support plan.	334290L	US	\$492.92
SWR-OCM-ES	LENEL	12 month Renewal or Extension for OnGuard Credentials app. One required per server. Requires SWM-OCM-ES license and active SUSP-W-ES support plan.	334290L	US	\$334.35
SWR-OCM-MAS	LENEL	12 month Renewal or Extension for OnGuard Credentials app. One required per server. Requires SWM-OCM-MAS license and active SUSP-ENT-MAS support plan.	334290L	US	\$5,900.25
SWR-OCM-MAS-LT	LENEL	12 month Renewal or Extension for OnGuard Credentials app. One required per server. Requires SWM-OCM-MAS-LT license and active SUSP-W-ENT-MAS-LT support plan.	334290L	US	\$2,950.13
SWR-OCM-PRO-A	LENEL	12 month Renewal or Extension for OnGuard Credentials app. One required per server. Requires SWM-OCM-PRO-A license and active SUSP-PRO-TR-1 or TR-2 support plan.	334290L	US	\$934.21
SWR-OCM-PRO-B	LENEL	12 month Renewal or Extension for OnGuard Credentials app. One required per server. Requires SWM-OCM-PRO-B license and active SUSP-PRO-TR-3 or TR-4 support plan.	334290L	US	\$2,974.71
SWR-OCM-PRO-C	LENEL	12 month Renewal or Extension for OnGuard Credentials app. One required per server. Requires SWM-OCM-PRO-C license and active SUSP-PRO-TR-5 support plan.	334290L	US	\$5,900.25

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWR-OCM-REG-A	LENEL	12 month Renewal or Extension for OnGuard Credentials app. One required per server. Requires SWM-OCM-REG-A license and active SUSP-ENT-REG-TR-1 or TR-2 support plan.	334290L	US	\$811.28
SWR-OCM-REG-B	LENEL	12 month Renewal or Extension for OnGuard Credentials app. One required per server. Requires SWM-OCM-REG-B license and active SUSP-ENT-REG-TR-3, or TR-4 support plan.	334290L	US	\$1,671.74
SWR-OCM-REG-C	LENEL	12 month Renewal or Extension for OnGuard Credentials app. One required per server. Requires SWM-OCM-REG-B license and active SUSP-ENT-REG-TR-5 support plan.	334290L	US	\$2,950.13
SWR-OCM-REG-LT	LENEL	12 month Renewal or Extension for OnGuard Credentials app. One required per server. Requires SWM-OCM-REG-LT license and active SUSP-W-ENT-REG-LT support plan.	334290L	US	\$614.61
SWR-OCM-REG-SM	LENEL	12 month Renewal or Extension for OnGuard Credentials app. One required per server. Requires SWM-OCM-REG-SM license and active SUSP-W-ENT-REG-SM support plan.	334290L	US	\$334.35
SWR-VSS	LENEL	12 month renewal license for Qty 1 SWM-VSS. Quantity must match number of existing SWM-VSS licenses. Maximum total subscription is 3 years. iPad not included. NOTE: Special Promotional pricing valid through December 31, 2016.	334290L	US	\$737.53
SWR-WATCH-ADV-TR-1	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-ADV-TR-1 license and active SUSP-ADV-TR-1 support plan.	334290L	US	\$464.64
SWR-WATCH-ADV-TR-2	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-ADV-TR-2 license and active SUSP-ADV-TR-2 support plan.	334290L	US	\$511.36
SWR-WATCH-ADV-TR-3	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-ADV-TR-3 license and active SUSP-ADV-TR-3 support plan.	334290L	US	\$760.89
SWR-WATCH-ES	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-ES license and active SUSP-ES support plan.	334290L	US	\$417.93

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWR-WATCH-MAS	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-MAS license and active SUSP-ENT-MAS support plan.	334290L	US	\$1,966.75
SWR-WATCH-MAS-LT	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-MAS-LT license and active SUSP-W-ENT-MAS-LT support plan.	334290L	US	\$983.38
SWR-WATCH-PRO-TR-1	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-PRO-TR-1 license and active SUSP-PRO-TR-1 support plan.	334290L	US	\$798.99
SWR-WATCH-PRO-TR-2	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-PRO-TR-2 license and active SUSP-PRO-TR-2 support plan.	334290L	US	\$1,229.22
SWR-WATCH-PRO-TR-3	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-PRO-TR-3 license and active SUSP-PRO-TR-3 support plan.	334290L	US	\$2,489.17
SWR-WATCH-PRO-TR-4	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-PRO-TR-4 license and active SUSP-PRO-TR-4 support plan.	334290L	US	\$4,672.26
SWR-WATCH-PRO-TR-5	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-PRO-TR-5 license and active SUSP-PRO-TR-5 support plan.	334290L	US	\$9,219.14
SWR-WATCH-REG-LT	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-REG-LT license and active SUSP-W-ENT-REG-LT support plan.	334290L	US	\$491.69
SWR-WATCH-REG-SM	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-REG-SM license and active SUSP-W-ENT-REG-SM support plan.	334290L	US	\$417.93
SWR-WATCH-REG-TR-1	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-REG-TR-1 license and active SUSP-ENT-REG-TR-1 support plan.	334290L	US	\$798.99

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWR-WATCH-REG-TR-2	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-REG-TR-2 license and active SUSP-ENT-REG-TR-2 support plan.	334290L	US	\$1,229.22
SWR-WATCH-REG-TR-3	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-REG-TR-3 license and active SUSP-ENT-REG-TR-3 support plan.	334290L	US	\$1,659.45
SWR-WATCH-REG-TR-4	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-REG-TR-4 license and active SUSP-ENT-REG-TR-4 support plan.	334290L	US	\$2,519.90
SWR-WATCH-REG-TR-5	LENEL	12 month Renewal or Extension for OnGuard WATCH. Requires SWM-WATCH-REG-TR-5 license and active SUSP-ENT-REG-TR-5 support plan.	334290L	US	\$3,687.66
SWS-32ES	LENEL	OnGuard 32ES Server Software License OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; sup	334290L	US	\$608.46
SWS-32ESI	LENEL	OnGuard 32ESI Server Software License OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; su	334290L	US	\$1,561.11
SWS-ADV	LENEL	OnGuard ADV Server Software License OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; sup	334290L	US	\$2,575.21
SWS-ADVI	LENEL	OnGuard ADVI Server Software License- OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; supp	334290L	US	\$6,262.87
SWS-ADVI-REDU	LENEL	OnGuard ADVI Redundant Server Software License - OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver;	334290L	US	\$6,262.87
SWS-ADV-REDU	LENEL	OnGuard ADV Redundant Server Software License OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support, Guard Tour; Login Driver;	334290L	US	\$2,575.21

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWS-DV	LENEL	OnGuard Video Security Server Software License on CD include this part number if you want stand-alone video system. Includes OnGuard digital video server software license, system administration for video, communication server for video, alarm monit	334290L	US	\$491.69
SWS-ENTMAS1	LENEL	OnGuard Enterprise Server Software License - OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-ma	334290L	US	\$36,870.43
SWS-ENTMAS1-REDU	LENEL	OnGuard Enterprise Master Redundant Server Software License - OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation;	334290L	US	\$36,870.43
SWS-ENTMAS2	LENEL	Additional Regional Server Licenses for ENTMAS1 Master Servers - Allows for an additional 10 regions to be added to the Enterprise Master.[MAX of 1 purchase before Professional Engineering Services needs to be engaged about your system]	334290L	US	\$23,349.02
SWS-ENTMAS-LT	LENEL	OnGuard Enterprise Lite Server Software License OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support;	334290L	US	\$20,890.58
SWS-ENTMAS-LT-REDU	LENEL	OnGuard Enterprise Master Lite Redundant Server Software License OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentat	334290L	US	\$20,890.58
SWS-ENTREG1	LENEL	OnGuard Regional Dedicated Server Software License - OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Suppor	334290L	US	\$19,661.36
SWS-ENTREG1-REDU	LENEL	OnGuard Regional Redundant Server Software License - OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Ve	334290L	US	\$19,661.36
SWS-ENTREG-LT	LENEL	OnGuard Regional Lite Server Software License - OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Support; E-	334290L	US	\$13,515.26
SWS-ENTREG-LT-REDU	LENEL	OnGuard Enterprise Regional Lite Redundant Server Software License - OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmen	334290L	US	\$13,515.26

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWS-ENTREG-SM	LENEL	OnGuard Regional SM [small] Server Software License - OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentation; Video Verify Suppo	334290L	US	\$3,681.51
SWS-ENTREG-SM-REDU	LENEL	OnGuard Enterprise Regional SM Redundant Server Software License - OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Replication Administration; Database Segmentat	334290L	US	\$3,681.51
SWS-IDADV	LENEL	OnGuard IDADV Server Software OnGuard Server software license includes; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chroma	334290L	US	\$2,943.98
SWS-IDES	LENEL	OnGuard IDES Server Software OnGuard Server software license includes; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option (Chromak	334290L	US	\$989.52
SWS-IDPRO	LENEL	OnGuard IDPRO Server Software License OnGuard Server software license includes; ID Credential Center Application; Badge Designer Application; Image Capture; ID Printing; License Server; Cardholder Image Export; Login Driver; Enhanced Imaging Option	334290L	US	\$10,442.22
SWS-LAS	LENEL	Lenel Archive Server License One archive server license is required per storage library or storage server vault configuration. (When using tape libraries you must have a three internal hard drives)	334290L	US	\$6,139.95
SWS-MASLT2	LENEL	Additional Regional Server Licenses for ENTMAS-LT Master Servers - Allows for 8 additional regions (16 total) to be added to the Enterprise Master (ENTMAS-LT only).[MAX OF 1 Purchase for ENTMAS-LT systems]	334290L	US	\$11,056.83
SWS-PRO	LENEL	OnGuard PRO Server Software License OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; supp	334290L	US	\$10,442.22
SWS-PROI	LENEL	OnGuard PROI Server Software License OnGuard Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; Account Linkage; sup	334290L	US	\$16,711.23
SWS-PROI-REDU	LENEL	OnGuard PROI Redundant Server Software License OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver;	334290L	US	\$16,711.23

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
SWS-PRO-REDU	LENEL	OnGuard PRO Redundant Server Software License OnGuard Redundant Server software license includes; System Administration; Alarm Monitoring; Map Designer; License Server; Comm. Server; Video Verify Support; E-mail Support; Guard Tour; Login Driver; A	334290L	US	\$10,442.22
SWS-VSA	LENEL	OnGuard Alert Management Software License includes global server software license for the Visonic communications interface (Requires SWG-1355 per SLC-5)	334290L	US	\$1,223.07
SW-TRUVIS-CH8	LENEL	TruVision Channel License for when adding a TruVision recorder into OnGuard . Sold as an 8 pack.	334290L	US	\$737.53
TP-ADD-1DIP	LENEL	TruPortal IP Based 1 Door Add On Consists of IP based single door interface board installed in a UL listed enclosure (10.255 x 9.25 x 3.25); pre-configured to use power over ethernet (POE); cab also be configured to use auxiliary power supply; interf	334290L	US	\$442.52
TP-ADD-1DIP-BRD	LENEL	TruPortal IP Based 1 Door Add On Board Only This board is intended to be used as REPLACEMENT board in to the TP-ADD-1DIP part; board only; no enclosure; interface board for 1 door and up to 2 readers; RoHS - CE-UL294 certified	334290L	US	\$387.45
TP-ADD-2D	LENEL	TruPortal 2 Door ADD On Kit C2 - Consists of a TruPortal 2-Door interface module installed in a UL listed enclosure (16 x 12.5 x 4.5) with integrated 110VAC input 12 VDC 4 A output power supply with battery back up capabilities (battery backup not in	334290L	US	\$538.84
TP-ADD-2D2R	LENEL	TruPortal 2 Door ADD On Kit with 2 T-100 Prox Readers - Consists of a TruPortal 2-Door interface module installed in a UL listed enclosure (16 x 12.5 x 4.5) with integrated 110VAC input 12 VDC 4 A output power supply with battery back up capabilities	334290L	US	\$727.43
TP-ADD-2D-BRD	LENEL	TruPortal 2-Door Interface Module Board Only - Can be used as a replacement board or add-on board mounted in a in a TP enclosure; requires 12 VDC power; interface board can handle up to 2 doors or 4 readers (in and out); RoHS - CE - UL294 certified.	334290L	US	\$202.06
TP-ADD-4D	LENEL	TruPortal 4 Door Add On Consists of TP-CTX-6 enclosure (24.5 x 18.5 x 4.5) prepopulated with two TP-ADD-2D-BRD with integrated 110VAC input 12 VDC 4A output power supply with battery back up capabilities (battery back up not included); can handle 4 d	334290L	US	\$934.21
TP-ADD-IO	LENEL	TruPortal I/O Expansion ADD On Kit Consists of a TruPortal 16 input - 8 relay output I/O expansion module installed in a UL listed enclosure (16 x 12.5 x 4.5) with integrated 100VAC input 12 VDC 4 A ouput power supply with battery back up capabilitie	334290L	US	\$565.77

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
TP-ADD-IO-BRD	LENEL	TruPortal I/O Expansion Module Board Only Can be used as a replacement board or add-on board mounted in a TP enclosure; requires 12 VDC power; I/O expansion board has 16 inputs and 8 relay outputs on a mounting plate; RoHS - CE - UL294 certified.	334290L	US	\$202.06
TP-CASE	LENEL	TruPortal Demo Case to hold the TP-DEMO gear	334290L	US	\$418.94
TP-CP-KF-OG-25PK	LENEL	TruPortal Credential - Casi Prox Keyfobs Piano TruPortal Orange - 25 Pack	334290L	US	\$118.01
TP-DEMO	LENEL	TruPortal Demo metal display stand; consists of a metal display stand with TP-SYS-2D-BRD; TP-ADD-2D-BRD and 1 TP-200A reader pre-mounted	334290L	US	\$800.17
TP-DEMOKIT	LENEL	TruPortal Demo Kit; includes TP-CASE and all components from TP-DEMO including the metal display stand with TP-SYS-2D-BRD - TP-ADD-2D-BRD and 1 TP-200A reader pre-mounted.	334290L	US	\$1,219.11
TP-MEDIAKT	LENEL	Spare TruPortal Software Media Tool Kit	334290L	US	\$16.72
TP-MFC-ISOM-50PK	LENEL	TruPortal Credential - MIFARE ISO Cards 2750oe Magstripe Gloss/Gloss - 50 pack	334290L	US	\$91.27
TP-MFC-KF-BK-25PK	LENEL	TruPortal Credential - MIFARE Keyfobs Piano Black - 25 pack	334290L	TW	\$121.24
TP-MFC-KF-LG-25PK	LENEL	TruPortal Credential - MIFARE Keyfobs Epoxy Slender - TruPortal Logo - 25 pack	334290L	TW	\$101.03
TP-MFC-KF-OG-25PK	LENEL	TruPortal Credential - MIFARE Keyfobs Piano TruPortal Orange - 25 pack	334290L	TW	\$121.24

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
TP-MFC-KF-RD-25PK	LENEL	TruPortal Credential - MIFARE Keyfobs Piano Red - 25 pack	334290L	TW	\$121.24
TP-PRX-CLAM-50PK	LENEL	TruPortal Credential - HID Proxcard II Clamshell Design Cards - 50 pack	334290L	US	\$108.42
TP-PRX-ISO-50PK	LENEL	TruPortal Credential - HID Prox ISO Cards - 50 pack	334290L	US	\$203.41
TP-PRX-KF-50PK	LENEL	TruPortal Credential - HID Prox Keyfobs - 50 pack	334290L	US	\$218.31
TP-RDR-100A	LENEL	T-100 Reader with a standard 18 inch pigtail wire; comes with 3 covers in black - light gray and charcoal; capable of Casi Prox (Proxlite - Entr e Prox) & HID Prox; wiegand output ONLY	334290L	US	\$87.77
TP-RDR-100B	LENEL	T-100 Reader with 7 foot pigtail wire; comes with 3 covers in black - light gray and charcoal; capable of Casi Prox (Proxlite - Entr e Prox) & HID Prox; wiegand output ONLY	334290L	US	\$97.60
TP-RDR-200A	LENEL	T-200 Reader with standard 18 inch pigtail wire; comes with 3 covers in black - light gray and charcoal; capable of Mifare (ISO 14443A) and Vicinity (ISO 15693); wiegand output ONLY	334290L	US	\$103.25
TP-RDR-200B	LENEL	T-200 Reader with 7 foot pigtail wire; comes with 3 covers in black - light gray and charcoal; capable of Mifare (ISO 14443A) and Vicinity (ISO 15693); wiegand output ONLY	334290L	US	\$109.99
TP-RDR-LRN	LENEL	USB dual frequency enrollment reader	334290L	US	\$196.68
TP-SYS-2D	LENEL	TruPortal 2 Door Base Kit - Intuitive browser-based user interface controllers; consisting of a TruPortal system controller installed in a UL listed enclosure (21.5 x 13.5 x 4.5) with integrated 110VAC input 12 VDC 4 A output power supply with batter	334290L	US	\$808.25

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
TP-SYS-2D2R	LENEL	TruPortal 2 Door Base Kit with T-100 Prox Readers - Intuitive browser-based user interface controllers; consisting of a TruPortal system controller installed in a UL listed enclosure (21.5 x 13.5 x 4.5) with integrated 110VAC input 12 VDC 4 A output	334290L	US	\$978.46
TP-SYS-BRD	LENEL	TruPortal Base System Controller Board Only - REPLACEMENT part only to be used to replace the controller in a TP-SYS-2D or TP-SYS-2D2R; RoHS CE- UL 294 certified; BOARD ONLY with onboard interface for up to 2 doors or 4 readers (in and out); 2 aux o	334290L	US	\$673.54
TSS-ESP-32	LENEL	Emergency Technical Support for 32ES or 32ESI systems	334290L	US	\$614.61
TSS-ESP-64	LENEL	Emergency Technical Support for ADV or ADVI systems	334290L	US	\$2,458.44
TSS-ESP-ENT	LENEL	Emergency Technical Support for Enterprise systems with three or more regions	334290L	US	\$14,750.63
TSS-ESP-ENT-LT	LENEL	Emergency Technical Support for Enterprise Lite systems or Enterprise systems with two regions or less	334290L	US	\$11,677.58
TSS-ESP-PRO	LENEL	Emergency Technical Support for PRO or PROI systems	334290L	US	\$6,146.10
TSS-HRLY-1	LENEL	First hourly per incident rate for uncertified VAR callers and sites without valid Annual Software Upgrade and Support Plan.	334290L	US	\$245.84
TSS-HRLY-1A	LENEL	Each additional 15 minute interval per uncertified incident rate.	334290L	US	\$61.46
TVK-400USB	LENEL	TruVision USB keypad joystick PTZ controller. Compatible with Prism version 1.2 or newer.	334290L	US	\$860.45

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
UPC-3232I	LENEL	OnGuard 32ES to OnGuard 32ESI [when using UPS-3232I]	334290L	US	\$590.03
UPC-32ADV	LENEL	OnGuard 32ES to OnGuard ADV [when using UPS-3264]	334290L	US	\$1,806.95
UPC-32ADVI	LENEL	OnGuard 32ESI to OnGuard ADVI [when using UPS-3264I]	334290L	US	\$4,314.56
UPC-ADVADVI	LENEL	OnGuard ADV to OnGuard ADVI [when using UPS-6464I]	334290L	US	\$3,097.63
UPC-ID32I	LENEL	OnGuard IDES to OnGuard 32ESI [when using UPS-ID32I]	334290L	US	\$295.01
UPC-IDADV	LENEL	OnGuard IDADV to OnGuard ADVI [when using UPS-ID64I]	334290L	US	\$2,065.09
UPC-IDESIDADV	LENEL	OnGuard IDES to OnGuard IDADV [when using UPS-IDESADV]	334290L	US	\$2,544.48
UPS-3232I	LENEL	OnGuard 32ES to OnGuard 32ESI	334290L	US	\$1,143.17
UPS-3264	LENEL	OnGuard 32ES to OnGuard ADV	334290L	US	\$2,264.22
UPS-3264I	LENEL	OnGuard 32ESI to OnGuard ADVI	334290L	US	\$5,546.24

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
UPS-6464I	LENEL	OnGuard ADV to OnGuard ADVI	334290L	US	\$4,425.19
UPS-64PRO	LENEL	OnGuard ADV to OnGuard PRO	334290L	US	\$9,580.53
UPS-64PROI	LENEL	OnGuard ADVI to OnGuard PROI	334290L	US	\$12,678.17
UPS-ID32I	LENEL	OnGuard IDES to OnGuard 32ESI	334290L	US	\$685.90
UPS-ID64I	LENEL	OnGuard IDADV to OnGuard ADVI	334290L	US	\$3,982.67
UPS-IDESADV	LENEL	OnGuard IDES to OnGuard IDADV	334290L	US	\$2,249.47
UPS-IDPRO	LENEL	OnGuard IDADV to OnGuard IDPRO	334290L	US	\$9,138.02
UPS-IDPROI	LENEL	OnGuard IDPRO to OnGuard PROI	334290L	US	\$7,522.82
UPS-LTMAS1	LENEL	Enterprise Master Lite server to Enterprise Master Server	334290L	US	\$19,175.82
UPS-LTREG1	LENEL	Enterprise Regional Lite server to Enterprise Regional Server	334290L	US	\$7,375.31

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
UPS-PROI	LENEL	OnGuard PRO to OnGuard PROI	334290L	US	\$7,522.82
UPS-SMREG	LENEL	Enterprise Regional SM server to Enterprise Regional Lite Server	334290L	US	\$11,800.50
WMC251-1W-1T-300	LENEL	IP55 803-22b/g/n 2.4Ghz 300Mbps Outdoor WLAN AP/Bridge/Route Built in 14dBi	334290L	TW	\$147.51
WMC251-1W-2T-150	LENEL	IP55 803-22b/g/n 150Mbps Outdoor WLAN AP/Bridge/Route 12dBi Patch Antenna, Optional RF	334290L	TW	\$118.01
WMC252-1W-1T-300	LENEL	IP55 802.11a/n, 5GHz, 300Mbps Outdoor WLAN CPE, built-in 14 dBi antenna	334290L	TW	\$157.34
WMC303-1W-1T- 1200	LENEL	1200Mbps 802.11ac Dual Band Ceiling Mount Wireless Access Point	334290L	TW	\$167.17
WPR400-KP	LENEL	Keypad Only Reader; battery-operated handheld unit	334290L	MX	\$814.97
WPR400-MG	LENEL	Magnetic Stripe Reader [insert]; battery-operated handheld unit	334290L	MX	\$866.60
WPR400-MGK	LENEL	Magnetic Stripe Reader [insert] and Keypad; battery-operated handheld unit	334290L	MX	\$896.10
WPR400-MT	LENEL	Multi-Technology Reader; battery-operated handheld unit	334290L	MX	\$888.09

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
WPR400-MTK	LENEL	Multi-Technology Reader with keypad; battery-operated handheld unit	334290L	MX	\$916.75
ZXP7-105999-701	LENEL	Zebra ZXP Series 7 Print Station Cleaning Kit (Includes 12 feeder and print path cleaning cards for 60;000 prints)	334290L	US	\$108.17
ZXP7-105999-704	LENEL	Zebra ZXP Series 7 Print Station and Laminator Cleaning Kit (Includes 12 feeder; print path and laminator cleaning cards; 12 cleaning swabs; and 3 adhesive cleaning cards for 60;000 prints)	334290L	US	\$169.63
ZXP7-800077-701	LENEL	ZXP Series 7 - ix Series monochrome ribbon for ZXP Series 7 Back; 2500 prints per roll	334290L	JP	\$34.42
ZXP7-800077-742	LENEL	ZXP Series 7 - ix Series color ribbon for ZXP Series 7 YMCKO; 750 prints per roll	334290L	US	\$196.68
ZXP7-800077-748	LENEL	ZXP Series 7 - ix Series color ribbon for ZXP Series 7 YMCKOK; 250 prints per roll	334290L	US	\$105.71
ZXP7-800077-749	LENEL	ZXP Series 7 - ix Series color ribbon for ZXP Series 7 YMCKOK; 750 prints per roll	334290L	US	\$270.43
ZXP7-800077-770	LENEL	ZXP Series 7 - ix Series color ribbon for ZXP Series 7 YMCUVK; 750 prints per roll	334290L	US	\$325.74
ZXP7-800085-912	LENEL	ZXP Series 7 - 1 mil Laminate for ZXP Series 7; Bottom; Mag Stripe; 750 prints per roll	334290L	US	\$121.69
ZXP7-800085-913	LENEL	ZXP Series 7 - 1 mil Laminate for ZXP Series 7; Top; Smart Card; 750 prints per roll	334290L	US	\$125.38

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
ZXP7-800085-914	LENEL	ZXP Series 7 - 1 mil Laminate for ZXP Series 7; Top; Full Clear; 750 prints per roll	334290L	US	\$99.57
ZXP7-800085-918	LENEL	ZXP Series 7 - 1 mil Laminate for ZXP Series 7; Bottom; Full Clear; 750 prints per roll	334290L	US	\$99.57
ZXP8-800012-445	LENEL	ZXP Series 8 - i Series color ribbon YMCK [625 prints per roll]	334290L	US	\$236.01
ZXP8-800012-480	LENEL	ZXP Series 8 - i Series color ribbon YMCKK [500 prints per roll]	334290L	US	\$226.18
ZXP8-800012-543	LENEL	ZXP Series 8 - i Series color ribbon YMCUvK [500 prints per roll]	334290L	US	\$265.51
ZXP8-800012-601	LENEL	ZXP Series 8- i Series Clear Transfer Film [1250 prints per roll single sided & 625 prints per roll dual sided]	334290L	US	\$122.92
ZXP8-800012-901	LENEL	ZXP Series 8 - i Series monochrome ribbon Black [2500 prints per roll]	334290L	US	\$147.51
HSS-L2S-001	MAGNASPHERE	BMS Single Alarm, Surface Mount Contact	334290	US	\$354.81
3KA-0356	MASTER LOCK	1-1/2 4PIN TUMBLER STL PADLOCK - PADLOCKS LAMINATED STEEL 4-PIN CYLINDER GREY DUAL BUMPER	334290	MX	\$11.11
PS-1270F1	POWERSONIC	12V 7AH Battery	334290	TW	\$14.75

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
PS-670F1	POWERSONIC	BATTERY, SEALED LEAD-ACID, 6V, 7AH	334290	TW	\$15.37
M420	SCHLAGE	Maglock Standard Single Lock Auto Voltage Selection	334290	US	\$298.24
M420P	SCHLAGE	Maglock Single DSM MBS, RTD Single Lock Auto Voltage Selection	334290	US	\$410.77
M422	SCHLAGE	Double Mini Maglock 628 12/24 Auto Voltage 1200LB	334290	US	\$630.91
M422P	SCHLAGE	Maglock DSM2 MBS2 RTD2 628 2 Door Status Monitors, 2 Magnetic Bond Sensors, 2 Relocking Time Delays Aluminum	334290	US	\$843.05
M450	SCHLAGE	MAGLOCK 12/24 V 1200LBS 628 12/24 AUTO SELECT ALUMINUM	334290	US	\$340.67
M452	SCHLAGE	Double Mini Maglock 628 12/24 Auto Voltage 1200LB	334290	US	\$715.15
TJ420	SCHLAGE	TOP JAMB INSWINGING DR FOR /M420 Schlage	334290	US	\$95.31
9001K85	SQ-D	Contact Block 30 Millimeters Alternate Action Push On/Push Off Module Maximum Current Rating 10A AC/2.5A DC For 5B535 Contact Block	334290	MX	\$35.25
9001KA3	SQ-D	Contact Block, 30 Millimeters, Alternate Action, Push On/Push Off Module, Maximum Current Rating 10A AC/2.5A DC	334290	MX	\$17.71

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
9001KR1U	SQ-D	30MM FULL GUARD MULTI RND FLUSH K P-BTN SWT - Schneider Electric	334290	US	\$31.80
SS-2141-EX	STI	STOPPER STATION PUSH, TURN- TO RESET MUSHROOM	334290	US	\$106.93
SS-2141EXEN	STI	Green Push Button, Green Labeled "Emergency Exit"	334290	US	\$106.93
STI-6531-G	STI	SPACER GREEN FOR STI PUSHBUTTON STATION	334290	US	\$12.30
SUB-102722-G	STI	MOUNTING BRACKET, GREEN FOR STI PUSHBUTTON STATION	334290	US	\$4.99
SUB-71101A-G	STI	MOUNTING BRACKET, GREEN FOR STI PUSHBUTTON STATION	334290	US	\$11.25
6211 DS FSE 12VDC US32D	VON DUPRIN	Electric Strike, Fail Secure, US32D Stainless Steel, Satin	334290L	US	\$391.20
990NL-RV US26D	VON DUPRIN	99/98 Series Trim, Night Latch, Device Type R&V, US26D (Satin Chrome)	334290L	US	\$143.38
99NL-OP 3 26D	VON DUPRIN	99 SERIES RIM EXIT DEVICE WITH 110NL-MD NIGHT LATCH TRIM NIGHT LATCH NO PULL 3 FEET SATIN CHROME	334290L	US	\$1,138.38
ELXP99L-NL-RX2	VON DUPRIN	ELXP RIM EXIT DEVICE US26D EXIT PROTECTOR, ELECT. LATCH KIT 3-FOOT Comprised of ELXP99EO 3FT 26D, 052070, 996L-NL-06-R/V US26D	334290L	US	\$2,421.32

Systems Applications and Solutions GSA Net Pricebook

Part Number	Manufacturer	Description	SIN	CoO	GSA Net
EPT-10-SP28	VON DUPRIN	VND EPT 10 SP28 ELECT POWER TRANSFERS - TEN 24 GAUGE WIRES, LAQUER SPRAYED ALUMINUM FINISH	334290L	US	\$383.48
O50270	VON DUPRIN	RX-2 switch kit Request to Exit	334290L	US	\$231.46
PS914-2RS-BBK-KL	VON DUPRIN	Pwr Supply with Relay Boards Battery Back-Up Kit Key-Locking Cover	334290L	US	\$656.88
EL99-NL-OP-3-US26D	VONDUPRIN	Rim Exit Device, Night Latch, Opt. Pull, 3', US26D (Satin Chrome)	334290	US	\$1,452.89
CN-BM74-18	WEST PENN	BNC 75 OHM 4-Piece Connector	334290	US	\$1.84
WP-825-1000	WEST PENN	MINIATURE 25 SOLID BARE CM - 1000' MiniMax CCTV Coaxial Cable, 1 Conductor 25AWG Solid, 95% Bare copper braid and an overall PVC Jacket, Gas Injected Polyethylene Insulation Minimu...	334290	US	\$0.14